



ELSEVIER

Animal Feed Science and Technology 50 (1994) 181


ANIMAL FEED
SCIENCE AND
TECHNOLOGY

Animal Feed Science and Technology

Volumes 26–50, 1989–1994

Publication overview

<i>Volume 26</i>	<i>1989</i>
<i>Volume 27</i>	<i>1989/1990</i>
<i>Volume 28</i>	<i>1990</i>
<i>Volume 29</i>	<i>1990</i>
<i>Volume 30</i>	<i>1990</i>
<i>Volume 31</i>	<i>1990</i>
<i>Volume 32</i>	<i>1991</i>
<i>Volume 33</i>	<i>1991</i>
<i>Volume 34</i>	<i>1991</i>
<i>Volume 35</i>	<i>1991</i>
<i>Volume 36</i>	<i>1992</i>
<i>Volume 37</i>	<i>1992</i>
<i>Volume 38</i>	<i>1992</i>
<i>Volume 39</i>	<i>1992</i>
<i>Volume 40</i>	<i>1992/1993</i>
<i>Volume 41</i>	<i>1993</i>
<i>Volume 42</i>	<i>1993</i>
<i>Volume 43</i>	<i>1993</i>
<i>Volume 44</i>	<i>1993</i>
<i>Volume 45</i>	<i>1993/1994</i>
<i>Volume 46</i>	<i>1994</i>
<i>Volume 47</i>	<i>1994</i>
<i>Volume 48</i>	<i>1994</i>
<i>Volume 49</i>	<i>1994</i>
<i>Volume 50</i>	<i>1994</i>





ELSEVIER

Animal Feed Science and Technology 50 (1994) 183–228

ANIMAL FEED
SCIENCE AND
TECHNOLOGY

Author index

*Animal Feed Science and Technology, volumes 26–50,
1989–1994*



A

- Abd El Moneim, A.M., see Aletor, V.A., 47 (1994) 125
- Abdouli, H., Khorchani, T. and Nefzaoui, A., Nutrition of the one-humped camel. I. Faecal index determination and chromic oxide excretion pattern and recovery, 39 (1992) 293
- Abdouli, H., see Khorchani, T., 39 (1992) 303
- Abdouli, H., see Ben Salem, H., 46 (1994) 143
- Abdullah, N., see Ho, Y.W., 34 (1991) 311
- Abe, A., see Kajikawa, H., 31 (1990) 91
- Abe, A., see Kajikawa, H., 34 (1991) 203
- Abe, H., see Kajikawa, H., 31 (1990) 91
- Abe, I., see Goto, M., 36 (1992) 229
- Abrahamsson, M., Graham, H., Dandanell Daveby, Y. and Aman, P., Ileal and faecal digestibility of light- or dark-coloured peas (*Pisum sativum*) in growing pigs, 42 (1993) 15
- Abu-Screw, S., see Karunajeewa, H., 26 (1989) 45
- Acamovic, T., see D'Mello, J.P.F., 26 (1989) 1
- Adamson, A.H., see Givens, D.I., 26 (1989) 323
- Adamson, A.H., see Givens, D.I., 27 (1989) 157
- Adamson, A.H., see Givens, D.I., 27 (1990) 173
- Adamson, A.H., see Givens, D.I., 27 (1990) 185
- Adamson, A.H., see Givens, D.I., 28 (1990) 103
- Adamson, A.H., see Givens, D.I., 35 (1991) 83
- Adamson, A.H., see Givens, D.I., 36 (1992) 215
- Adamson, A.H., see Givens, D.I., 37 (1992) 281
- Adamson, A.H., see Givens, D.I., 41 (1993) 297
- Adamson, A.H., see Givens, D.I., 42 (1993) 97
- Adamson, A.H., see Givens, D.I., 43 (1993) 51
- Adebowale, E.A., see Nakashima, Y., 35 (1991) 309
- Adebowale, E.A. and Nakashima, Y., Ruminal degradation of some *Leguminosae* and *Graminae* roughages: effect of chemical pretreatment with or without cellulase preparation on dry matter and cell wall disappearance, 38 (1992) 219
- Aderibigbe, A.O. and Cheeke, P.R., Comparison of in vitro digestion of feed ingredients by rabbit cecal and bovine rumen fluids, 41 (1993) 329
- Adomako, D., see Donkoh, A., 35 (1991) 161
- Adomako, D., see Osei, S.A., 35 (1991) 283
- Aduku, A.O., see Balogun, T.F., 30 (1990) 193
- Aguilera, J.F., Bustos, M. and Molina, E., The degradability of legume seed meals in the rumen: effect of heat treatment, 36 (1992) 101
- Aguilera, J.F., see Prieto, C., 47 (1994) 151
- Agunbiade, J.A., Wiseman, J. and Cole, D.J.A., Utilization of dietary energy and nutrients from soya bean products by growing pigs, 36 (1992) 303
- Aharoni, Y., see Brosh, A., 40 (1993) 165
- Aherne, F.X., see Shaw, J., 28 (1990) 71
- Aherne, F.X., see Fengler, A.I., 28 (1990) 243
- Aherne, F.X., see Shaw, J., 28 (1990) 325
- Ahn, J.H., Robertson, B.M., Elliott, R., Gutteridge, R.C. and Ford, C.W., Quality assessment of tropical browse legumes: tannin content and protein degradation, 27 (1989) 147
- Ahrens, F., see Mosenthin, R., 37 (1992) 245
- Ahrens, F., see Inbarr, J., 44 (1993) 113
- Akiba, Y., Hah, T.W., Murakami, H., Horiguchi, M. and Yamazaki, M., Metabolizable energy value and effect on amino acid availability of medium-chain triglycerides in diets fed to chickens of different ages, 43 (1993) 259
- Akin, D.E., Borneman, W.S. and Lyon, D.E., Degradation of leaf blades and stems by monocentric and polycentric isolates of ruminal fungi, 31 (1990) 205
- Akin, D.E., see Ohlde, G.W., 36 (1992) 173
- Akin, D.E., Rigsby, L.L., Hanna, W.W. and Lyon, C.E., In vitro digestion and textural strength of rind and pith of normal and brown midrib stems, 43 (1993) 303
- Al-Zubaidy, S.S., Evaluation of spent bleaching and filtering clay — a bentonite product from palm oil refining as a potential feed ingredient in layer diets, 40 (1992) 13
- Alaku, S.O., see Olawuni, K.A., 38 (1992) 1
- Aletor, V.A. and Omodara, O.A., Studies on some leguminous browse plants, with particular reference to their proximate, mineral and some endogenous anti-nutritional constituents (Short Communication), 46 (1994) 343
- Aletor, V.A., Goodchild, A.V. and Abd El Moneim, A.M., Nutritional and antinutritional characteristics of selected *Vicia* genotypes, 47 (1994) 125
- Alexandrov, A.N., see Todorov, N.A., 45 (1994) 299
- Alhassan, W.S. and Aliyu, S.U., Studies on urea-ammonia treatment of maize straw: treatment method and potential for dry season feeding of cattle in Northern Nigeria, 33 (1991) 289
- Ali, A., see Khan, M.F., 38 (1992) 135
- Ali-Ali, see Kayouli, C., 40 (1993) 343
- Alibés, X., see Joy, M., 38 (1992) 319
- Alifakiotis, T., see Stanogias, G., 47 (1994) 287
- Aliyu, S.U., see Alhassan, W.S., 33 (1991) 289

- Allee, G.L., see Zhu, X.S., 27 (1990) 341
- Allen, V.G., see Samuels, W.A., 38 (1992) 305
- Almiladi, A.A., see Moloney, A.P., 50 (1994) 37
- Alsobayel, A.A., see Attia, F.M., 34 (1991) 1
- Alsobayel, A.A., see Attia, F.M., 44 (1993) 85
- Åman, P., Pettersson, D. and Graham, H., Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223
- Åman, P., see Graham, H., 32 (1991) 143
- Åman, P., see Pettersson, D., 33 (1991) 1
- Åman, P., see Löwgren, W., 39 (1992) 183
- Åman, P., see Löwgren, W., 40 (1993) 223
- Åman, P., see Abrahamsson, M., 42 (1993) 15
- Amato, S.V., see Damron, B.L., 31 (1990) 79
- Amenta, V.C.M., see King, R.H., 37 (1992) 1
- Ammerman, C.B., see Van Ravenswaay, R.O., 39 (1992) 13
- Ammerman, C.B., see Pott, E.B., 45 (1994) 193
- Andersen, L.M., see Batterham, E.S., 26 (1989) 191
- Andersen, L.M., see Batterham, E.S., 35 (1991) 181
- Andersen, L.M., see Batterham, E.S., 50 (1994) 167
- Anderson, D.M., see Donovan, B.C., 33 (1991) 87
- Anderson, D.M., see Donovan, B.C., 43 (1993) 77
- Anderson, D.M., see Rose, S.P., 49 (1994) 163
- Anderson, P.D., see Chestnut, A.B., 35 (1991) 227
- Andries, J.I., see De Boever, J.L., 27 (1990) 281
- Andrieu, J., see Aufrère, J., 36 (1992) 187
- Andrieu, J.P., see Aufrère, J., 50 (1994) 75
- Andrighetto, I., Gruber, L., Cozzi, G., Uray, G., Guidetti, G. and Buchgraber, K., Prediction of digestible organic matter in dry matter in vivo from the chemical composition, in vitro and in situ measurements on native mountain forages, 39 (1992) 323
- Annisson, G., see Li, X., 37 (1992) 221
- Annisson, G., Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105
- Antongiovanni, M., see Susmel, P., 49 (1994) 119
- Antoniewicz, A.M., Van Vuuren, A.M., Van der Koelen, C.J. and Kosmala, I., Intestinal digestibility of rumen undegraded protein of formaldehyde-treated feedstuffs measured by mobile bag and in vitro technique, 39 (1992) 111
- Arbaoui, M.I., see Benabdeljelil, K., 48 (1994) 325
- Arieli, A. and Werner, D., Calorimetric determination of the degradation rate of rapidly fermentable organic matter of forages, 26 (1989) 299
- Armoo, D., see Osei, S.A., 37 (1992) 317
- Aronen, I., Vanhatalo, A. and Varvikko, T., Ruminant and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201
- Aronen, I., Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49
- Aronen, I., Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 2. Studies with growing bulls on restricted feeding, 36 (1992) 153
- Arumugam, M.P., Vedhanayagam, K., Doraisamy, K.A. and Narahari, D., Chemical composition and nutritive value of ghee residue for chickens, 26 (1989) 119
- Asfaw Yimegnuh, see Capper, B.S., 36 (1992) 59
- Ash, A.J., The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225
- Ashbell, G., see Weinberg, Z.G., 32 (1991) 313
- Ashbell, G., see Meeske, R., 43 (1993) 165
- Asiamah, M., see Osei, S.A., 29 (1990) 295
- Askbrant, S., see Malmlof, K., 46 (1994) 163
- Assoumani, M.B., Vedeau, F., Jacquot, L. and Sniffen, C.J., Refinement of an enzymatic method for estimating the theoretical degradability of proteins in feedstuffs for ruminants, 39 (1992) 357
- Atreja, P.P., see Samanta, A.K., 50 (1994) 157
- Attia, F.M., Alsobayel, A.A. and Bayoumi, M.S., Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1
- Attia, F.M., Alsobayel, A.A., Bayoumi, M.S. and Haroun, I.Y., Body composition of two commercial broiler strains subjected to early feed restriction or feeding with dried chick excreta, 44 (1993) 85
- Atuahene, C.C., see Osei, S.A., 29 (1990) 295

- Atuahene, C.C., see Osei, S.A., 29 (1990) 303
- Atuahene, C.C., see Donkoh, A., 30 (1990) 155
- Atuahene, C.C., see Donkoh, A., 35 (1991) 161
- Atuahene, C.C., see Osei, S.A., 35 (1991) 283
- Aufrère, J., Graviou, D., Demarquilly, C., Vérité, R., Michalet-Doreau, B. and Chapoutot, P., Predicting in situ degradability of feed proteins in the rumen by two laboratory methods (solubility and enzymatic degradation), 33 (1991) 97
- Aufrère, J., see Fahmy, W.G., 35 (1991) 115
- Aufrère, J., Graviou, D., Demarquilly, C., Andrieu, J., Emile, J.C., Giovanni, R. and Maupetit, P., Estimation of organic matter digestibility of whole maize plants by laboratory methods, 36 (1992) 187
- Aufrère, J., see Giger-Reverdin, S., 48 (1994) 73
- Aufrère, J., Boulberhane, D., Graviou, D., Andrieu, J.P. and Demarquilly, C., Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75
- Aumaitre, A., see Bourdon, D., 30 (1990) 175
- Aumont, G., see Salas, M., 39 (1992) 265
- Avondo, M., see D'Urso, G., 42 (1993) 259
- Axtell, J.D., see Cherney, D.J.R., 39 (1992) 79
- Ayangbile, O.A., Tallam, S.K. and Surtan, M.S., Processing of slaughterhouse blood and poultry litter and the effects on nutrient digestibility by steers, 40 (1993) 153
- B**
- Ba, S., see Geay, Y., 36 (1992) 255
- Babatunde, G.M. and Pond, W.G., Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313
- Babatunde, G.M., see Fajimi, A.O., 43 (1993) 177
- Baidoo, S.K., see Shaw, J., 28 (1990) 71
- Baidoo, S.K., see Shaw, J., 28 (1990) 325
- Baigent, D.R., see Batterham, E.S., 27 (1990) 317
- Baigent, D.R., see Batterham, E.S., 35 (1991) 181
- Bainton, J., see Machin, D.H., 28 (1990) 199
- Bainton, S.J., Plumb, V.E., Juliano, B.O., Perez, C.M., Roxas, D.B., Khush, G.S., De Jesus, J.C. and Gomez, K.A., Variation in the nutritional value of rice straw, 34 (1991) 261
- Baker, C.W., see Givens, D.I., 35 (1991) 83
- Baker, C.W., see Givens, D.I., 36 (1992) 1
- Baker, C.W., see Givens, D.I., 37 (1992) 281
- Baker, C.W., Givens, D.I. and Deaville, E.R., Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17
- Balcells, J., see Gasa, J., 39 (1992) 193
- Balcells, J., see Fondevilla, M., 50 (1994) 137
- Balde, A.T., Vandersall, J.H., Erdman, R.A., Reeves III, J.B. and Glenn, B.P., Effect of stage of maturity of alfalfa and orchardgrass on in situ dry matter and crude protein degradability and amino acid composition, 44 (1993) 29
- Baldeweg, P., see Flachowsky, G., 39 (1992) 173
- Baldi, A., see Corino, C., 35 (1991) 321
- Balogun, T.F., Aduku, A.O., Dim, N.I. and Olorunju, S.A.S., Undecorticated cottonseed meal as a substitute for soya bean meal in diets for weaner and growing-finishing pigs, 30 (1990) 193
- Bar-Tsur, A., see Brosh, A., 26 (1989) 287
- Barak, M., see Maltz, E., 35 (1991) 15
- Baraniak, B., The effect of flocculant applied in the process of fractionating alfalfa juice on the chemical composition of the obtained protein concentrates, 31 (1990) 305
- Barber, G.D., Givens, D.I., Kridis, M.S., Offer, N.W. and Murray, I., Prediction of the organic matter digestibility of grass silage, 28 (1990) 115
- Bárcena-Gama, J.R., see Plata P., F., 49 (1994) 203
- Barej, W., see Puchala, R., 48 (1994) 121
- Barrera, J., see Tortuero, F., 48 (1994) 1
- Barrier-Guillot, B., Zuprizal, Jondreville, C., Chagneau, A.M., Larbier, M. and Leuillet, M., Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149
- Barry, P., see Grenet, E., 26 (1989) 55
- Barry, T.N., see Eijssen, A.F.M.M., 28 (1990) 145
- Barton II, F.E., New methods for the structural and compositional analysis of cell walls for quality determinations, 32 (1991) 1
- Bas, F.J., Stern, M.D. and Fahey Jr., G.C., Effects of various combinations of urea, soya-bean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
- Bates, D.B., see Richards, D.E., 46 (1994) 37

- Bates, D.B., see Richards, D.E., 46 (1994) 53
- Batterham, E.S., Saini, H.S. and Andersen, L.M., The effect of mild heat on the nutritional value of triticale for growing pigs, 26 (1989) 191
- Batterham, E.S., Saini, H.S. and Baigent, D.R., The effect of rate of feeding on the nutritional value of three triticale cultivars for growing pigs, 27 (1990) 317
- Batterham, E.S., Andersen, L.M., Baigent, D.R. and Green, A.G., Evaluation of meals from Linola™ low-linolenic acid linseed and conventional linseed as protein sources for growing pigs, 35 (1991) 181
- Batterham, E.S., Andersen, L.M. and Green, A.G., Pyridoxine supplementation of Linola™ meal for growing pigs, 50 (1994) 167
- Baudart, E., see Mathot, P., 39 (1992) 227
- Bayoumi, M.S., see Attia, F.M., 34 (1991) 1
- Bayoumi, M.S., see Attia, F.M., 44 (1993) 85
- Beames, R.M., see Eggum, B.O., 43 (1993) 109
- Beames, R.M., see McDougall, N.R., 45 (1994) 139
- Beauchemin, K.A. and Buchanan-Smith, J.G., Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59
- Beauchemin, K.A., Effects of ingestive and ruminative mastication on digestion of forage by cattle, 40 (1992) 41
- Beaulieu, A.D., Olubobokun, J.A. and Christensen, D.A., The utilization of canola and its constituents by lactating dairy cows, 30 (1990) 289
- Baumat, Ph., see Stevani, J., 36 (1992) 287
- Becker, K., see Ohlde, G.W., 36 (1992) 173
- Beckers, Y., see Leterme, P., 29 (1990) 45
- Bedford, M.R., see Inbarr, J., 46 (1994) 179
- Beever, D.E., see McAllan, A.B., 46 (1994) 277
- Belibaskis, N.G. and Triantos, A., Effects of sodium carbonate on milk yield, milk composition and blood components of dairy cows in hot weather, 33 (1991) 151
- Bell, J.M. and Keith, M.O., Nutritional evaluation of linseed meals from flax with yellow or brown hulls, using mice and pigs, 43 (1993) 1
- Bell, J.M. and Keith, M.O., Effects of combinations of wheat, corn or hullless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
- Bell, J.M. and Keith, M.O., Effects of adding barley hulls and linseed meal to wheat and hullless barley diets fed to growing pigs, 45 (1994) 177
- Ben Amor, J., see Kayouli, C., 33 (1991) 237
- Ben Salem, H., see Doreau, M., 44 (1993) 181
- Ben Salem, H., Nefzaoui, A. and Abdouli, H., Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1. Methodological approach, 46 (1994) 143
- Ben Salem, H., Nefzaoui, A. and Rokbani, N., Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
- Ben-Ghedalia, D., see Miron, J., 30 (1990) 107
- Ben-Ghedalia, D., see Solomon, R., 37 (1992) 185
- Ben-Ghedalia, D., Yosef, E. and Miron, J., Pectin fermentation and utilization by natural microflora during ryegrass ensilage, 41 (1993) 113
- Ben-Ghedalia, D., Miron, J. and Solomon, R., The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283
- Ben-Ghedalia, D., see Yosef, E., 46 (1994) 331
- Ben-Ghedalia, D., Yosef, E., Miron, J., Huttermann, A., Majcherczyk, A. and Milstein, O., Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO₂-treated wheat straw, 47 (1994) 89
- Ben-Ghedalia, D., see Yosef, E., 50 (1994) 27
- Benabdeljelil, K., Ryadi, A. and Jensen, L.S., Effect of dietary ascorbic acid supplementation on the performance of brown-egg layers and egg quality, 30 (1990) 301
- Benabdeljelil, K. and Arbaoui, M.I., Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325
- Benoff, F.H., see Damron, B.L., 31 (1990) 79
- Beramis, M., see Hassoun, P., 29 (1990) 113
- Bernalier, A., Fonty, G. and Gouet, Ph., Cellulose degradation by two rumen anaerobic fungi in monoculture or in coculture with rumen bacteria, 32 (1991) 131
- Bernalier, A., see Roger, V., 42 (1993) 69
- Berot, S., see Champ, M., 32 (1991) 177
- Bersch, S., see Kratzer, F.H., 31 (1990) 247
- Bertechni, A.G., see Sazzad, H.M., 46 (1994) 271
- Besle, J.M., see Sahnoun, S., 34 (1991) 75
- Betty, R.G., see Fredrickson, E.L., 40 (1993) 93
- Bhattacharya, A.N., *Citrus colocynthis* seed meal as a protein supplement for Najdi sheep in northern Saudi Arabia, 29 (1990) 57
- Bhaty, R., see Campbell, G.L., 41 (1993) 191
- Bielorai, R., Iosif, B. and Harduf, Z., Nitrogen, amino acid and starch absorption and endoge-

- nous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15
- Biessy, G., see Salas, M., 39 (1992) 265
- Biondi, L., see D'Urso, G., 42 (1993) 259
- Bird, S.H., Romulo, B. and Leng, R.A., Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
- Björkgren, S., see Malmlöf, K., 46 (1994) 163
- Bláha, J., Jičínska, E., Veselý, D. and Jelínek, R., The effect of moulds on the nutritional value of wheat, 28 (1990) 315
- Blanch, A., see Wiseman, J., 47 (1994) 225
- Blümmel, M. and Ørskov, E.R., Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109
- Boer, H., see Van Der Poel, A.F.B., 26 (1989) 29
- Boer, H., see Tamminga, S., 27 (1989) 49
- Boer, H., see Van der Poel, A.F.B., 33 (1991) 49
- Boer, H., see Hendriks, W.H., 48 (1994) 99
- Bogaert, C., Gomez, L., Jouany, J.P. and Jeminet, G., Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1
- Bogaert, C., Jouany, J.P. and Jeminet, G., Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
- Bogaert, C., see Gomez, L., 31 (1990) 29
- Bogusz, G., see Matyka, S., 31 (1990) 223
- Boila, R.J. and Ingalls, J.R., The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57
- Boila, R.J. and Ingalls, J.R., The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173
- Bolsen, K.K., see Esmail, S.H.M., 33 (1991) 79
- Bolsen, K.K., see White, J.S., 33 (1991) 313
- Bonhomme, A., Rumen ciliates: their metabolism and relationships with bacteria and their hosts, 30 (1990) 203
- Bontempo, V., see Corino, C., 35 (1991) 321
- Boon, J.J., see Morrison III, W.H., 32 (1991) 17
- Boon, J.J., see Mulder, M.M., 39 (1992) 335
- Borens, F.M.P. and Poppi, D.P., The nutritive value for ruminants of tagasaste (*Chamaecytisus palmensis*), a leguminous tree, 28 (1990) 275
- Borneman, W.S., see Akin, D.E., 31 (1990) 205
- Bornholdt, U., see Mosenthin, R., 37 (1992) 245
- Boros, D., see Marquardt, R.R., 45 (1994) 363
- Bosch, M.W., see Bruining, M., 37 (1992) 193
- Bouchez, P., see Toullec, R., 50 (1994) 101
- Boucque, Ch.V., see Fiems, L.O., 26 (1989) 347
- Boucqué, Ch.V., see Fiems, L.O., 30 (1990) 267
- Boucqué, Ch.V., see De Brabander, D.L., 38 (1992) 57
- Boucqué, Ch.V., see Fiems, L.O., 45 (1994) 131
- Boucqué, Ch.V., see De Boever, J.L., 47 (1994) 1
- Boulberhane, D., see Aufrère, J., 50 (1994) 75
- Bourdon, D. and Aumaitre, A., Low-glucosinolate rapeseeds and rapeseed meals: effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs, 30 (1990) 175
- Bourqué, Ch.V., Obituary, 33 (1991) i
- Bovolenta, S., see Malossini, F., 50 (1994) 113
- Bowles, J.E., see Langlands, J.P., 28 (1990) 1
- Bowles, J.E., see Langlands, J.P., 28 (1990) 15
- Bowles, J.E., see Donald, G.E., 40 (1993) 295
- Bowles, J.E., see Langlands, J.P., 46 (1994) 109
- Boza, J., see Khazaal, K., 49 (1994) 133
- Brake, A.C., see Hall, K.L., 30 (1990) 275
- Brakel, J., see Mathot, P., 39 (1992) 227
- Brandt, M., see Südekum, K.-H., 38 (1992) 143
- Brandt, M., see Südekum, K.-H., 46 (1994) 307
- Bremmers, R., see Van der Poel, A.F.B., 29 (1990) 309
- Brenes, A., see Treviño, J., 30 (1990) 313
- Brenes, A., see Viveros, A., 48 (1994) 237
- Breton, A., see Grenet, E., 26 (1989) 55
- Brink, G.E., see Fairbrother, T.E., 28 (1990) 293
- Britton, R.A., see Oliveros, B.A., 44 (1993) 59
- Brizuela, M.A., Cid, M.S., Miñón, D.P. and Fernández Grecco, R., Seasonal utilization of saltgrass (*Distichlis* spp.) by cattle, 30 (1990) 321
- Broesder, J.T., Gunter, S.A., Krysl, L.J. and Jenkins, M.B., Digestion of ruminal masticate dried by three different methods, 37 (1992) 323
- Brookes, I.M., see Eijssen, A.F.M.M., 28 (1990) 145
- Brosh, A., Holzer, Z., Bar-Tsur, A., Levy, D., Ilan, D. and Kali, J., High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287
- Brosh, A., see Silanikove, N., 31 (1990) 117
- Brosh, A., Holzer, Z., Levy, D. and Aharoni, Y., The effect of maize grain supplementation of diets based on wheat straw and poultry litter

- on their utilization by beef cattle, 40 (1993) 165
- Broudicou, L., Van Nevel, C.J. and Demeyer, D.I., Effect of soya oil hydrolysate on rumen digestion in defaunated and refaunated sheep, 30 (1990) 51
- Broudicou, L. and Lassalas, B., Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161
- Broudicou, L., Pochet, S. and Poncet, C., Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189
- Brown, D., see Fuller, M.F., 48 (1994) 305
- Brown, D.L., see Shqueir, A.A., 27 (1989) 127
- Brown, W.F., see Richards, D.E., 46 (1994) 37
- Brown, W.F., see Richards, D.E., 46 (1994) 53
- Brown, W.G., see King, R.H., 37 (1992) 1
- Bruchem, J., see Kaitho, R.J., 43 (1993) 19
- Brufau, J., Nogareda, C., Pérez-Vendrell, A., Francesch, M. and Esteve-Garcia, E., Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193
- Bruining, M. and Bosch, M.W., Ruminant passage rate as affected by CrNDF particle size, 37 (1992) 193
- Buchanan-Smith, J.G., see Beauchemin, K.A., 27 (1989) 59
- Buchgraber, K., see Andrighetto, I., 39 (1992) 323
- Bunting, L.D., see Kennedy, D.W., 36 (1992) 91
- Bunting, L.D., Sticker, L.S., Kappel, L.C. and Zhang, Y., Growth responses and ruminal adaptation of lambs fed crustacean processing wastes, 45 (1994) 229
- Burianová, T., Kopečný, J., Sajdook, J. and Káš, J., Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation, 33 (1991) 41
- Burke, G.L., see Donald, G.E., 40 (1993) 295
- Bustos, M., see Aguilera, J.F., 36 (1992) 101
- Butterworth, M.H., see Soller, H., 33 (1991) 297
- Buttery, P.J. and Sweet, A., Manipulation of lean deposition in animals, 45 (1993) 97
- Buxton, D.R., Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119
- Buxton, D.R., see Russel, J.R., 38 (1992) 11
- Buxton, D.R., see Irlbeck, N.A., 41 (1993) 51
- Buyse, F.X., see De Boever, J.L., 27 (1990) 281
- Buyse, F.X., see Fiems, L.O., 30 (1990) 267
- Cadenhead, A., see Fuller, M.F., 48 (1994) 305
- Caffin, M.-P., see Leon, A.M., 32 (1991) 297
- Caffrey, P.J., see Moloney, A.P., 50 (1994) 37
- Calsamiglia, S., Stern, M.D. and Crooker, B.A., Effects of diets formulated to contain different amounts of rumen non-degradable protein on microbial fermentation and nutrient flow from a continuous culture system, 39 (1992) 239
- Calvert, C.C., see Pond, W.G., 33 (1991) 221
- Campbell, G.L., Rossnagel, B.G., Classen, H.L. and Thacker, P.A., Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221
- Campbell, G.L., see Salih, M.E., 33 (1991) 139
- Campbell, G.L., Rossnagel, B.G. and Bhatti, R., Evaluation of hull-less barley genotypes varying in extract viscosity in broiler chick diets, 41 (1993) 191
- Campbell, G.L., see Thacker, P.A., 46 (1994) 251
- Cann, I.K.O., Kobayashi, Y., Wakita, M. and Hoshino, S., Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
- Capper, B.S., Thomson, E.F. and Rihawi, S., Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105
- Capper, B.S., see Erskine, W., 28 (1990) 61
- Capper, B.S., Asfaw Yimegnihual and O'Connor, C.B., Use of whey and concentrate to partially replace whole milk consumption in the rearing of Friesian × Boran calves, 36 (1992) 59
- Carabaño, M.-J., see Wiseman, J., 39 (1992) 27
- Carabaño, R.M., see Wiseman, J., 39 (1992) 27
- Carazzolo, A., see Xiccato, G., 49 (1994) 311
- Carmean, B.R., see Kung Jr., L., 39 (1992) 1
- Caro, M.R., Zamora, E., León, L., Cuello, F., Salinas, J., Megias, D., Cubero, M.J. and Contreras, A., Isolation and identification of *Listeria monocytogenes* in vegetable byproduct silages containing preservative additives and destined for animal feeding, 31 (1990) 285
- Carre, B., see Conan, L., 26 (1989) 337
- Carré, B., see Chabeauti, E., 32 (1991) 207
- Carré, B., see Gidenne, T., 32 (1991) 215
- Carré, B., see Lacassagne, L., 34 (1991) 11
- Carro, M.D., Lebzién, P. and Rohr, K., Influence of yeast culture on the in vitro fermentation

- (Rusitec) of diets containing variable portions of concentrates, 37 (1992) 209
- Casler, M.D., see Collins, M., 27 (1990) 197
- Casler, M.D., see Collins, M., 27 (1990) 209
- Casler, M.D., see Jung, H.G., 32 (1991) 63
- Castaing, J., see Metayer, J.P., 43 (1993) 87
- Castanon, J.I.R. and Marquardt, R.R., Effect of enzyme addition, autoclave treatment and fermenting on the nutritive value of field beans (*Vicia faba* L.), 26 (1989) 71
- Castanon, J.I.R., Ortiz, V. and Perez-Lanzac, J., Effect of high inclusion levels of triticale in diets for laying hens containing 30% field beans (Short Communication), 31 (1990) 349
- Castano, M., see Viveros, A., 48 (1994) 237
- Castano, J.I.R., see Ventura, M.R., 49 (1994) 87
- Castano, J.I.R., see Flores, M.P., 49 (1994) 237
- Castejon, M. and Leaver, J.D., Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
- Castrillo, C., see Gasa, J., 39 (1992) 193
- Castrillo, C., see Fondevilla, M., 50 (1994) 137
- Castro, F.B., Hotten, P.M. and Ørskov, E.R., The potential of dilute-acid hydrolysis as a treatment for improving the nutritional quality of industrial lignocellulosic by-products, 42 (1993) 39
- Castro, F.B., Hotten, P.M. and Ørskov, E.R., Effects of dilute-acid hydrolysis treatment on the physico-chemical features and bio-utilization of wheat straw, 42 (1993) 55
- Caugant, I., Toullec, R., Guilloteau, P. and Savoie, L., Whey protein digestion in the distal ileum of the pre-ruminant calf, 41 (1993) 223
- Centeno, C., see Treviño, J., 30 (1990) 313
- Centeno, C., see Treviño, J., 37 (1992) 345
- Centeno, C., see Ortiz, L.T., 41 (1993) 271
- Cerneau, P., see Michalet-Doreau, B., 35 (1991) 69
- Chabeauti, E., Noblet, J. and Carré, B., Digestion of plant cell walls from four different sources in growing pigs, 32 (1991) 207
- Chagneau, A.M., see Zuprizal, 34 (1991) 255
- Chagneau, A.M., see Zuprizal, 35 (1991) 237
- Chagneau, A.M., see Barrier-Guillot, B., 41 (1993) 149
- Chamberlain, D.G., see Newbold, C.J., 35 (1991) 191
- Chamberlain, D.G. and Robertson, S., The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257
- Champ, M., Berot, S., Kozłowski, F., Lecannu, G. and Delort-Laval, J., Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α -galactosides, 32 (1991) 177
- Chanpongsang, S., see Doyle, P.T., 29 (1990) 15
- Chapoutot, P., see Aufrère, J., 33 (1991) 97
- Chaudhry, A.S. and Webster, A.J.F., The true digestibility and biological value for rats of undegraded dietary nitrogen in feeds for ruminants, 42 (1993) 209
- Chaudhry, A.S. and Miller, E.L., In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1
- Cheeke, P.R., see Aderibigbe, A.O., 41 (1993) 329
- Cheema, A.U., see Fredrickson, E.L., 40 (1993) 93
- Chen, C.-M., see Yin, Y.-L., 35 (1991) 271
- Chen, C.-M., see Yin, Y.-L., 44 (1993) 1
- Chen, C.-M., see Yin, Y.-L., 45 (1994) 283
- Chen, T.C. and Day, E.J., Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83
- Chen, X.-S., see Yin, Y.-L., 45 (1994) 283
- Chen, X.B., see Gomes, M.J., 49 (1994) 277
- Cheng, K.-J., see Kudo, H., 29 (1990) 159
- Cheng, K.-J., see McAllister, T.A., 30 (1990) 91
- Chenost, M., see Sahnoune, S., 34 (1991) 75
- Chenost, M., see Hassen, L., 38 (1992) 25
- Cherian, G., Sauer, W.C. and Thacker, P.A., Factors affecting the apparent digestibility of protein for swine when determined by the mobile nylon bag technique, 27 (1989) 137
- Chermiti, A., Teller, E., Vanbelle, M., Collignon, G. and Matatu, B., Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41
- Cherney, D.J.R., Mertens, D.R. and Moore, J.E., Morphology, fiber composition and mean particle diameter relationships in ground barley and oat forages at different ages, 31 (1990) 65
- Cherney, D.J.R., Volenec, J.J. and Cherney, J.H., Protein solubility and degradation in vitro as influenced by buffer and maturity of alfalfa, 37 (1992) 9
- Cherney, D.J.R., Cherney, J.H., Patterson, J.A. and Axtell, J.D., In vitro ruminal fiber digestion as influenced by phenolic-carbohydrate complexes released from sorghum cell walls, 39 (1992) 79

- Cherney, J.H., see Cherney, D.J.R., 37 (1992) 9
- Cherney, J.H., see Cherney, D.J.R., 39 (1992) 79
- Chesson, A., see Mulder, M.M., 32 (1991) 185
- Chesson, A., see Wallace, G., 32 (1991) 193
- Chesson, A., see Garrido, A., 39 (1992) 313
- Chesson, A., Feed enzymes, 45 (1993) 65
- Chestnut, A.B., Fribourg, H.A., Gwinn, K.D., Anderson, P.D. and Cochran, M.A., Effect of ammoniation on toxicity of *Acremonium coenophialum* infested tall fescue, 35 (1991) 227
- Chestnutt, D.M.B., see Patterson, D.C., 46 (1994) 11
- Chhabra, A., see Samanta, A.K., 50 (1994) 157
- Chiavari, G., see Zadrazil, F., 32 (1991) 137
- Chin, D.T.F., see Ridzwan, B.H., 40 (1993) 267
- Chopra, R.C., see Samanta, A.K., 50 (1994) 157
- Christaki, E.V., see Yannakopoulos, A.L., 36 (1992) 53
- Christaki, E.V., Florou-Paneri, P., Tserveni-Gousi, A.L. and Spais, A.V., Effect of sunflower seed meal on the performance and carcass characteristics of growing Japanese quail (Short Communication), 48 (1994) 169
- Christensen, D.A., see Beaulieu, A.D., 30 (1990) 289
- Chumping, Z., see Tingda, J., 37 (1992) 175
- Cid, M.S., see Brizuela, M.A., 30 (1990) 321
- Cilliers, J.W. and Van der Merwe, H.J., Relationships between chemical components of veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151
- Cinetto, M., see Xiccato, G., 49 (1994) 311
- Clanton, D., see Goedecken, F., 26 (1989) 129
- Classen, H.L., see Campbell, G.L., 26 (1989) 221
- Classen, H.L., see Salih, M.E., 33 (1991) 139
- Coates, W.E., see Glenn, E.P., 40 (1992) 21
- Cochran, M.A., see Chestnut, A.B., 35 (1991) 227
- Coic, J.P., see Quinsac, A., 48 (1994) 265
- Cole, D.J.A., see Agunbiade, J.A., 36 (1992) 303
- Cole, D.J.A., see Thorne, P.J., 40 (1992) 31
- Coleman, S.W. and Murray, I., The use of near-infrared reflectance spectroscopy to define nutrient digestion of hay by cattle, 44 (1993) 237
- Coleou, J., see Sahle, M., 36 (1992) 29
- Colitti, M., see Susmel, P., 42 (1993) 1
- Collignon, G., see Chermiti, A., 47 (1994) 41
- Collins, M. and Casler, M.D., Forage quality of five cool-season grasses. I. Cultivar effects, 27 (1990) 197
- Collins, M. and Casler, M.D., Forage quality of five cool-season grasses. II. Species effects, 27 (1990) 209
- Collins, M., see Henning, J.C., 31 (1990) 193
- Colucci, P.E., Falk, D., Macleod, G.K. and Grieve, D.G., In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
- Combellas, J., Priore, F., Peralta, J. and Zavarce, O., Influence of the addition of fish meal to diets of roughage or roughage and concentrate on the consumption and live-weight gain of growing cattle, 42 (1993) 319
- Combes, D., see Sahnoune, S., 34 (1991) 75
- Combs, G.E., see Myer, R.O., 31 (1990) 43
- Conan, L. and Carre, B., Effect of autoclaving on metabolizable energy value of smooth pea seed (*Pisum sativum*) in growing chicks, 26 (1989) 337
- Cone, J.W. and Engels, F.M., The influence of ageing on cell wall composition and degradability of three maize genotypes, 40 (1993) 331
- Conner, M.C., see Deetz, L.E., 31 (1990) 293
- Conrad, H.R., see Weiss, W.P., 39 (1992) 95
- Contreras, A., see Caro, M.R., 31 (1990) 285
- Cook, J.E., see Mason, V.C., 26 (1989) 207
- Cook, J.E., see Mason, V.C., 28 (1990) 169
- Cook, J.E., see Mason, V.C., 29 (1990) 237
- Coon, C.N., see Leske, K.L., 41 (1993) 73
- Corino, C., Baldi, A. and Bontempo, V., Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321
- Cosin, C., see Tortuero, F., 48 (1994) 1
- Cosin, C., see González, V., 28 (1990) 267
- Cossu, M.E., see Xiccato, G., 49 (1994) 311
- Costerton, J.W., see Kudo, H., 29 (1990) 159
- Costerton, J.W., see McAllister, T.A., 30 (1990) 91
- Cottyn, B.G., see De Brabander, D.L., 38 (1992) 57
- Cottyn, B.G., see Fiems, L.O., 26 (1989) 347
- Cottyn, B.G., see De Boever, J.L., 27 (1990) 281
- Cottyn, B.G., see Fiems, L.O., 30 (1990) 267
- Cottyn, B.G., see Fiems, L.O., 45 (1994) 131
- Cottyn, B.G., see De Boever, J.L., 47 (1994) 1
- Coughlan, M.P., Mechanisms of cellulose degradation by fungi and bacteria, 32 (1991) 77
- Cowie, E., see Mulder, M.M., 32 (1991) 185
- Cozzi, G., see Andrighetto, I., 39 (1992) 323
- Crooker, B.A., see Calsamiglia, S., 39 (1992) 239
- Crow, G., see Marquardt, R.R., 45 (1994) 363
- Crowley, M.L., Fisher, L.J. and Owen, B.D., Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves, 47 (1994) 245

- Cruz Soto, R., Muhammed, S.A., Newbold, C.J., Stewart, C.S. and Wallace, R.J., Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151
- Cubero, M.J., see Caro, M.R., 31 (1990) 285
- Cuello, F., see Caro, M.R., 31 (1990) 285
- Culot, M., see Leterme, P., 39 (1992) 209
- Czarnecka, M., Czarnecki, Z. and Żuromska, M., Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343
- Czarnecki, Z., see Czarnecka, M., 34 (1991) 343

D

- D'Mello, J.P.F. and Acamovic, T., *Leucaena leucocephala* in poultry nutrition — a review (Review), 26 (1989) 1
- D'Mello, J.P.F. and Walker, A.G., Detoxification of jack beans (*Canavalia ensiformis*): studies with young chicks, 33 (1991) 117
- D'Mello, J.P.F., Chemical constraints to the use of tropical legumes in animal nutrition, 38 (1992) 237
- D'Mello, J.P.F. and Duffus, C.M. (Guest Editors), Preface to Special Issue "Feed Additives and Supplements. Papers presented at the Third SAC (Scottish Agricultural College) Spring Conference, Edinburgh, 20 March 1992", 45 (1993) vii
- D'Mello, J.P.F., Amino acid supplementation of cereal-based diets for non-ruminants, 45 (1993) 1
- D'Urso, G., Avondo, M. and Biondi, L., Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
- Dahan, M.M., see Tuen, A.A., 32 (1991) 333
- Dai, H., see Yin, Y.-L., 35 (1991) 271
- Damron, B.L., Amato, S.V. and Benoff, F.H., Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79
- Dandanell Daveby, Y., see Abrahamsson, M., 42 (1993) 15
- Danielsen, V., Eggum, B.O., Krogh Jensen, S. and Sørensen, H., Dehulled protein-rich rapeseed meal as a protein source for early weaned piglets, 46 (1994) 239
- Danielson, A.D., see Giesemann, M.A., 37 (1992) 233
- Darcy-Vrillon, B. and Laplace, J.P., Digesta collection procedure may affect ileal digestibility in pigs fed diets based on wheat bran or beet pulp, 27 (1990) 307
- Darcy-Vrillon, B., see Fuller, M.F., 48 (1994) 305
- Dardillat, C., see Kayouli, C., 40 (1993) 343
- Darko, C.A., see Kabuga, J.D., 40 (1993) 191
- Datta, F.U., see Eggum, B.O., 43 (1993) 109
- Day, E.J., see Chen, T.C., 27 (1989) 83
- De Blas, C. and Villamide, M.J., Nutritive value of beet and citrus pulps for rabbits, 31 (1990) 239
- De Blas, C., see Wiseman, J., 39 (1992) 27
- De Blas, C., Wiseman, J., Fraga, M.-J. and Villamide, M.-J., Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. 2. Mixed diets, 39 (1992) 39
- De Boever, J.L., Andries, J.I., De Brabander, D.L., Cottyn, B.G. and Buyse, F.X., Chewing activity of ruminants as a measure of physical structure — a review of factors affecting it (Review), 27 (1990) 281
- De Boever, J.L., Cottyn, B.G., Vanacker, J.M. and Bouqué, Ch.V., An improved enzymatic method by adding gammannase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1
- De Brabander, D.L., see De Boever, J.L., 27 (1990) 281
- De Brabander, D.L., Cottyn, B.G. and Bouqué, Ch.V., Substitution of concentrates by ensiled high-moisture maize grain in dairy cattle diets, 38 (1992) 57
- De Jesus, J.C., see Bainton, S.J., 34 (1991) 261
- De Lange, C.F.M., see Mosenthin, R., 37 (1992) 245
- De Monredon, F., see Lacassagne, L., 34 (1991) 11
- De Paepe, M., see Eeckhout, W., 47 (1994) 19
- De Smet, S., Demeyer, D.I. and Van Nevel, C.J., Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333
- De Wit, J., see Schiere, J.B., 43 (1993) 121
- Deaville, E.R. and Galbraith, H., Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123

- Deaville, E.R., Moss, A.R. and Givens, D.I., The nutritive value and chemical composition of energy-rich by-products for ruminants, 49 (1994) 261
- Deaville, E.R., see Baker, C.W., 50 (1994) 17
- DeB. Hovell, F.D., see Gomes, M.J., 49 (1994) 277
- Debevere, C., see Mathot, P., 39 (1992) 227
- Decuyper, J.A., see Vervaeke, I.J., 32 (1991) 55
- Deetz, L.E., Conner, M.C., Rogers, J.A., Papas, A.M. and Richardson, C.R., Performance of steers fed combinations of calcium salts of branched and unbranched fatty acids, 31 (1990) 293
- Deinum, B. and Maassen, A., Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75
- deLeeuw, J.W., see McNiven, M.A., 47 (1994) 31
- Delort-Laval, J. (Guest Editor) and Demeyer, D., Preface to Special Issue "Cell Walls: Structure — Biodegradation — Utilisation. Papers presented at an OECD Workshop, Nantes, France, July 1989", 32 (1991) ix
- Delort-Laval, J., see Champ, M., 32 (1991) 177
- Delval, E., see Lallès, J.P., 35 (1991) 139
- Demarquilly, C., see Aufrère, J., 33 (1991) 97
- Demarquilly, C., see Fahmy, W.G., 35 (1991) 115
- Demarquilly, C., see Aufrère, J., 36 (1992) 187
- Demarquilly, C., see Giger-Reverdin, S., 48 (1994) 73
- Demarquilly, C., see Aufrère, J., 50 (1994) 75
- Demeyer, D., see Delort-Laval, J., 32 (1991) ix
- Demeyer, D.I., see Broudiscou, L., 30 (1990) 51
- Demeyer, D.I., see Van Nevel, C.J., 31 (1990) 323
- Demeyer, D.I., see Vervaeke, I.J., 32 (1991) 55
- Demeyer, D.I., see Van Nevel, C.J., 37 (1992) 21
- Demeyer, D.I., see De Smet, S., 37 (1992) 333
- Demeyer, D.I., see Kayouli, C., 40 (1993) 343
- Den Hartog, L.A., see Van Der Poel, A.F.B., 26 (1989) 29
- Den Hartog, L.A., see Van der Poel, A.F.B., 29 (1990) 309
- DePeters, E.J. and Zinn, R.A., Tapioca pellets as a partial replacement for maize in the diet of lactating dairy cows, 39 (1992) 125
- Dewey, P., see Rubio, L.A., 49 (1994) 93
- Dewey, P.J.S., see Givens, D.I., 28 (1990) 103
- Deyoe, C.W., see Zhu, X.S., 34 (1991) 229
- Dhanoa, M.S., see Mason, V.C., 26 (1989) 207
- Dhanoa, M.S., see Mason, V.C., 27 (1990) 293
- Dhanoa, M.S., see Mason, V.C., 29 (1990) 237
- Dhanoa, M.S., see Theodorou, M.K., 48 (1994) 185
- Dharmender, Lohan, O.P. and Rathee, C.S., Development and evaluation of Uromalt-20 as concentrate feed for growing cattle, 44 (1993) 169
- Dias-da-Silva, A.A. and Guedes, C.V.M., Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79
- Dierick, N.A., see Vervaeke, I.J., 32 (1991) 55
- Dihua, M., see Tingda, J., 37 (1992) 175
- Dim, N.I., see Balogun, T.F., 30 (1990) 193
- Dim, N.I., see Iwuanyanwu, I.E.J., 31 (1990) 277
- Dixon, R.M., see Woldetsadick, F., 49 (1994) 325
- Djajanegara, A. and Doyle, P.T., Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and live-weight change by sheep fed a rice straw, 27 (1989) 17
- Djajanegara, A. and Doyle, P.T., Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31
- Djouvinov, D.S. and Todorov, N.A., Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and a non-invasive method, 48 (1994) 289
- Dobos, R.C., see Nandra, K.S., 43 (1993) 227
- Dodson, A.P., see Khazaal, P.A., 41 (1993) 15
- Donald, G.E., see Langlands, J.P., 28 (1990) 1
- Donald, G.E., see Langlands, J.P., 28 (1990) 15
- Donald, G.E., Langlands, J.P., Bowles, J.E., Smith, A.J. and Burke, G.L., Selenium supplements for grazing sheep. 3. Development of an intra-ruminal pellet with an extended life, 40 (1993) 295
- Donald, G.E., see Langlands, J.P., 46 (1994) 109
- Donaldson, E., see Givens, D.I., 28 (1990) 103
- Donkoh, A., Kese, A.G. and Atuahene, C.C., Chemical composition of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston) and availability of its amino acids to chicks (Short Communication), 30 (1990) 155
- Donkoh, A., Atuahene, C.C., Wilson, B.N. and Adomako, D., Chemical composition of cocoa pod husk and its effect on growth and food efficiency in broiler chicks, 35 (1991) 161
- Donkoh, A., Moughan, P.J. and Smith, W.C., Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43
- Donkoh, A., Moughan, P.J. and Smith, W.C., The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and

- bone meal for the growing pig, 49 (1994) 57
- Donkoh, A., Moughan, P.J. and Smith, W.C., True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73
- Donovan, B.C., McNiven, M.A., MacLeod, J.A. and Anderson, D.M., Protein quality of two cultivars of lupin seeds evaluated in weanling rats, 33 (1991) 87
- Donovan, B.C., McNiven, M.A., Van Lunen, T.A., Anderson, D.M. and MacLeod, J.A., Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77
- Doraisamy, K.A., see Arumugam, M.P., 26 (1989) 119
- Doreau, M., Ben Salem, H. and Krzeminski, R., Effect of rapeseed oil supply on *in vitro* ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181
- Doreau, M. and Ferlay, A., Digestion and utilisation of fatty acids by ruminants, 45 (1994) 379
- Dougherty, C.T., see Henning, J.C., 31 (1990) 193
- Doyle, P.T., see Djajanegara, A., 27 (1989) 17
- Doyle, P.T., see Djajanegara, A., 27 (1989) 31
- Doyle, P.T., see Wales, W.J., 29 (1990) 1
- Doyle, P.T. and Chanpongsang, S., The feeding value of cereal straws for sheep. II. Rice straws, 29 (1990) 15
- Doyle, P.T. and Panday, S.B., The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
- Drennan, M.J., see Moloney, A.P., 50 (1994) 37
- Drennan, M.J., see Moloney, A.P., 50 (1994) 55
- Du Plessis, G.S., see Smith, W.A., 49 (1994) 287
- Dubois, S., see Noblet, J., 42 (1993) 131
- Duffus, C.M., see D'Mello, J.P.F., 45 (1993) vii
- Düngelhof, M., Rodehutscord, M., Spiekers, H. and Pfeffer, E., Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1
- Dupire, C., see Noblet, J., 42 (1993) 131
- Durand, M., see Stevani, J., 36 (1992) 287
- Durrunna, C.S., see Udedibie, A.B.I., 48 (1994) 335
- Dzowela, B.H., Kumwenda, M.S.L., Msiska, H.D.C., Hodges, E.M. and Gray, R.C., Seasonal trends in forage dry matter production of some improved pastures and animal performance in relation to chemical composition in Malawi, 28 (1990) 255

E

- Economides, S., Georgiades, E., Koumas, A. and Hadjipanayiotou, M., The effect of cereal processing on the lactation performance of Chios sheep and Damascus goats and the pre-weaning growth of their offspring, 26 (1989) 93
- Economides, S., Koumas, A., Georgiades, E. and Hadjipanayiotou, M., The effect of barley-sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105
- Edmunds, B.K., see Wiseman, J., 36 (1992) 41
- Eeckhout, W. and De Paepe, M., Total phosphorus, phytate-phosphorus and phytase activity in plant feedstuffs, 47 (1994) 19
- Eggum, B.O., see Heger, J., 29 (1990) 89
- Eggum, B.O., see Stritzler, N.P., 38 (1992) 263
- Eggum, B.O., Tomes, G., Beames, R.M. and Datta, F.U., Protein and energy evaluation with rats of seed from 11 lupin cultivars, 43 (1993) 109
- Eggum, B.O., see Danielsen, V., 46 (1994) 239
- Ehara, H., see Goto, M., 48 (1994) 27
- Eijssen, A.F.M.M., Barry, T.N. and Brookes, I.M., The effect of pyromellitic diimide upon the rumen fermentation of sheep fed a forage diet, 28 (1990) 145
- Ekperigin, H.E., see Kratzer, F.H., 46 (1994) 67
- El Zubeir, E.A., see Hamid, I.I., 29 (1990) 289
- El Zubeir, E.A. and Mustafa, E.A., The replacement value of sorghum gluten meal for soyabean meal in broiler chick diets (Short Communication), 36 (1992) 339
- El-Shazly, K., see Fahmy, W.G., 35 (1991) 115
- Elizalde, J.C., Rearte, D.H. and Santini, F.J., Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161
- Elizalde, J.C., Santini, F.J. and Pasinato, A.M., The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201
- Elliott, R., see Ahn, J.H., 27 (1989) 147
- Elliott, R., see McMeniman, N.P., 28 (1990) 155
- Ellis, M., see Hemsley, C.L., 26 (1989) 139
- Ellis, M., see Hemsley, C.L., 26 (1989) 153
- Elmore, R., see Pond, W.G., 33 (1991) 221
- Elzubeir, E.A. and Mohammed, O.A., Dietary protein and energy effects on reproductive

- characteristics of commercial egg-type pullets reared in arid hot climate (Short Communication), 41 (1993) 161
- Elzubeir, E.A. and Jubarah, S.K., Nutritional evaluation of sorghum germ meal as a substitute for sorghum in broiler diets, 44 (1993) 93
- Elzubeir, E.A., see Khalifa, N.A., 48 (1994) 165
- Emanuelson, M., Murphy, M. and Lindberg, J.-E., Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291
- Emile, J.C., see Aufrère, J., 36 (1992) 187
- Engels, F.M., see Mulder, M.M., 39 (1992) 335
- Engels, F.M., see Cone, J.W., 40 (1993) 331
- Engstrom, D.F., Mathison, G.W. and Goonewardene, L.A., Effect of β -glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33
- Erdman, R.A., see Balde, A.T., 44 (1993) 29
- Ernst, R.A., see Kratzer, F.H., 31 (1990) 247
- Erskine, W., Rihawi, S. and Capper, B.S., Variation in lentil straw quality, 28 (1990) 61
- Eshwaraiiah, see Rajashekher, A.R., 44 (1993) 151
- Esmail, S.H.M., Bolsen, K.K. and Pfaff, L., Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79
- Esonu, B.O., see Udedibie, A.B.I., 48 (1994) 335
- Esteve-Garcia, E., see Brufau, J., 34 (1991) 193
- Everington, J.M., see Givens, D.I., 26 (1989) 323
- Everington, J.M., see Givens, D.I., 27 (1989) 157
- Everington, J.M., see Givens, D.I., 27 (1990) 173
- Everington, J.M., see Givens, D.I., 27 (1990) 185
- Everington, J.M., see Moss, A.R., 29 (1990) 73
- Everington, J.M. and Givens, D.I., Nutritive value of whole triticale grain for sheep (Short Communication), 30 (1990) 163
- Everington, J.M., see Givens, D.I., 38 (1992) 281
- Excoffier, G., see Toussaint, B., 32 (1991) 235
- trolled moisture and heating conditions, 36 (1992) 13
- Fadel, J.G., see Vadiveloo, J., 37 (1992) 265
- Fadzli, M.K., see Ridzwan, B.H., 40 (1993) 267
- Fagbenro, O.A. and Jauncey, K., Chemical and nutritional quality of dried fermented fish silages and their nutritive value for tilapia (*Oreochromis niloticus*), 45 (1994) 167
- Fahey Jr., G.C., see Bas, F.J., 29 (1990) 101
- Fahmy, S.T.M. and Klopfenstein, T.J., Treatment with different chemicals and their effects on the digestibility of maize stalks, 38 (1992) 351
- Fahmy, S.T.M. and Klopfenstein, T.J., Treatment with different chemicals and their effects on the digestibility of maize stalks. 2. Intake and in vivo digestibility as affected by chemical treatment and monensin supplementation, 45 (1994) 309
- Fahmy, W.G., Aufrère, J., Graviou, D., Demarquilly, C. and El-Shazly, K., Comparison between the mechanism of protein degradation of two cereals by enzymatic and in situ methods, using gel electrophoresis, 35 (1991) 115
- Fairbrother, T.E. and Brink, G.E., Determination of cell-wall carbohydrates in forages by near infrared reflectance spectroscopy, 28 (1990) 293
- Fajimi, A.O., Babatunde, G.M., Ogunlana, F.F. and Oyejide, A., Comparative utilization of rubber seed oil and palm oil by broilers in a humid tropical environment, 43 (1993) 177
- Falconer, M.L., see Wallace, R.J., 37 (1992) 129
- Falk, D., see Colucci, P.E., 37 (1992) 73
- Fanimo, O.A., see Fashina-Bombata, H.A., 47 (1994) 165
- Fanimo, O.A., see Fashina-Bombata, H.A., 47 (1994) 171
- Faridnordin, B.I., see Ridzwan, B.H., 40 (1993) 267
- Farrell, D.J., see Warren, B.E., 27 (1990) 219
- Farrell, D.J., see Warren, B.E., 27 (1990) 229
- Farrell, D.J., see Warren, B.E., 27 (1990) 247
- Farrell, D.J., see Warren, B.E., 27 (1990) 259
- Farrell, D.J., see Xian, J., 34 (1991) 127
- Farrell, D.J., see Warren, B.E., 34 (1991) 323
- Fashina-Bombata, H.A. and Fanimo, O.A., The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 165
- Fashina-Bombata, H.A., Fanimo, O.A. and Weingertner, K., Effect of extruded full fat soyabean meal as a replacement for ground-

F

- nut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 171
- Fauduet, H., see Quinsac, A., 48 (1994) 265
- Fengler, A.I., Aherne, F.X. and Robblee, A.R., Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243
- Ferlay, A., see Doreau, M., 45 (1994) 379
- Fernández, E., see González, V., 28 (1990) 267
- Fernández Grecco, R., see Brizuela, M.A., 30 (1990) 321
- Fernández, J.A., see Lekule, F.P., 28 (1990) 91
- Fernández, J.A., see Sibbald, I.R., 30 (1990) 131
- Fernandez-Figares, I., see Prieto, C., 47 (1994) 151
- Ferrando, G., see Prieto, C., 47 (1994) 151
- Fiems, L.O., Vanopdenbosch, E., Boucque, Ch.V., Vancoillie, Y. and Cottyn, B.G., Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347
- Fiems, L.O., Boucqué, Ch.V., Cottyn, B.G. and Buyse, F.X., Effect of energy density by dietary incorporation of fats on the performance of double-musled bulls, 30 (1990) 267
- Fiems, L.O., Cottyn, B.G. and Boucqué, Ch.V., A note on the digestibility and feeding value of wheat gluten feed for ruminants, 45 (1994) 131
- Fikremariam, D., see Gomes, M.J., 49 (1994) 277
- Florentini, L., see Masoero, F., 48 (1994) 253
- Fisher, I.J., see Makoni, N.F., 41 (1993) 1
- Fisher, L.J., see Crowley, M.L., 47 (1994) 245
- Fitzner, G.E., see Weeden, T.L., 45 (1994) 211
- Flachowsky, G., see Schneider, M., 29 (1990) 251
- Flachowsky, G., Tiroke, K. and Schein, G., Botanical fractions of straw of 51 cereal varieties and in sacco degradability of various fractions, 34 (1991) 279
- Flachowsky, G. and Grün, M., Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239
- Flachowsky, G. and Schneider, M., Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199
- Flachowsky, G., Baldeweg, P. and Schein, G., A note on the in sacco dry matter degradability of variously processed maize grains and of different maize varieties in sheep (Short Communication), 39 (1992) 173
- Flachowsky, G., Peyker, W., Schneider, A. and Henkel, K., Fibre analyses and in sacco degradability of plant fractions of two corn varieties harvested at various times, 43 (1993) 41
- Flachowsky, G., see Schubert, R., 48 (1994) 199
- Flick, G.J., see Samuels, W.A., 38 (1992) 305
- Flint, H.J. and Thomson, A.M., The genetic manipulation of rumen bacteria with special reference to fibre digestion, 32 (1991) 123
- Flores, M.P., Castañon, J.I.R. and McNab, J.M., Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237
- Florou-Paneri, P., see Christaki, E.V., 48 (1994) 169
- Focant, M., Van Hoecke, A. and Vanbelle, M., The effect of two heat treatments (steam flaking and extrusion) on the digestion of *Pisum sativum* in the stomach of heifers, 28 (1990) 303
- Focant, M., Van Hoecke, A. and Vanbelle, M., Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69
- Focant, M., Meurens, M., Koshroff, S. and Vanbelle, M., Effects of dietary date pulp on digestion in the rat, 32 (1991) 229
- Fondevilla, M., Castrillo, C., Guada, J.A. and Balcells, J., Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137
- Fontenot, J.P., see Samuels, W.A., 38 (1992) 305
- Fonty, G., see Grenet, E., 26 (1989) 55
- Fonty, G., see Bernalier, A., 32 (1991) 131
- Fonty, G., see Roger, V., 42 (1993) 69
- Forbes, W.A., see Neutze, S.A., 40 (1993) 251
- Ford, C.W., see Ahn, J.H., 27 (1989) 147
- Ford, M., see Goedeken, F., 26 (1989) 129
- Forster Jr., L.A., see Hall, K.L., 30 (1990) 275
- Forster Jr., L.A., see Galloway Sr., D.L., 32 (1991) 261
- Forster Jr., L.A., see Sun, W., 34 (1991) 241
- Forster Jr., L.A., see Patil, A.R., 44 (1993) 251
- Forster Jr., L.A., Goetsch, A.L., Galloway Sr., D.L., Sun, W., Patil, A.R. and Johnson, Z.B., Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259
- Fortune, H., see Noblet, J., 42 (1993) 131
- Foucart, M., see Walhain, P., 38 (1992) 43
- Fraga, M.-J., see De Blas, C., 39 (1992) 39
- France, J., see Theodorou, M.K., 48 (1994) 185

- Francesch, M., see Brufau, J., 34 (1991) 193
- Francioso, O., see Zadrazil, F., 32 (1991) 137
- Franklin, M.F., see Fuller, M.F., 48 (1994) 305
- Fredrickson, E.L., Galyean, M.L., Betty, R.G. and Cheema, A.U., Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
- Fribourg, H.A., see Chestnut, A.B., 35 (1991) 227
- Frimpong, E.B., see Osei, S.A., 35 (1991) 283
- Froseth, J., see Pond, W.G., 33 (1991) 221
- Frund, R., see Yosef, E., 46 (1994) 331
- Frydrych, Z., Intestinal digestibility of rumen undegraded protein of various feeds as estimated by the mobile bag technique, 37 (1992) 161
- Fuller, M.F., Darcy-Vrillon, B., Laplace, J.P., Picard, M., Cadenhead, A., Jung, J., Brown, D. and Franklin, M.F., The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305
- Furniss, S., see Moss, A.R., 41 (1993) 199
- Furuya, S. and Kaji, Y., Estimation of the true ileal digestibility of amino acids and nitrogen from their apparent values for growing pigs, 26 (1989) 271
- Furuya, S. and Kaji, Y., Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
- G**
- Galbraith, H., see Sinclair, L.A., 34 (1991) 181
- Galbraith, H., see Deaville, E.R., 38 (1992) 123
- Gallego, J.A., see Megias, M.D., 43 (1993) 269
- Galletti, G.C., see Zadrazil, F., 32 (1991) 137
- Galloway Sr., D.L., Goetsch, A.L., Sun, W. and Forster Jr., L.A., Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
- Galloway Sr., D.L., see Sun, W., 34 (1991) 241
- Galloway Sr., D.L., see Patil, A.R., 44 (1993) 251
- Galloway Sr., D.L., see Forster Jr., L.A., 47 (1994) 259
- Galyean, M.L., see Fredrickson, E.L., 40 (1993) 93
- Garg, M.R. and Gupta, B.N., Effect of different supplements on the degradability of organic matter, cell wall constituents, in vitro gas production and organic digestibility of wheat straw, 38 (1992) 187
- Garino, H., see Phillip, L.E., 33 (1991) 29
- Garnsworthy, P.C., see Moss, A.R., 49 (1994) 245
- Garrido, A., Gómez-Cabrera, A., Guerrero, J.E. and Van der Meer, J.M., Effects of treatment with polyvinylpyrrolidone and polyethylene glycol on Faba bean tannins, 35 (1991) 199
- Garrido, A., Gómez-Cabrera, A., Guerrero, J.E. and Marquardt, R.R., Chemical composition and digestibility in vitro of *Vicia faba* L. cultivars varying in tannin content, 35 (1991) 205
- Garrido, A., Gordon, A.H., Chesson, A., Murray, I. and Gómez-Cabrera, A., Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
- Gasa, J., Castrillo, C., Guada, J.A. and Balcells, J., Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193
- Gatel, F., Protein quality of legume seeds for non-ruminant animals: a literature review (Review), 45 (1994) 317
- Geay, Y., Richet, E., Ba, S. and Thivend, P., Effects of feeding sorbitol associated with different sources and amounts of nitrogen on growth, digestion and metabolism in young bulls, 36 (1992) 255
- Genizi, A., Goldman, A., Yulzari, A. and Seligman, N.G., Evaluation of methods for calibrating in vitro digestibility estimates of ruminant feeds, 29 (1990) 265
- Geoffroy, F., see Hassoun, P., 29 (1990) 113
- Georghiades, E., see Economides, S., 26 (1989) 93
- Georghiades, E., see Economides, S., 31 (1990) 105
- Getachew, G., Said, A.N. and Sundstøl, F., The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97
- Gibson, M.L., see Morgan, E.K., 33 (1991) 59
- Gidenne, T., Carré, B., Segura, M., Lapanouse, A. and Gomez, J., Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215
- Gidenne, T., Measurement of the rate of passage in restricted-fed rabbits: effect of dietary cell

- wall level on the transit of fibre particles of different sizes, 42 (1993) 151
- Gidenne, T. and Perez, J.M., Effect of dietary starch origin on digestion in the rabbit. 1. Digestibility measurements from weaning to slaughter, 42 (1993) 237
- Gidenne, T. and Perez, J.M., Effect of dietary starch origin on digestion in the rabbit. 2. Starch hydrolysis in the small intestine, cell wall degradation and rate of passage measurements, 42 (1993) 249
- Giesemann, M.A., Lewis, A.J., Peo Jr., E.R., Grabouski, H.A. and Danielson, A.D., Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233
- Giger-Reverdin, S., Sauvant, D., Najar, T. and Rigault, M., Diet influence on biological degradation in sacco of cell walls by ruminants, 32 (1991) 223
- Giger-Reverdin, S., Aufrère, J., Sauvant, D., Demarquilly, C. and Vermorel, M., Prediction of the energy values of compound feeds for ruminants, 48 (1994) 73
- Giovanni, R., see Aufrère, J., 36 (1992) 187
- Givens, D.I., Everington, J.M. and Adamson, A.H., Chemical composition, digestibility in vitro, and digestibility and energy values in vivo of untreated cereal straws produced on farms throughout England, 26 (1989) 323
- Givens, D.I., Everington, J.M. and Adamson, A.H., The nutritive value of spring-grown herbage produced on farms throughout England and Wales over four years. I. The effect of stage of maturity and other factors on chemical composition, apparent digestibility and energy values measured in vivo, 27 (1989) 157
- Givens, D.I., Everington, J.M. and Adamson, A.H., The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. II. The prediction of apparent digestibility in vivo from various laboratory measurements, 27 (1990) 173
- Givens, D.I., Everington, J.M. and Adamson, A.H., The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. III. The prediction of energy values from various laboratory measurements, 27 (1990) 185
- Givens, D.I., Dewey, P.J.S., Donaldson, E., Jones, D.I.H. and Adamson, A.H., Within- and between-centre variability in the measurement of organic matter digestibility in vivo of cereal straws, 28 (1990) 103
- Givens, D.I., see Barber, G.D., 28 (1990) 115
- Givens, D.I., see Moss, A.R., 29 (1990) 73
- Givens, D.I., see Everington, J.M., 30 (1990) 163
- Givens, D.I., see Moss, A.R., 31 (1990) 125
- Givens, D.I., Baker, C.W., Moss, A.R. and Adamson, A.H., A comparison of near-infrared reflectance spectroscopy with three in vitro techniques to predict the digestibility in vivo of untreated and ammonia-treated cereal straws, 35 (1991) 83
- Givens, D.I., Baker, C.W. and Zamime, B., Regions of normalised near infrared reflectance difference spectra related to the rumen digestion of straws, 36 (1992) 1
- Givens, D.I., Moss, A.R. and Adamson, A.H., The chemical composition and energy value of high temperature dried grass produced in England, 36 (1992) 215
- Givens, D.I., Baker, C.W., Adamson, A.H. and Moss, A.R., Influence of growth type and season on the prediction of the metabolisable energy content of herbage by near-infrared reflectance spectroscopy, 37 (1992) 281
- Givens, D.I., Moss, A.R. and Everington, J.M., Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281
- Givens, D.I., see Waters, C.J., 38 (1992) 335
- Givens, D.I., see Moss, A.R., 39 (1992) 151
- Givens, D.I., see Moss, A.R., 41 (1993) 199
- Givens, D.I., Moss, A.R. and Adamson, A.H., Prediction of the digestibility and energy value of grass silage conserved in big bales, 41 (1993) 297
- Givens, D.I., Moss, A.R. and Adamson, A.H., The digestibility and energy value of badly preserved grass silages, 42 (1993) 97
- Givens, D.I., Moss, A.R. and Adamson, A.H., The digestion and energy value of whole crop wheat treated with urea, 43 (1993) 51
- Givens, D.I. and Moss, A.R., Effect of breed, age and bodyweight of sheep on the measurement of apparent digestibility of dried grass (Short Communication), 46 (1994) 155
- Givens, D.I., see Moss, A.R., 47 (1994) 335
- Givens, D.I., see Moss, A.R., 49 (1994) 245
- Givens, D.I., see Deaville, E.R., 49 (1994) 261
- Givens, D.I., see Baker, C.W., 50 (1994) 17
- Glenn, B.P., see Balde, A.T., 44 (1993) 29
- Glenn, E.P., Coates, W.E., Kuehl, R.O. and Swingle, R.S., *Salicornia bigelovii* Torr.: a sea-water-irrigated forage for goats, 40 (1992) 21
- Goedeken, F., Stock, R., Ford, M. and Clanton, D., Performance of finishing cattle fed maize

- silage prior to grain adaptation, 26 (1989) 129
- Goedhart, P.W., see Van der Koelen, C.J., 38 (1992) 35
- Goetsch, A.L., see Hall, K.L., 30 (1990) 275
- Goetsch, A.L., see Galloway Sr., D.L., 32 (1991) 261
- Goetsch, A.L., see Sun, W., 34 (1991) 241
- Goetsch, A.L., see Patil, A.R., 44 (1993) 251
- Goetsch, A.L., see Forster Jr., L.A., 47 (1994) 259
- Goldman, A., see Genizi, A., 29 (1990) 265
- Gomes, M.J., DeB. Howell, F.D., Chen, X.B., Nengomasha, E.M. and Fikremariam, D., The effect of starch supplementation of straw on microbial protein supply in sheep, 49 (1994) 277
- Gomez, J., see Gidenne, T., 32 (1991) 215
- Gomez, K.A., see Bainton, S.J., 34 (1991) 261
- Gomez, L., see Bogaert, C., 27 (1989) 1
- Gomez, L., Jouany, J.P., Hillaire, M.C. and Bogaert, C., Effect of a new ionophore antibiotic, abierixin, on the digestion of a roughage-based diet measured in sheep; comparison with results obtained in Rusitec, 31 (1990) 29
- Gómez-Cabrera, A., see Garrido, A., 35 (1991) 199
- Gómez-Cabrera, A., see Garrido, A., 35 (1991) 205
- Gómez-Cabrera, A., see Garrido, A., 39 (1992) 313
- González M., S., see Plata P, F., 49 (1994) 203
- González, V., Fernández, E. and Cosín, C., Evaluation of *Solanum laciniatum* press-cake silage as roughage for growing-finishing cattle, 28 (1990) 267
- Goodband, R.D., see Weeden, T.L., 45 (1994) 211
- Goodchild, A.V., see Aletor, V.A., 47 (1994) 125
- Goonewardene, L.A., see Engstrom, D.F., 37 (1992) 33
- Gordon, A.H., see Garrido, A., 39 (1992) 313
- Goto, I., see Zhao, J.Y., 41 (1993) 261
- Goto, M., Takabe, K., Morita, O. and Abe, I., Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229
- Goto, M., Yokoe, Y., Takabe, K., Nisikawa, S. and Morita, O., Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207
- Goto, M., Matsuoka, J., Sato, T., Ehara, H. and Morita, O., Brown midrib mutant maize with reduced levels of phenolic acids ether-linked to the cell walls, 48 (1994) 27
- Gouet, P., see Roger, V., 42 (1993) 69
- Gouet, Ph., see Bernalier, A., 32 (1991) 131
- Grabouski, H.A., see Giesemann, M.A., 37 (1992) 233
- Graham, H., see Åman, P., 29 (1990) 223
- Graham, H., see Vervaeke, I.J., 32 (1991) 55
- Graham, H. and Åman, P., Nutritional aspects of dietary fibres, 32 (1991) 143
- Graham, H., see Pettersson, D., 33 (1991) 1
- Graham, H., see Löwgren, W., 39 (1992) 183
- Graham, H., see Löwgren, W., 40 (1993) 223
- Graham, H., see Abrahamsson, M., 42 (1993) 15
- Grant, G., see Rubio, L.A., 49 (1994) 93
- Gravendeel, S., see Van der Poel, A.F.B., 33 (1991) 49
- Gravendeel, S., see Van der Poel, A.F.B., 36 (1992) 205
- Graviou, D., see Aufrère, J., 33 (1991) 97
- Graviou, D., see Fahmy, W.G., 35 (1991) 115
- Graviou, D., see Aufrère, J., 36 (1992) 187
- Graviou, D., see Aufrère, J., 50 (1994) 75
- Gray, R.C., see Dzwowla, B.H., 28 (1990) 255
- Green, A.G., see Batterham, E.S., 35 (1991) 181
- Green, A.G., see Batterham, E.S., 50 (1994) 167
- Greenhalgh, J.F.D., see Jakhmola, R.C., 28 (1990) 39
- Greenhalgh, J.F.D., see Jakhmola, R.C., 41 (1993) 87
- Greenhill, N.B., see King, R.H., 37 (1992) 1
- Grenet, E., Breton, A., Barry, P. and Fonty, G., Rumen anaerobic fungi and plant substrate colonization as affected by diet composition, 26 (1989) 55
- Grenet, E., Electron microscopy as a method for investigating cell wall degradation in the rumen, 32 (1991) 27
- Grenet, E., see Roger, V., 42 (1993) 69
- Griessel, A., see Smith, W.A., 49 (1994) 287
- Grieve, D.G., see Colucci, P.E., 37 (1992) 73
- Grosjean, F., see Metayer, J.P., 43 (1993) 87
- Gruber, L., see Andrighetto, I., 39 (1992) 323
- Grün, M., see Schöne, F., 30 (1990) 143
- Grün, M., see Flachowsky, G., 36 (1992) 239
- Guada, J.A., see Gasa, J., 39 (1992) 193
- Guada, J.A., see Fondevilla, M., 50 (1994) 137
- Guedes, C.V.M., see Dias-da-Silva, A.A., 28 (1990) 79
- Guenther, W., see Marquardt, R.R., 45 (1994) 363
- Guerrero, J.E., see Garrido, A., 35 (1991) 199
- Guerrero, J.E., see Garrido, A., 35 (1991) 205
- Guessous, F., Luginbuhl, J.-M., Rihani, N. and Pond, K.R., Influence of supplementation on the performance of gestating ewes grazing wheat stubble pastures, 35 (1991) 95
- Guidetti, G., see Andrighetto, I., 39 (1992) 323

- Guilloteau, P., see Caugant, I., 41 (1993) 223
 Gunter, S.A., see Broesder, J.T., 37 (1992) 323
 Gupta, B.N., see Rai, S.N., 26 (1989) 81
 Gupta, B.N., see Garg, M.R., 38 (1992) 187
 Gutteridge, R.C., see Ahn, J.H., 27 (1989) 147
 Gwinn, K.D., see Chestnut, A.B., 35 (1991) 227

H

- Haas, C., see Sahle, M., 36 (1992) 29
 Hadjipanayiotou, M., see Economides, S., 26 (1989) 93
 Hadjipanayiotou, M., see Economides, S., 31 (1990) 105
 Hah, T.W., see Akiba, Y., 43 (1993) 259
 Hakkarainen, J., see Hassan, S., 41 (1993) 103
 Hall, D.D., see Sibbald, I.R., 30 (1990) 131
 Hall, J.W., see Mir, P.S., 31 (1990) 17
 Hall, J.W., see Mir, P.S., 32 (1991) 287
 Hall, K.L., Goetsch, A.L., Landis, K.M., Forster Jr., L.A. and Brake, A.C., Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275
 Hallauer, A.R., see Russel, J.R., 38 (1992) 11
 Hallauer, A.R., see Irlbeck, N.A., 41 (1993) 51
 Halliday, L.J., see Murphy, S.R., 40 (1993) 273
 Hamadi, M., see Khorchani, T., 39 (1992) 303
 Hamid, I.I. and El Zubeir, E.A., Effect of graded levels of sorghum gluten meal on the performance of broiler chicks, 29 (1990) 289
 Hamilton, R.M.G., see McNiven, M.A., 47 (1994) 31
 Han, S.S., see Kudo, H., 29 (1990) 159
 Hanczakowski, P., see Pisulewska, E., 27 (1989) 117
 Hanczakowski, P. and Szymczyk, B., The nutritive value of protein of juice extracted from green parts of various plants (Short Communication), 38 (1992) 81
 Handson, P.D., see King, R.H., 37 (1992) 1
 Hanna, W.W., see Akin, D.E., 43 (1993) 303
 Hannequart, G., see Stevani, J., 36 (1992) 287
 Harduf, Z., see Weinberg, Z.G., 32 (1991) 313
 Harduf, Z., see Bielorai, R., 33 (1991) 15
 Haroun, I.Y., see Attia, F.M., 44 (1993) 85
 Harrold, R.L., see Pond, W.G., 33 (1991) 221
 Hartley, R.D., see Mason, V.C., 26 (1989) 207
 Hartley, R.D., see Mason, V.C., 27 (1990) 293
 Hartley, R.D., see Mason, V.C., 28 (1990) 169

- Hartley, R.D., see Mason, V.C., 29 (1990) 237
 Harvey, P., see Khazaal, K.A., 41 (1993) 15
 Hassan, S., Hakkarainen, J., Lindberg, P. and Sankari, S., Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103
 Hassen, L. and Chenost, M., Tentative explanation of the abnormally high fecal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
 Hassoun, P., Geoffroy, F., Saminadin, G., Prior, P. and Beramis, M., Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113
 Hayat, J., Savage, T.F. and Mirosh, L.W., The reproductive performance of two genetically distinct lines of Medium White turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*, 43 (1993) 291
 Heathcote, D., see Osei, S.A., 35 (1991) 283
 Hebel, P., see Ibáñez, I.A., 42 (1993) 165
 Heger, J., Salek, M. and Eggum, B.O., Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89
 Heikonen, M., see Moiso, T., 47 (1994) 107
 Hemsley, C.L., Rowlinson, P. and Ellis, M., Grape juice concentrate as feed for beef cattle, 26 (1989) 139
 Hemsley, C.L., Ellis, M. and Rowlinson, P., Grape juice concentrate as a feed for growing pigs, 26 (1989) 153
 Hen, Y., see Weinberg, Z.G., 32 (1991) 313
 Henderson, N., Silage additives, 45 (1993) 35
 Hendriks, W.H., Moughan, P.J., Boer, H. and Van der Poel, A.F.B., Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99
 Hendry, A., see Nandra, K.S., 43 (1993) 227
 Henkel, K., see Flachowsky, G., 43 (1993) 41
 Hennig, A., see Schöne, F., 30 (1990) 143
 Henning, J.C., Dougherty, C.T., O'Leary, J. and Collins, M., Urea for preservation of moist hay, 31 (1990) 193
 Henry, P.R., see Van Ravenswaay, R.O., 39 (1992) 13
 Henry, P.R., see Pott, E.B., 45 (1994) 193
 Herbert, F., see Thomson, E.F., 44 (1993) 191
 Hermansen, J.E., Feed intake and milk yield us-

- ing an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231
- Hernández, E., see Leal, M., 47 (1994) 141
- Herrera, C.A., see Ibáñez, I.A., 42 (1993) 165
- Hibberd, C.A., see Streeter, M.N., 29 (1990) 279
- Hibberd, C.A., see Streeter, M.N., 44 (1993) 45
- Hidayat, Hillman, K., Newbold, C.J. and Stewart, C.S., The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193
- Hill, G.M., see Streeter, M.N., 44 (1993) 45
- Hillaire, M.C., see Gomez, L., 31 (1990) 29
- Hillman, K., see Hidayat, 42 (1993) 193
- Hindle, V.A., see Liu, Y.-G., 41 (1993) 133
- Hindle, V.A., see Liu, Y.-G., 45 (1994) 397
- Hindle, V.A., see Susmel, P., 49 (1994) 119
- Hindle, V.A., see Steg, A., 50 (1994) 87
- Ho, Y.W., Abdullah, N. and Jalaludin, S., Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311
- Hoadley, C.J., see Mason, V.C., 29 (1990) 237
- Hodges, E.M., see Dzwowela, B.H., 28 (1990) 255
- Holmes, J.H.G., see Woldetsadick, F., 49 (1994) 325
- Holzer, Z., see Brosh, A., 26 (1989) 287
- Holzer, Z., see Silanikove, N., 31 (1990) 117
- Holzer, Z., see Brosh, A., 40 (1993) 165
- Honeyman, M.S. and Zimmerman, D.R., Metabolic energy of corn (maize) gluten feed and apparent digestibility of the fibrous components for gestating sows, 35 (1991) 131
- Hoover, W.H., see Webster, P.M., 30 (1990) 11
- Horiguchi, M., see Akiba, Y., 43 (1993) 259
- Hoshino, S., see Cann, I.K.O., 35 (1991) 55
- Hoshino, S., see Kobayashi, Y., 36 (1992) 67
- Hoshino, S., see Kobayashi, Y., 40 (1993) 177
- Hotten, P.M., see Mulder, M.M., 32 (1991) 185
- Hotten, P.M., see Castro, F.B., 42 (1993) 39
- Hotten, P.M., see Castro, F.B., 42 (1993) 55
- Howlader, M.A.R. and Rose, S.P., The response of growing male and female broiler chickens kept at different temperatures to dietary energy concentration and feed form, 39 (1992) 71
- Hristov, A., Effect of sample pretreatment on alfalfa silage dry matter and protein degradability in sacco, 38 (1992) 69
- Hristov, A.N., Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273
- Hristov, A.N., Effect of sodium metabisulphite on proteolysis and rumen degradability of alfalfa silage protein, 48 (1994) 143
- Huang, J., see Luo, L., 34 (1991) 21
- Huang, R.-L., see Yin, Y.-L., 42 (1993) 297
- Huang, R.-L., see Yin, Y.-L., 44 (1993) 1
- Huang, R.-L., see Yin, Y.-L., 45 (1994) 283
- Hughes, S.G., see Rumsey, G.L., 33 (1991) 177
- Hughes, S.G., see Rumsey, G.L., 33 (1991) 185
- Hughes, S.G., see Rumsey, G.L., 40 (1993) 135
- Huhtanen, P., see Khalili, H., 33 (1991) 247
- Huhtanen, P., see Khalili, H., 33 (1991) 263
- Huhtanen, P. and Khalili, H., Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275
- Huhtanen, P., The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319
- Huhtanen, P., see Murphy, M., 41 (1993) 279
- Huhtanen, P., Kaustell, K. and Jaakkola, S., The use of internal markers to predict total digestibility and duodenal flow of nutrients in cattle given six different diets, 48 (1994) 211
- Huisman, J., see Van der Poel, A.F.B., 29 (1990) 309
- Huisman, J., see Jansman, A.J.M., 42 (1993) 83
- Huisman, J., see Jansman, A.J.M., 43 (1993) 239
- Hunan, R., see Yin, Y.-L., 35 (1991) 271
- Husby, F., see Pond, W.G., 33 (1991) 221
- Hüter, J., see Pallauf, J., 43 (1993) 65
- Huttermann, A., see Yosef, E., 46 (1994) 331
- Huttermann, A., see Ben-Ghedalia, D., 47 (1994) 89

I

- Ibáñez, I.A., Herrera, C.A., Velásquez, L.A. and Hebel, P., Nutritional and toxicological evaluation on rats of earthworm (*Eisenia fetida*) meal as protein source for animal feed, 42 (1993) 165
- Ibrahim, B.M., see Ridzwan, B.H., 40 (1993) 267
- Ibrahim, M.N.M., see Schiere, J.B., 26 (1989) 179
- Ibrahim, M.N.M., see Navaratne, H.V.R.G., 29 (1990) 209
- Ichhponani, J.S., see Wadhwa, M., 40 (1993) 285
- Ilan, D., see Brosh, A., 26 (1989) 287
- Illg, D.J. and Stern, M.D., In vitro and in vivo comparisons of diaminopimelic acid and

- purines for estimating protein synthesis in the rumen, 48 (1994) 49
- Imai, S., see Kudo, H., 29 (1990) 159
- Inbarr, J., Schmitz, M. and Ahrens, F., Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs, 44 (1993) 113
- Inbarr, J. and Bedford, M.R., Stability of feed enzymes to steam pelleting during feed processing, 46 (1994) 179
- Ingalls, J.R. and Okemo, R.C., The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique, 47 (1994) 321
- Ingalls, J.R., see Boila, R.J., 48 (1994) 57
- Ingalls, J.R., see Boila, R.J., 49 (1994) 173
- Iosif, B., see Bielora, R., 33 (1991) 15
- Irlbeck, N.A., see Russel, J.R., 38 (1992) 11
- Irlbeck, N.A., Russel, J.R., Hallauer, A.R. and Buxton, D.R., Nutritive value and ensiling characteristics of maize stover as influenced by hybrid maturity and generation, plant density and harvest date, 41 (1993) 51
- Ison, R.L., see Li, X., 37 (1992) 221
- Ivusic, S.I., Mirosh, L.W. and Nakaue, H.S., Productivity of laying pullets fed diets containing yellow peas (*Pisum sativum* L. var. Miranda), 45 (1994) 205
- Iwuanyanwu, I.E.J., Umunna, N.N. and Dim, N.I., Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277
- # J
- Jaakkola, S., see Huhtanen, P., 48 (1994) 211
- Jacquot, L., see Assoumani, M.B., 39 (1992) 357
- Jakhmola, R.C., Weddell, J.R. and Greenhalgh, J.F.D., Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39
- Jakhmola, R.C., Weddell, J.R. and Greenhalgh, J.F.D., Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87
- Jalaludin, S., see Ho, Y.W., 34 (1991) 311
- Jalč, D., Žitňan, R. and Nerud, F., Effect of fungus-treated straw on ruminal fermentation in vitro, 46 (1994) 131
- Jalč, D., see Zelenáček, I., 49 (1994) 211
- James, K.A.C., see Moughan, P.J., 34 (1991) 95
- Jamot, J., see Roger, V., 42 (1993) 69
- Jansman, A.J.M., see Van der Poel, A.F.B., 36 (1992) 205
- Jansman, A.J.M., Huisman, J. and Van der Poel, A.F.B., Ileal and faecal digestibility in piglets of field beans (*Vicia faba* L.) varying in tannin content, 42 (1993) 83
- Jansman, A.J.M., Verstegen, M.W.A. and Huisman, J., Effects of dietary inclusion of hulls of faba beans (*Vicia faba* L.) with a low and high content of condensed tannins on digestion and some physiological parameters in piglets, 43 (1993) 239
- Jarvis, M.C., see Wallace, G., 32 (1991) 193
- Jaster, E.H. and Moore, K.J., Quality and fermentation of enzyme-treated alfalfa silages at three moisture concentrations, 31 (1990) 261
- Jaster, E.H. and Moore, K.J., Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175
- Jauncey, K., see Fagbenro, O.A., 45 (1994) 167
- Jelínek, R., see Bláha, J., 28 (1990) 315
- Jemmet, G., see Bogaert, C., 27 (1989) 1
- Jemmet, G., see Bogaert, C., 28 (1990) 183
- Jensen, B.B., see Stritzler, N.P., 38 (1992) 263
- Jensen, L.S., see Benabdeljelil, K., 30 (1990) 301
- Jevne, C.J., see Leske, K.L., 41 (1993) 73
- Jičínska, E., see Bláha, J., 28 (1990) 315
- Johnson, D.D., see Myer, R.O., 31 (1990) 43
- Johnson, D.E., see Remillard, R.L., 30 (1990) 79
- Johnson, Z.B., see Sun, W., 34 (1991) 241
- Johnson, Z.B., see Forster Jr., L.A., 47 (1994) 259
- Jondreville, C., see Barrier-Guillot, B., 41 (1993) 149
- Jones, D.I.H., see Givens, D.I., 28 (1990) 103
- Jones, R.J., LeFeuvre, R.P. and Playne, M.J., Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297
- Jongbloed, A.W. and Kemme, P.A., Effect of pelleting mixed feeds on phytase activity and the apparent absorbability of phosphorus and calcium in pigs, 28 (1990) 233
- Jongbloed, A.W., see Smits, B., 45 (1994) 349
- Jonsson, A., Lindberg, H., Sundås, S., Lingvall, P. and Lindgren, S., Effect of additives on the quality of big-bale silage, 31 (1990) 139

- Jørgensen, H., see Sibbald, I.R., 30 (1990) 131
 Jørgensen, H., see Lekule, F.P., 28 (1990) 91
 Jouany, J.P., see Bogaert, C., 27 (1989) 1
 Jouany, J.P., see Bogaert, C., 28 (1990) 183
 Jouany, J.P., see Ushida, K., 29 (1990) 153
 Jouany, J.P., see Gomez, L., 31 (1990) 29
 Jouany, J.P., see Kayouli, C., 33 (1991) 237
 Jouany, J.P., see Sahnoun, S., 34 (1991) 75
 Jouany, J.P., see Kayouli, C., 40 (1993) 343
 Jouany, J.P., see Rémond, B., 41 (1993) 121
 Joubert, H.W., see Snyman, L.D., 37 (1992) 47
 Joy, M., Alibés, X and Muñoz, F., Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
 Jubarah, S.K., see Elzubeir, E.A., 44 (1993) 93
 Judkins, M.B., Shain, D.H. and Radloff, H.D., Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
 Judkins, M.B., see Broesder, J.T., 37 (1992) 323
 Juliano, B.O., see Bainton, S.J., 34 (1991) 261
 Jung, H.G. and Casler, M.D., Relationship of lignin and esterified phenolics to fermentation of smooth brome grass fibre, 32 (1991) 63
 Jung, J., see Fuller, M.F., 48 (1994) 305
 Just, A., see Lekule, F.P., 28 (1990) 91
- K**
- Kabuga, J.D. and Darko, C.A., In sacco degradation of dry matter and nitrogen in oven dried and fresh tropical grasses and some relationships to in vitro dry matter digestibility, 40 (1993) 191
 Kadirvel, R., see Natanam, R., 27 (1989) 89
 Kadirvel, R., see Natanam, R., 27 (1989) 95
 Kaitho, R.J., Tamminga, S. and Bruchem, J., Ruminal degradation and in vivo digestibility of dried *Calliandra calothyrsus* leaves, 43 (1993) 19
 Kaji, Y., see Furuya, S., 26 (1989) 271
 Kaji, Y., see Furuya, S., 32 (1991) 321
 Kajikawa, H., Odai, M., Saitoh, M., Takahashi, T., Tano, R., Abe, H. and Abe, A., Effects of sugar-beet pulp on ruminal and lactation performances of cows having different rumen fermentation patterns, 31 (1990) 91
 Kajikawa, H., Odai, M., Saitoh, M. and Abe, A., Effects of whole cottonseed on ruminal properties and lactation performance of cows with different rumen fermentation patterns, 34 (1991) 203
 Kali, J., see Brosh, A., 26 (1989) 287
 Kappel, L.C., see Bunting, L.D., 45 (1994) 229
 Karangwa, E., see Mahmoudzadeh, H., 27 (1989) 111
 Karaso, Y., see Maltz, E., 35 (1991) 15
 Karunajeewa, H., Tham, S.H. and Abu-Serewa, S., Sunflower seed meal, sunflower oil and full-fat sunflower seeds, hulls and kernels for laying hens, 26 (1989) 45
 Kás, J., see Burianová, T., 33 (1991) 41
 Kaustell, K., see Huhtanen, P., 48 (1994) 211
 Kay, R.N.B., see Mayuchi, B., 38 (1992) 293
 Kayouli, C., Jouany, J.P. and Ben Amor, J., Comparison of microbial activity in the forestomachs of the dromedary and the sheep measured in vitro and in sacco on mediterranean roughages, 33 (1991) 237
 Kayouli, C., Jouany, J.P., Demeyer, D.I., Ali-Ali, Taoueb, H. and Dardillat, C., Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343
 Keene, A.S., see Mason, V.C., 26 (1989) 207
 Keene, A.S., see Mason, V.C., 28 (1990) 169
 Keene, A.S., see Mason, V.C., 29 (1990) 237
 Keith, M.O., see Bell, J.M., 43 (1993) 1
 Keith, M.O., see Bell, J.M., 44 (1993) 129
 Keith, M.O., see Bell, J.M., 45 (1994) 177
 Kellaway, R.C., see Li, X., 37 (1992) 221
 Kellaway, R.C., see Optpatanakit, Y., 42 (1993) 25
 Kemme, P.A., see Jongbloed, A.W., 28 (1990) 233
 Kemp, B., see Van der Poel, A.F.B., 36 (1992) 205
 Kenne, A.S., see Mason, V.C., 27 (1990) 293
 Kennedy, D.W. and Bunting, L.D., Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91
 Kershaw, S.J., see Rowan, T.G., 35 (1991) 247
 Kesc, A.G., see Donkoh, A., 30 (1990) 155
 Khalifa, N.A., Elzubeir, E.A. and Mustafa, E.A., Use of sorghum gluten feed as a substitute for soyabean meal in layer diets (Short Communication), 48 (1994) 165
 Khalili, H. and Huhtanen, P., Sucrose supplements in cattle given grass silage-based diet. I.

- Digestion of organic matter and nitrogen, 33 (1991) 247
- Khalili, H. and Huhtanen, P., Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263
- Khalili, H., see Huhtanen, P., 33 (1991) 275
- Khalili, H. and Varvikko, T., Effect of replacement of concentrate mix by wilted sesbania (*Sesbania sesban*) forage on diet digestibility, rumen fermentation and milk production in Friesian \times Zebu (Boran) crossbred cows fed low quality native hay, 36 (1992) 275
- Khalili, H., see Varvikko, T., 40 (1993) 239
- Khalili, H., Supplementation of grass hay with molasses in crossbred (*Bos taurus* \times *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
- Khalili, H., Varvikko, T. and Osuji, P.O., Supplementation of grass hay with molasses in crossbred (*Bos taurus* \times *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
- Khalili, H., see Murphy, M., 41 (1993) 279
- Khalili, H. and Osuji, P.O., The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* \times *Bos indicus*) steers fed native grass hay, 47 (1994) 213
- Khalili, H., see Osuji, P.O., 48 (1994) 153
- Khan, M.F., Ali, A. and Muller, Z.O., Nutritional evaluation of sugarcane bagasse based rations treated with urea and cattle manure, 38 (1992) 135
- Khan, M.J., see Khokrin, S.N., 35 (1991) 301
- Khazaal, K. and Ørskov, E.R., The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpyrrolidone for the assessment of phenolics-related antinutritive factors in browse species, 47 (1994) 305
- Khazaal, K., Boza, J. and Ørskov, E.R., Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpyrrolidone or nylon bag, 49 (1994) 133
- Khazaal, K.A., Own, E., Dodson, A.P., Palmer, J. and Harvey, P., Treatment of barley straw with ligninase: effect on activity and fate of the enzyme shortly after being added to straw, 41 (1993) 15
- Khokrin, S.N. and Khan, M.J., Effect of vermiculite on productive performance of White Leghorn hens in a controlled feeding system, 35 (1991) 301
- Khorchani, T., see Abdouli, H., 39 (1992) 293
- Khorchani, T., Abdouli, H., Nefzaoui, A., Nefati, M. and Hamadi, M., Nutrition of the one-humped camel. II. Intake and feeding behaviour on arid ranges in southern Tunisia, 39 (1992) 303
- Khush, G.S., see Bainton, S.J., 34 (1991) 261
- Kiesling, H.E., see Malcolm, K.J., 40 (1993) 321
- Kill, D.R. and Savage, T.F., Reproductive performance of dwarf breeder pullets fed yellow peas (*Pisum sativum* L. var. 'Miranda') (Short Communication), 40 (1992) 87
- Kimambo, A.E., see Mgheni, D.M., 44 (1993) 209
- Kimambo, A.E., see Mgheni, D.M., 49 (1994) 223
- Kincaid, R.L., see Naseeven, M.R., 37 (1992) 111
- King, R.H., Brown, W.G., Amenta, V.C.M., Shelley, B.C., Handson, P.D., Greenhill, N.B. and Willcock, G.P., The effect of dietary cadmium intake on the growth performance and retention of cadmium in growing pigs, 37 (1992) 1
- Kinsella, J.E., see Rumsey, G.L., 33 (1991) 177
- Kinsella, J.E., see Rumsey, G.L., 33 (1991) 185
- Kipnis, T., see Meeske, R., 43 (1993) 165
- Kirchgeßner, M., see Kreuzer, M., 28 (1990) 135
- Kirchgeßner, M., see Roth-Maier, D.A., 42 (1993) 177
- Kirchgeßner, M., Kreuzer, M., Machmüller, A. and Roth-Maier, D.A., Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293
- Kirchheim, U., see Schöne, F., 48 (1994) 229
- Kirchner, E., see Schöne, F., 30 (1990) 143
- Kitcherside, M.A., see Waters, C.J., 39 (1992) 279
- Kjos, N.P., The content of neutral and acid detergent fibre in forages predicted by near infrared reflectance analysis, 32 (1991) 13
- Klasing, K.C., see Shqueir, A.A., 27 (1989) 127
- Klopfenstein, T.J., see Fahmy, S.T.M., 38 (1992) 351
- Klopfenstein, T.J., see Oliveros, B.A., 44 (1993) 59
- Klopfenstein, T.J., see Fahmy, S.T.M., 45 (1994) 309
- Klopfenstein, T.J., see Sindt, M.H., 49 (1994) 103
- Kmet, V., see Zeleňák, I., 49 (1994) 211
- Knaus, W., Wetscherek, W. and Lettner, F., Use of soy protein concentrate in combination with

- potato protein in milk replacers for veal calves, 48 (1994) 111
- Kobayashi, Y., see Cann, I.K.O., 35 (1991) 55
- Kobayashi, Y., Wakita, N. and Hoshino, S., Effects of the ionophore salinomycin on nitrogen and long-chain fatty acid profiles of digesta in the rumen and duodenum of sheep, 36 (1992) 67
- Kobayashi, Y., Wakita, M. and Hoshino, S., Influence of urea feeding duration on nitrogen metabolism of rumen bacteria and their host sheep, 40 (1993) 177
- Koefoed, N., Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73
- Kondo, T., Ohshita, T. and Kyuma, T., Comparison of characteristics of soluble lignins from untreated and ammonia-treated wheat straw, 39 (1992) 253
- Kondo, T., Ohshita, T. and Kyuma, T., Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchardgrass hay and silage, 41 (1993) 213
- Kondo, T., Ohshita, T. and Kyuma, T., Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep, 47 (1994) 277
- Kopečný, J., see Burianová, T., 33 (1991) 41
- Kornegay, E.T., see Risley, C.R., 35 (1991) 259
- Korol, W., see Matyka, S., 31 (1990) 223
- Koshroff, S., see Focant, M., 32 (1991) 229
- Kosmala, I., see Anteniewicz, A.M., 39 (1992) 111
- Kotarbinska, M., see Löwgren, W., 39 (1992) 183
- Koumas, A., see Economides, S., 26 (1989) 93
- Koumas, A., see Economides, S., 31 (1990) 105
- Kozłowski, F., see Champ, M., 32 (1991) 177
- Kratzer, F.H., Bersch, S., Vohra, P. and Ernst, R.A., Chemical and biological evaluation of soya-bean flakes autoclaved for different durations, 31 (1990) 247
- Kratzer, F.H., Vohra, P., Ekperigin, H.E. and Ritchie, W.L., Growth performance of starting turkey poults fed diets subjected to an anaerobic pasteurizing conditioning system, 46 (1994) 67
- Kreulen, D.A., see Prins, R.A., 32 (1991) 101
- Kreuzer, M. and Kirchgessner, M., Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135
- Kreuzer, M., see Roth-Maier, D.A., 42 (1993) 177
- Kreuzer, M., see Kirchgessner, M., 46 (1994) 293
- Kridis, M.S., see Barber, G.D., 28 (1990) 115
- Krishna, N., see Veereswara Rao, B., 44 (1993) 265
- Krogh Jensen, S., see Danielsen, V., 46 (1994) 239
- Krouti, M., see Quinsac, A., 48 (1994) 265
- Krysl, L.J., see Broesder, J.T., 37 (1992) 323
- Krzeminski, R., see Doreau, M., 44 (1993) 181
- Ku-Vera, J.K., MacLeod, N.A. and Ørskov, E.R., Construction and operation of an open-circuit ventilated hood system for cattle nourished wholly by intragastric infusion of nutrients, 28 (1990) 109
- Kudo, H., Cheng, K.-J., Imai, S., Han, S.S. and Costerton, J.W., Effects of feed on the composition of the rumen ciliate protozoal population in cattle and its relationship to cellulolytic ciliate protozoa (Short Communication), 29 (1990) 159
- Kuehl, R.O., see Glenn, E.P., 40 (1992) 21
- Kumar, R. and Vaithyanathan, S., Occurrence, nutritional significance and effect on animal productivity of tannins in tree leaves, 30 (1990) 21
- Kumar, R., see Vaithyanathan, S., 44 (1993) 281
- Kumwenda, M.S.L., see Dzwola, B.H., 28 (1990) 255
- Kung Jr., L., Tung, R.S. and Maciorowski, K., Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
- Kung Jr., L., Tung, R.S. and Carmean, B.R., Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1
- Kyuma, T., see Kondo, T., 39 (1992) 253
- Kyuma, T., see Kondo, T., 41 (1993) 213
- Kyuma, T., see Kondo, T., 47 (1994) 277

L

- Lacassagne, L., Melcion, J.P., De Monredon, F. and Carré, B., The nutritional values of faba bean flours varying in their mean particle size in young chickens, 34 (1991) 11
- Lachica, M., see Prieto, C., 47 (1994) 151
- Lallès, J.P., Delval, E. and Poncet, C., Mean retention time of dietary residues within the

- gastrointestinal tract of the young ruminant: a comparison of non-compartmental (algebraic) and compartmental (modelling) estimation methods, 35 (1991) 139
- Lallès, J.P., see Toullec, R., 50 (1994) 101
- Lamed, R., see Miron, J., 30 (1990) 107
- Landis, K.M., see Hall, K.L., 30 (1990) 275
- Langlands, J.P., Donald, G.E., Bowles, J.E. and Smith, A.J., Selenium supplements for grazing sheep. 1. A comparison between soluble salts and other forms of supplement, 28 (1990) 1
- Langlands, J.P., Bowles, J.E., Donald, G.E. and Smith, A.J., Selenium supplements for grazing sheep. 1. Effectiveness of intra-ruminal pellets, 28 (1990) 15
- Langlands, J.P., see Donald, G.E., 40 (1993) 295
- Langlands, J.P., Donald, G.E., Bowles, J.E. and Smith, A.J., Selenium supplements for grazing sheep. 4. The use of intraruminal pellets containing elevated quantities of selenium, 46 (1994) 109
- Lapanouse, A., see Gidenne, T., 32 (1991) 215
- Laplace, J.P., see Darcy-Vrillon, B., 27 (1990) 307
- Laplace, J.P., see Fuller, M.F., 48 (1994) 305
- Larbier, M., see Zuprizal, 34 (1991) 255
- Larbier, M., see Zuprizal, 35 (1991) 237
- Larbier, M., see Barrier-Guillot, B., 41 (1993) 149
- Lassalas, B., see Broudiscou, L., 33 (1991) 161
- Latshaw, J.D., see Scott, K.C., 47 (1994) 99
- Latshaw, J.D., Musharaf, N. and Retrum, R., Processing of feather meal to maximize its nutritional value for poultry, 47 (1994) 179
- Lawrence, T.L.J., see Potkins, Z.V., 35 (1991) 171
- Lawrence, T.L.J., see Rowan, T.G., 35 (1991) 247
- Lawrence, T.L.J., see Subuh, A.M.H., 49 (1994) 297
- Leal, M., Shimada, A. and Hernández, E., The effect of NH_3 and/or SO_2 on the compositional and histological characteristics of sorghum stover, 47 (1994) 141
- Lean, I.J., see Optpatanakit, Y., 42 (1993) 25
- Leaver, J.D., see Castejon, M., 46 (1993) 119
- Lebzien, P., see Carro, M.D., 37 (1992) 209
- Lecanu, G., see Champ, M., 32 (1991) 177
- Lechner-Doll, M., see Rutagwenda, T., 31 (1990) 179
- LeFeuvre, R.P., see Jones, R.J., 37 (1992) 297
- Lehmann, J.W., see Pond, W.G., 33 (1991) 221
- Leibholz, J., A rapid assay for the measurement of protein digestion to the ileum of pigs by the use of a mobile nylon bag technique, 33 (1991) 209
- Leibholz, J., see Punia, B.S., 47 (1994) 77
- Lekule, F.P., Jørgenson, H., Fernández, J.A. and Just, A., Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91
- Leng, R.A., see Bird, S.H., 45 (1994) 119
- Lenssen, A.W., Sorensen, E.L., Posler, G.L. and Stuteville, D.L., Forage quality of alfalfa protected by resistance to bacterial leaf spot, 39 (1992) 61
- Leon, A.M., Caffin, M.-P., Plassart, M. and Picard, M.L., Effect of concanavalin A from jack-bean seeds on short-term food intake regulation in chicks and laying hens, 32 (1991) 297
- León, L., see Caro, M.R., 31 (1990) 285
- Leroux, G.D., see Martineau, Y., 47 (1994) 53
- Leske, K.L., Jevne, C.J. and Coon, C.N., Extraction methods for removing soybean alpha-galactosides and improving true metabolizable energy for poultry (Short Communication), 41 (1993) 73
- Lessire, M., see Zuprizal, 34 (1991) 255
- Lessire, M., see Zuprizal, 35 (1991) 237
- Lessire, M., see Quinsac, A., 48 (1994) 265
- Leterme, P., Beckers, Y. and Théwis, A., Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45
- Leterme, P., Tahon, F. and Théwis, A., Nutritive value of triticale cultivars in pigs as a function of their chemical composition, 35 (1991) 49
- Leterme, P., Monmart, T. and Théwis, A., Varietal distribution of the trypsin inhibitor activity in peas (*Pisum sativum* L.), 37 (1992) 309
- Leterme, P., Théwis, A. and Culot, M., Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209
- Lettner, F., see Zollitsch, W., 41 (1993) 237
- Lettner, F., see Knaus, W., 48 (1994) 111
- Leuillet, M., see Barrier-Guillot, B., 41 (1993) 149
- Levy, D., see Brosh, A., 26 (1989) 287
- Levy, D., see Silanikove, N., 31 (1990) 117
- Levy, D., see Brosh, A., 40 (1993) 165
- Lewis, A.J., see Giesemann, M.A., 37 (1992) 233
- Lewis, B., see Pond, W.G., 33 (1991) 221
- Lewis, L.D., see Remillard, R.L., 30 (1990) 79
- Li, T.-J., see Yin, Y.-L., 44 (1993) 1
- Li, X., Kellaway, R.C., Ison, R.L. and Annison, G., Chemical composition and nutritive value of mature annual legumes for sheep, 37 (1992) 221

- Lian, Y.T., see Zhu, X.S., 27 (1990) 341
- Liang, J.B., Matsumoto, M. and Young, B.A., Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189
- Lindberg, H., see Jonsson, A., 31 (1990) 139
- Lindberg, J.-E., see Emanuelson, M., 34 (1991) 291
- Lindberg, J.E., Nitrogen and purine metabolism in preruminant and ruminant goat kids given increasing amounts of ribonucleic acids, 35 (1991) 213
- Lindberg, P., see Hassan, S., 41 (1993) 103
- Lindemann, M.D., see Risley, C.R., 35 (1991) 259
- Lindgren, S., see Jonsson, A., 31 (1990) 139
- Lingvall, P., see Jonsson, A., 31 (1990) 139
- Littell, R.C., see Van Ravenswaay, R.O., 39 (1992) 13
- Liu, M.-L., see Liu, Y.-G., 45 (1994) 257
- Liu, Y.-G., Steg, A. and Hindle, V.A., Crambe meal, a review of nutrition, toxicity and effect of treatments (Review), 41 (1993) 133
- Liu, Y.-G., Zhou, M.-Q. and Liu, M.-L., A survey of nutrients and toxic factors in commercial rapeseed meal in China and evaluation of detoxification by water extraction, 45 (1994) 257
- Liu, Y.-G., Steg, A. and Hindle, V.A., Rumen degradation and intestinal digestion of crambe and other oilseed by-products in dairy cows, 45 (1994) 397
- Liu, Y.-G., Steg, A., Smits, B. and Tamminga, S., Crambe meal: removal of glucosinolates by heating with additives and water extraction, 48 (1994) 273
- Liu, Y.-G., see Steg, A., 50 (1994) 87
- Loerch, S.C., see Oke, B.O., 34 (1991) 163
- Lohan, O.P., see Dharmender, 44 (1993) 169
- Lomax, J.A., see Mulder, M.M., 32 (1991) 185
- Lomax, J.A., see Wallace, G., 32 (1991) 193
- Longe, O.G., see Sobamiwa, O., 46 (1994) 321
- Longe, O.G., see Sobamiwa, O., 47 (1994) 237
- Longstaff, M., McBain, B. and McNab, J.M., The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147
- Longstaff, M.A., see Yutste, P., 35 (1991) 289
- Löwgren, W., Graham, H., Åman, P., Raj, S. and Kotarbinska, M., Predicting the energy value of pig feeds using *in vitro* or analytical methods, 39 (1992) 183
- Löwgren, W., Graham, H. and Åman, P., *In vivo*

apparent digestibility and *in vitro* solubilization — the influence of pig live weight and diet, 40 (1993) 223

- Lowry, J.B., see Tangendjaja, B., 29 (1990) 63
- Ludemann, H.D., see Yosef, E., 46 (1994) 331
- Lüdke, H., see Schöne, F., 30 (1990) 143
- Luginbuhl, J.-M., see Guessous, F., 35 (1991) 95
- Luo, L. and Huang, J., Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21
- Lyon, C.E., see Ohlde, G.W., 36 (1992) 173
- Lyon, C.E., see Akin, D.E., 43 (1993) 303
- Lyon, D.E., see Akin, D.E., 31 (1990) 205
- Lyons, R.K. and Stuth, J.W., Procedures for processing cattle fecal samples for NIRS analysis, 35 (1991) 21

M

- Maassen, A., see Deinum, B., 46 (1994) 75
- Machin, D.H., Panigrahi, S., Bainton, J. and Morris, T.R., Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199
- Machin, D.H., see Thorne, P.J., 40 (1992) 31
- Machmüller, A., see Roth-Maier, D.A., 42 (1993) 177
- Machmüller, A., see Kirchgessner, M., 46 (1994) 293
- Maciorowski, K., see Kung Jr., L., 35 (1991) 37
- Macleod, G.K., see Colucci, P.E., 37 (1992) 73
- MacLeod, J.A., see Donovan, B.C., 33 (1991) 87
- MacLeod, J.A., see Murphy, S.R., 40 (1993) 273
- MacLeod, J.A., see Donovan, B.C., 43 (1993) 77
- MacLeod, N.A., see Ku-Vera, J.K., 28 (1990) 109
- MacRae, I.C., see Tjandraatmadja, M., 41 (1993) 171
- Mader, T.L., Poppert, G.L. and Stock, R.A., Evaluation of alfalfa type as a roughage source in feedlot adaptation and finishing diets containing different corn types, 42 (1993) 109
- Mader, T.L., Poppert, G.L. and Stock, R.A., Effect of alfalfa and corn moisture level on whole corn mastication, 42 (1993) 309
- Madison, J.B., see Pott, E.B., 45 (1994) 193
- Madsen, J., see Mgheni, D.M., 44 (1993) 209
- Madsen, J., see Mgheni, D.M., 49 (1994) 223
- Magnie, E., see Salas, M., 39 (1992) 265

- Mahmoudzadeh, H., Karangwa, E., Mitchell Jr., G.E., Muntifering, R.B. and Tucker, R.E., Post-ruminal digestion of starch in the presence of phenolic monomers, 27 (1989) 111
- Majcherczyk, A., see Yosef, E., 46 (1994) 331
- Majcherczyk, A., see Ben-Ghedalia, D., 47 (1994) 89
- Makkar, G.S., see Wadhwa, M., 40 (1993) 285
- Makkar, G.S., see Sehgal, J.P., 45 (1994) 149
- Makkar, G.S., see Sehgal, J.P., 47 (1994) 61
- Makkar, H.P.S., see Negi, S.S., 26 (1989) 309
- Makkar, H.P.S. and Singh, B., Distribution of condensed tannins (proanthocyanidins) in various fibre fractions in young and mature leaves of some oak species, 32 (1991) 253
- Makkar, H.P.S. and Singh, B., Detannification of oak (*Quercus incana*) leaves: treatments and their optimization, 36 (1992) 113
- Makkar, H.P.S. and Singh, B., Effect of storage and urea addition on detannification and in sacco dry matter digestibility of mature oak (*Quercus incana*) leaves, 41 (1993) 247
- Makoni, N.F., Von Keyserlingk, M.A.G., Shelford, J.A., Fisher, I.J. and Puchala, R., Fractionation of fresh, wilted and ensiled alfalfa proteins, 41 (1993) 1
- Malcolm, K.J. and Kiesling, H.E., Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
- Males, J.R., see Morgan, E.K., 33 (1991) 59
- Mali, P.C., see Pancholy, R., 38 (1992) 75
- Malmlöf, K., Askbrant, S. and Björkgren, S., A note on the interactive influence of dietary lysine and threonine on plasma urea levels in the growing pig (Short Communication), 46 (1994) 163
- Malossini, F., Bovolenta, S., Piasentier, E. and Valentiniotti, M., Variability of *n*-alkane content in a natural pasture and in faeces of grazing dairy cows, 50 (1994) 113
- Maltz, E., Silanikove, N., Karaso, Y., Shefet, G., Meltzer, A. and Barak, M., A note on the effects of feeding total mixed ration on performance of dairy goats in late lactation, 35 (1991) 15
- Manyuchi, B., Mikayiri, S. and Smith, T., Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11
- Marley, S.J., see Russel, J.R., 29 (1990) 131
- Marquardt, R.R., see Castanon, J.I.R., 26 (1989) 71
- Marquardt, R.R., see Garrido, A., 35 (1991) 205
- Marquardt, R.R., Boros, D., Guenter, W. and Crow, G., The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
- Martineau, Y., Leroux, G.D. and Seoane, J.R., Forage quality, productivity and feeding value to beef cattle of quackgrass (*Elytrigia repens* (L.) Nevski.) compared with timothy (*Phleum pratense* L.), 47 (1994) 53
- Martínez-Teruel, A., see Megías, M.D., 43 (1993) 269
- Masoero, F., Fiorentini, L., Rossi, F. and Piva, A., Determination of nitrogen intestinal digestibility in ruminants, 48 (1994) 253
- Mason, V.C., Cook, J.E., Dhanoa, M.S., Keene, A.S. and Hartley, R.D., Chemical composition and nutritive value to sheep of untreated and oven-ammoniated ryegrass hays prepared from crops of differing maturities, 26 (1989) 207
- Mason, V.C., Dhanoa, M.S., Hartley, R.D. and Kenne, A.S., Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293
- Mason, V.C., Cook, J.E., Keene, A.S. and Hartley, R.D., The use of mixtures of ammonium salts with lime for upgrading cereal straws, 28 (1990) 169
- Mason, V.C., Cook, J.E., Dhanoa, M.S., Keene, A.S., Hoadley, C.J. and Hartley, R.D., Chemical composition, digestibility in vitro and biodegradability of grass hays oven-treated with different amounts of ammonia, 29 (1990) 237
- Mason, V.C., see Van Soest, P.J., 32 (1991) 45
- Matatu, B., see Chermiti, A., 47 (1994) 41
- Mathison, G.W., see Engstrom, D.F., 37 (1992) 33
- Mathot, P., Debevere, C., Walhain, P., Baudart, E., Thewis, A. and Brakel, J., Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227
- Matsumoto, M., see Liang, J.B., 47 (1994) 189
- Matsuoka, J., see Goto, M., 48 (1994) 27
- Matyka, S., Korol, W. and Bogusz, G., The retention of phytin phosphorus from diets with fat supplements in broiler chicks, 31 (1990) 223
- Maupetit, P., see Aufrère, J., 36 (1992) 187
- Mayaka, B.T., see Teguia, A., 40 (1993) 233
- Mayuchi, B., Ørskov, E.R. and Kay, R.N.B., Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293

- Mbugua, P.N., see Nambi, J., 37 (1992) 99
- Mbwile, R.P. and Udén, P., Comparison of laboratory methods on precision and accuracy of predicting forage organic matter digestibility, 32 (1991) 243
- McAllan, A.B., see Merry, R.J., 31 (1990) 55
- McAllan, A.B., Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fish-meal, 33 (1991) 195
- McAllan, A.B., Sutton, J.D., Beever, D.E. and Napper, D.J., Rumen fermentation characteristics and duodenal nutrient flow in lactating cows receiving two types of grass silage with two levels of concentrates, 46 (1994) 277
- McAllan, A.B., see Theodorou, M.K., 48 (1994) 185
- McAllister, T.A., Rode, L.M., Cheng, K.-J., Schaefer, D.M. and Costerton, J.W., Morphological study of the digestion of barley and maize grain by rumen microorganisms, 30 (1990) 91
- McBain, B., see Longstaff, M., 34 (1991) 147
- McCarthy, F.D., Norton, S.A. and McClure, W.H., Utilization of an ensiled wet brewer's grains-corn mixture by growing lambs, 28 (1990) 29
- McClure, W.H., see McCarthy, F.D., 28 (1990) 29
- McCorquodale, C., see Yutste, P., 35 (1991) 289
- McDougall, N.R. and Beames, R.M., Composition of raspberry pomace and its nutritive value for monogastric animals, 45 (1994) 139
- McMeniman, N.P., Elliott, R. and O'Sullivan, M., The use of dried sugar cane fractions as the principal energy source in sheep rations, 28 (1990) 155
- McNab, J.M., see Longstaff, M., 34 (1991) 147
- McNab, J.M., see Yutste, P., 35 (1991) 289
- McNab, J.M., see Ventura, M.R., 49 (1994) 87
- McNab, J.M., see Flores, M.P., 49 (1994) 237
- McNiven, M.A., see Donovan, B.C., 33 (1991) 87
- McNiven, M.A., see Murphy, S.R., 40 (1993) 273
- McNiven, M.A., see Donovan, B.C., 43 (1993) 77
- McNiven, M.A., see Robinson, P.H., 43 (1993) 275
- McNiven, M.A., see Murphy, S.R., 46 (1994) 23
- McNiven, M.A., Hamilton, R.M.G., Robinson, P.H. and deLeeuw, J.W., Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31
- Meeske, R., Meissner, H.H. and Pienaar, J.P., The upgrading of wheat straw by alkaline hydrogen peroxide treatment: The effect of NaOH and H₂O₂ on the site and extent of digestion in sheep, 40 (1992) 121
- Meeske, R., Ashbell, G., Weinberg, Z.G. and Kipnis, T., Ensiling forage sorghum at two stages of maturity with the addition of lactic acid bacterial inoculants, 43 (1993) 165
- Megias, D., see Caro, M.R., 31 (1990) 285
- Megias, M.D., Martínez-Teruel, A., Gallego, J.A. and Núñez, J.M., Chemical changes during the ensiling of orange peel, 43 (1993) 269
- Mehra, U.R., see Singh, U.B., 28 (1990) 129
- Mehra, U.R., see Tiwari, S.P., 29 (1990) 333
- Meijer, M.M.T., Ogink, J.J.M. and Van Gelder, W.M.J., Technological-scale dehulling process to improve the nutritional value of faba beans, 46 (1994) 1
- Meijs, S., see Tamminga, S., 27 (1989) 49
- Meissner, H.H., see Meeske, R., 40 (1992) 121
- Melcion, J.-P., Michelangeli, C. and Picard, M., Evaluation of the effect of extrusion cooking of jackbean (*Canavalia ensiformis* L.) seed on short-term feed intake in chicks, 46 (1994) 197
- Melcion, J.P., see Lacassagne, L., 34 (1991) 11
- Meltzer, A., see Maltz, E., 35 (1991) 15
- Mendoza M., G.D., see Plata P., F., 49 (1994) 203
- Mero, R.N. and Udén, P., Effect of supplementing mature grass hay with dried *Leucaena* leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1
- Merritt, A.M., see Pott, E.B., 45 (1994) 193
- Merry, R.J., McAllan, A.B. and Smith, R.H., In vitro continuous culture studies on the effect of nitrogen source on rumen microbial growth and fibre digestion, 31 (1990) 55
- Mertens, D.R., see Cherney, D.J.R., 31 (1990) 65
- Messman, M.A. and Weiss, W.P., Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25
- Metayer, J.P., Grosjean, F. and Castaing, J., Study of variability in French cereals, 43 (1993) 87
- Meurens, M., see Focant, M., 32 (1991) 229
- Mgheni, D.M., Kimambo, A.E., Sundstøl, F. and Madsen, J., Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
- Mgheni, D.M., Kimambo, A.E., Sundstøl, F. and Madsen, J., The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223
- Mian, A.J., see Shahjahan, M., 42 (1993) 121
- Michaelidis, J., see Stanogias, G., 47 (1994) 287
- Michalet-Doreau, B., see Aufrère, J., 33 (1991) 97

- Michalet-Doreau, B. and Cerneau, P., Influence of foodstuff particle size on in situ degradation of nitrogen in the rumen, 35 (1991) 69
- Michalet-Doreau, B. and Ould-Bah, M.Y., In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review (Review), 40 (1992) 57
- Michelangeli, C., see Melcion, J.-P., 46 (1994) 197
- Mikayiri, S., see Manyuchi, B., 49 (1994) 11
- Miles, R.D., see Pott, E.B., 45 (1994) 193
- Miller, E.L., see Chaudhry, A.S., 50 (1994) 1
- Miller, T.K., see Webster, P.M., 30 (1990) 11
- Mills, C.R., see Stefanon, B., 37 (1992) 143
- Mills, C.R., see Susmel, P., 42 (1993) 1
- Mills, C.R., see Susmel, P., 49 (1994) 119
- Mills, P.A., see Wittenberg, K.M., 27 (1989) 101
- Milstein, O., see Yosef, E., 46 (1994) 331
- Milstein, O., see Ben-Ghedalia, D., 47 (1994) 89
- Minón, D.P., see Brizuela, M.A., 30 (1990) 321
- Mir, P.S., Mir, Z. and Hall, J.W., Physical characteristics of feeds and their relation to nutrient components and dry matter disappearance in sacco, 31 (1990) 17
- Mir, P.S., Mir, Z. and Hall, J.W., Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
- Mir, Z., see Mir, P.S., 31 (1990) 17
- Mir, Z., see Mir, P.S., 32 (1991) 287
- Miron, J. and Yokoyama, M.T., Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269
- Miron, J., Ben-Ghedalia, D., Yokoyama, M.T. and Lamed, R., Some aspects of cellobiose effect on bacterial cell surface structures involved in lucerne walls utilization by fresh isolates of rumen bacteria, 30 (1990) 107
- Miron, J., see Solomon, R., 37 (1992) 185
- Miron, J., see Ben-Ghedalia, D., 41 (1993) 113
- Miron, J., see Ben-Ghedalia, D., 42 (1993) 283
- Miron, J., see Yosef, E., 46 (1994) 331
- Miron, J., see Ben-Ghedalia, D., 47 (1994) 89
- Mirosh, L.W., see Hayat, J., 43 (1993) 291
- Mirosh, L.W., see Ivusic, S.I., 45 (1994) 205
- Misawa, Y., see Nakashima, Y., 35 (1991) 309
- Mitaru, B.N., see Nambi, J., 37 (1992) 99
- Mitchell Jr., E.D., see Streeter, M.N., 29 (1990) 279
- Mitchell Jr., G.E., see Mahmoudzadeh, H., 27 (1989) 111
- Mohammed, O.A., see Elzubeir, E.A., 41 (1993) 161
- Moisio, T. and Heikonen, M., Lactic acid fermentation in silage preserved with formic acid, 47 (1994) 107
- Molina, E., see Aguilera, J.F., 36 (1992) 101
- Moloney, A.P., Wilson, R.K. and Moloney, B.C., Rumen fermentation and digesta passage in ruminants fed cimaterol, 46 (1994) 215
- Moloney, A.P., Almiladi, A.A., Drennan, M.J. and Caffrey, P.J., Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37
- Moloney, A.P. and Drennan, M.J., The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55
- Moloney, B.C., see Moloney, A.P., 46 (1994) 215
- Monmart, T., see Leterme, P., 37 (1992) 309
- Monsi, A. and Onitchi, D.O., Effects of ascorbic acid (vitamin C) supplementation on ejaculated semen characteristics of broiler breeder chickens under hot and humid tropical conditions, 34 (1991) 141
- Monties, B., Plant cell walls as fibrous lignocellulosic composites: relations with lignin structure and function, 32 (1991) 159
- Moore, J.E., see Cherney, D.J.R., 31 (1990) 65
- Moore, K.J., see Jaster, E.H., 31 (1990) 261
- Moore, K.J., see Jaster, E.H., 38 (1992) 175
- Moran Jr., E.T., see Revington, W.H., 29 (1990) 321
- Morgan, E.K., Gibson, M.L., Nelson, M.L. and Males, J.R., Utilization of whole or steam-rolled barley fed with forages to wethers and cattle, 33 (1991) 59
- Morita, O., see Goto, M., 36 (1992) 229
- Morita, O., see Goto, M., 40 (1993) 207
- Morita, O., see Goto, M., 48 (1994) 27
- Morris, T.R., see Machin, D.H., 28 (1990) 199
- Morrison III, W.H., Scheijen, M.A. and Boon, J.J., Pyrolysis mass spectrometry of coastal Bermudagrass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17
- Mosenthin, R., see Sauer, W.C., 31 (1990) 269
- Mosenthin, R., Sauer, W.C., Ahrens, F., De Lange, C.F.M. and Bornholdt, U., Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245
- Moshtaghi-Nia, S.A., see Wittenberg, K.M., 27

- (1989) 101
 Moshtaghi-Nia, S.A., see Wittenberg, K.M., 28 (1990) 333
 Moshtaghi-Nia, S.A., see Wittenberg, K.M., 34 (1991) 67
 Mosihuzzaman, M., see Shahjahan, M., 42 (1993) 121
 Moss, A.R., Givens, D.I. and Everington, J.M., The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
 Moss, A.R. and Givens, D.I., Chemical composition and *in vitro* digestion to predict digestibility of field-cured and barn-cured grass hays, 31 (1990) 125
 Moss, A.R., see Givens, D.I., 35 (1991) 83
 Moss, A.R., see Givens, D.I., 36 (1992) 215
 Moss, A.R., see Givens, D.I., 37 (1992) 281
 Moss, A.R., see Givens, D.I., 38 (1992) 281
 Moss, A.R., Givens, D.I. and Phipps, R.H., Digestibility and energy value of combinations of forage mixtures, 39 (1992) 151
 Moss, A.R., Givens, D.I. and Furniss, S., A comparison of farm-scale methods of application of sodium hydroxide on the nutritive value of a winter wheat straw, 41 (1993) 199
 Moss, A.R., see Givens, D.I., 41 (1993) 297
 Moss, A.R., see Givens, D.I., 42 (1993) 97
 Moss, A.R., see Givens, D.I., 43 (1993) 51
 Moss, A.R., see Givens, D.I., 46 (1994) 155
 Moss, A.R. and Givens, D.I., The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates, 47 (1994) 335
 Moss, A.R., Givens, D.I. and Garnsworthy, P.C., The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245
 Moss, A.R., see Deaville, E.R., 49 (1994) 261
 Moughan, P.J., Smith, W.C., Pearson, G. and James, K.A.C., Assessment of apparent ileal lysine digestibility for use in diet formulation for the growing pig, 34 (1991) 95
 Moughan, P.J., see Skilton, G.A., 34 (1991) 111
 Moughan, P.J., see Rowan, A.M., 36 (1992) 129
 Moughan, P.J., see Hendriks, W.H., 48 (1994) 99
 Moughan, P.J., see Donkoh, A., 49 (1994) 43
 Moughan, P.J., see Donkoh, A., 49 (1994) 57
 Moughan, P.J., see Donkoh, A., 49 (1994) 73
 Mpofu, I.D.T. and Ndlovu, L.R., The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39
 Msiska, H.D.C., see Dzwola, B.H., 28 (1990) 255
 Muhammed, S.A., see Cruz Soto, R., 49 (1994) 151
 Mulder, M.M., Hotten, P.M., Cowie, E., Lomax, J.A. and Chesson, A., Digestion of wheat aleurone by commercial polysaccharidases, 32 (1991) 185
 Mulder, M.M., Engels, F.M., Schuurmans, J.L.L. and Boon, J.J., *In vitro* digested and potassium permanganate delignified maize internode sections studied by histochemistry and analytical pyrolysis mass spectrometry, 39 (1992) 335
 Muller, Z.O., see Khan, M.F., 38 (1992) 135
 Muntiferi, R.B., see Mahmoudzadeh, H., 27 (1989) 111
 Muñoz, F., see Joy, M., 38 (1992) 319
 Murakami, H., see Akiba, Y., 43 (1993) 259
 Murphy, M., see Emanuelson, M., 34 (1991) 291
 Murphy, M., Khalili, H. and Huhtanen, P., The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279
 Murphy, S.R., McNiven, M.A., MacLeod, J.A. and Halliday, L.J., Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273
 Murphy, S.R. and McNiven, M.A., Raw or roasted lupin supplementation of grass silage diets for beef steers, 46 (1994) 23
 Murray, I., see Barber, G.D., 28 (1990) 115
 Murray, I., see Garrido, A., 39 (1992) 313
 Murray, I., see Coleman, S.W., 44 (1993) 237
 Musharaf, N., see Latshaw, J.D., 47 (1994) 179
 Musharaf, N.A., Effect of graded levels of sunflower seed meal in broiler diets, 33 (1991) 129
 Mustafa, E.A., see El Zubeir, E.A., 36 (1992) 339
 Mustafa, E.A., see Khalifa, N.A., 48 (1994) 165
 Myer, R.O., Johnson, D.D., Otwell, W.S., Walker, W.R. and Combs, G.E., Evaluation of scallop viscera silage as a high-protein feedstuff for growing-finishing swine, 31 (1990) 43
- ## N
- Najar, T., see Giger-Reverdin, S., 32 (1991) 223
 Nakashima, Y., Adebawale, E.A. and Misawa, Y., Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309

- Nakashima, Y., see Adebawale, E.A., 38 (1992) 219
- Nakaue, H.S., see Ivusic, S.I., 45 (1994) 205
- Nambi, J., Mbugua, P.N. and Mitaru, B.N., The nutritive evaluation of dried poultry excreta as a feed ingredient for broiler chickens, 37 (1992) 99
- Nandra, K.S., Hendry, A. and Dobos, R.C., A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
- Napper, D.J., see McAllan, A.B., 46 (1994) 277
- Narahari, D., see Arumugam, M.P., 26 (1989) 119
- Naseeven, M.R. and Kincaid, R.L., Ammonia and sulfur dioxide treated wheat straw as a feed-stuff for cattle, 37 (1992) 111
- Nastis, A.S., see Papachristou, Th.G., 46 (1994) 87
- Natanam, R., Kadirvel, R. and Viswanathan, K., The effect of karanja (*Pongamia glabra* Vent) cake on the performance of White Leghorn pullets, 27 (1989) 89
- Natanam, R., Kadirvel, R. and Ravi, R., The toxic effects of karanja (*Pongamia glabra* Vent) oil and cake on growth and feed efficiency in broiler chicks, 27 (1989) 95
- Navaratne, H.V.R.G., Ibrahim, M.N.M. and Schiere, J.B., Comparison of four techniques for predicting digestibility of tropical feeds, 29 (1990) 209
- Ndlovu, L.R., see Mpofu, I.D.T., 48 (1994) 39
- Neffati, M., see Khorchani, T., 39 (1992) 303
- Nefzaoui, A., see Abdouli, H., 39 (1992) 293
- Nefzaoui, A., see Khorchani, T., 39 (1992) 303
- Nefzaoui, A., see Ben Salem, H., 46 (1994) 143
- Nefzaoui, A., see Ben Salem, H., 48 (1994) 15
- Negi, S.S., Singh, B. and Makkar, H.P.S., Influence of method of calculation and length of period of rumen fermentation on the effective degradability of dry matter and nitrogen in some tree forages, 26 (1989) 309
- Neill, J.W., see White, J.S., 33 (1991) 313
- Nell, A.J., see Schiere, J.B., 43 (1993) 135
- Nelson, M.L., see Morgan, E.K., 33 (1991) 59
- Nelssen, J.L., see Weeden, T.L., 45 (1994) 211
- Nengomasha, E.M., see Gomes, M.J., 49 (1994) 277
- Nerud, F., see Jalč, D., 46 (1994) 131
- Neutze, S.A., Smith, R.L. and Forbes, W.A., Application of an inhibitor in vitro method for estimating rumen degradation of feed protein, 40 (1993) 251
- Newbold, C.J., Chamberlain, D.G. and Thomas, P.C., Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191
- Newbold, C.J., see Hidayat, 42 (1993) 193
- Newbold, C.J., see Cruz Soto, R., 49 (1994) 151
- Newman, C.W., see Pond, W.G., 33 (1991) 221
- Nicol, A.M., see Young, B.A., 29 (1990) 147
- Nieto, R., see Prieto, C., 47 (1994) 151
- Nishino, N., Ohshima, M. and Uchida, S., A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297
- Nishino, N., Uchida, S. and Ohshima, M., Ruminant degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131
- Nisikawa, S., see Goto, M., 40 (1993) 207
- Noblet, J., see Chabeauti, E., 32 (1991) 207
- Noblet, J., Fortune, H., Dupire, C. and Dubois, S., Digestible, metabolizable and net energy values of 13 feedstuffs for growing pigs: effect of energy system, 42 (1993) 131
- Noblet, J., see Shi, X.S., 42 (1993) 223
- Nobre, P.T.C., see Sazzad, H.M., 46 (1994) 271
- Nockels, C.F., see Remillard, R.L., 30 (1990) 79
- Nogareda, C., see Brufau, J., 34 (1991) 193
- Norton, B.W., see Tjandraatmadja, M., 41 (1993) 171
- Norton, S.A., see McCarthy, F.D., 28 (1990) 29
- Núñez, J.M., see Megías, M.D., 43 (1993) 269

O

- O'Connor, C.B., see Capper, B.S., 36 (1992) 59
- O'Leary, J., see Henning, J.C., 31 (1990) 193
- O'Sullivan, M., see McMeniman, N.P., 28 (1990) 155
- Obaji, C.N., see Udedibie, A.B.I., 48 (1994) 335
- Odai, M., see Kajikawa, H., 31 (1990) 91
- Odai, M., see Kajikawa, H., 34 (1991) 203
- Offer, N.W., see Barber, G.D., 28 (1990) 115
- Ogink, J.J.M., see Meijer, M.M.T., 46 (1994) 1
- Ogunlana, F.F., see Fajimi, A.O., 43 (1993) 177
- Ohlde, G.W., Becker, K., Akin, D.E., Rigsby, L.L. and Lyon, C.E., Differences in rumen bacterial degradation of morphological fractions in eight cereal straws and the effect of digestion

- on different types of tissues and mechanical properties of straw stalks, 36 (1992) 173
- Ohshima, M., see Nishino, N., 47 (1994) 297
- Ohshima, M., see Nishino, N., 48 (1994) 131
- Ohshita, T., see Kondo, T., 39 (1992) 253
- Ohshita, T., see Kondo, T., 41 (1993) 213
- Ohshita, T., see Kondo, T., 47 (1994) 277
- Oke, B.O. and Loerch, S.C., Effects of chemical treatments of cereal grains on in vitro dry matter disappearance and steer feedlot performance, 34 (1991) 163
- Okemo, R.C., see Ingalls, J.R., 47 (1994) 321
- Olawuni, K.A., Ubosi, C.O. and Alaku, S.O., Effects of feed restriction on egg production and egg quality of exotic chickens during their second year of production in a Sudano-Sahelian environment, 38 (1992) 1
- Oldham, J.D., Recent progress towards matching feed quality to the amino acid needs of ruminants, 45 (1993) 19
- Oliveros, B.A., Britton, R.A. and Klopstein, T.J., Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59
- Olorunju, S.A.S., see Balogun, T.F., 30 (1990) 193
- Oltjen, J.W., see Streeter, M.N., 29 (1990) 279
- Olubobokun, J.A., see Beaulieu, A.D., 30 (1990) 289
- Omodara, O.A., see Aletor, V.A., 46 (1994) 343
- Onitchi, D.O., see Monsi, A., 34 (1991) 141
- Oosting, S.J. and Waanders, A., The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
- Opoku, R.S., see Osei, S.A., 29 (1990) 303
- Optpatanakit, Y., Kellaway, R.C. and Lean, I.J., Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25
- Ørskov, E.R., see Ku-Vera, J.K., 28 (1990) 109
- Ørskov, E.R., see Mayuchi, B., 38 (1992) 293
- Ørskov, E.R., see Blümmel, M., 40 (1993) 109
- Ørskov, E.R., see Castro, F.B., 42 (1993) 39
- Ørskov, E.R., see Castro, F.B., 42 (1993) 55
- Ørskov, E.R., see Khazaal, K., 47 (1994) 305
- Ørskov, E.R., see Khazaal, K., 49 (1994) 133
- Ortiz, L., see Treviño, J., 37 (1992) 345
- Ortiz, L.T., Centeno, C. and Treviño, J., Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271
- Ortiz, V., see Castanon, J.I.R., 31 (1990) 349
- Osei, S.A., Asiamah, M. and Atuahene, C.C., Effects of fermented cassava peel meal on the performance of layers, 29 (1990) 295
- Osei, S.A., Opoku, R.S. and Atuahene, C.C., Glirescicidia leaf meal as an ingredient in layer diets, 29 (1990) 303
- Osei, S.A., Atuahene, C.C., Heathcote, D., Frimpong, E.B. and Adomako, D., Cocoa pod-and-husk meal as a feed ingredient in layer diets, 35 (1991) 283
- Osei, S.A. and Armoo, D., The nutritive value of baubinia leaf meal for broiler starter chicks, 37 (1992) 317
- Osuji, P.O., see Khalili, H., 41 (1993) 39
- Osuji, P.O., see Khalili, H., 47 (1994) 213
- Osuji, P.O. and Khalili, H., The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
- Otwell, W.S., see Myer, R.O., 31 (1990) 43
- Ould-Bah, M.Y., see Michalet-Doreau, B., 40 (1992) 57
- Owen, B.D., see Crowley, M.L., 47 (1994) 245
- Owen, E., see Zaman, M.S., 45 (1994) 271
- Owens, F.N., see Streeter, M.N., 44 (1993) 45
- Owen, E., see Khazaal, K.A., 41 (1993) 15
- Oyejide, A., see Fajimi, A.O., 43 (1993) 177

P

- Pallauf, J. and Hüter, J., Studies on the influence of calcium formate on growth, digestibility of crude nutrients, nitrogen balance and calcium retention in weaned piglets, 43 (1993) 65
- Palmer, J., see Khazaal, K.A., 41 (1993) 15
- Pan, Y.-F., see Yin, Y.-L., 44 (1993) 1
- Pancholy, R. and Mali, P.C., Ensiling of cattle waste with desert grass *Lasiurus sindicus*, millet (*Pennisetum typhoides*) straw, additives and starter culture (Short Communication), 38 (1992) 75
- Panday, S.B., see Doyle, P.T., 29 (1990) 29
- Panigrahi, S., see Machin, D.H., 28 (1990) 199
- Panigrahi, S. and Powell, C.J., Effects of high rates of inclusion of palm kernel meal in broiler chick diets, 34 (1991) 37
- Panigrahi, S., Effects of treating cottonseed meal with a solution of ferrous sulphate on laying hen performance and discolourations in eggs, 38 (1992) 89
- Papachristou, Th.G. and Nastis, A.S., Changes in

- chemical composition and in vitro digestibility of oesophageal fistula and hand plucked forage samples due to drying method and stage of maturity, 46 (1994) 87
- Papas, A.M., see Deetz, L.E., 31 (1990) 293
- Pappa-Michaelidis, B., see Stanogias, G., 47 (1994) 287
- Parthasarathy, M., see Veereswara Rao, B., 44 (1993) 265
- Pasinato, A.M., see Elizalde, J.C., 47 (1994) 201
- Patil, A.R., Goetsch, A.L., Galloway Sr., D.L. and Forster Jr., L.A., Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
- Patil, A.R., see Forster Jr., L.A., 47 (1994) 259
- Patterson, D.C., A comparison of various feeding systems for finishing pigs, 26 (1989) 251
- Patterson, D.C., A comparison of offering meal from a self-feed hopper having built-in watering with some conventional systems of offering meal and pellets to finishing pigs, 26 (1989) 261
- Patterson, D.C., A comparison of offering meal and pellets to finishing pigs from self-feed hoppers with and without built-in watering, 34 (1991) 29
- Patterson, D.C. and Chestnutt, D.M.B., The effect of magnetic treatment of drinking water on growth, feed utilisation and carcass composition of lambs, 46 (1994) 11
- Patterson, J.A., see Cherney, D.J.R., 39 (1992) 79
- Pearce, G.R., see Wales, W.J., 29 (1990) 1
- Pearce, G.R., see Stanogias, G., 47 (1994) 287
- Pearson, G., see Moughan, P.J., 34 (1991) 95
- Peo Jr., E.R., see Giesemann, M.A., 37 (1992) 233
- Peralta, J., see Combellas, J., 42 (1993) 319
- Perez, C.M., see Bainton, S.J., 34 (1991) 261
- Perez, J.M., see Gidenne, T., 42 (1993) 237
- Perez, J.M., see Gidenne, T., 42 (1993) 249
- Perez, L., see Prieto, C., 47 (1994) 151
- Perez-Lanzac, J., see Castanon, J.I.R., 31 (1990) 349
- Pérez-Vendrell, A., see Brufau, J., 34 (1991) 193
- Pettersson, D., see Åman, P., 29 (1990) 223
- Pettersson, D., Graham, H. and Åman, P., The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1
- Peyker, W., see Flachowsky, G., 43 (1993) 41
- Pfaff, L., see Esmail, S.H.M., 33 (1991) 79
- Pfeffer, E., see Dünghoef, M., 49 (1994) 1
- Pfirter, H.P., see Vukić Vranješ, M., 46 (1994) 261
- Phillip, L.E., Simpson, M.V. and Garino, H., Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29
- Phipps, R.H., see Moss, A.R., 39 (1992) 151
- Piasentier, E., see Susmel, P., 26 (1989) 231
- Piasentier, E., see Stefanon, B., 37 (1992) 143
- Piasentier, E., see Malossini, F., 50 (1994) 113
- Picard, M., see Melcion, J.-P., 46 (1994) 197
- Picard, M., see Fuller, M.F., 48 (1994) 305
- Picard, M.L., see Leon, A.M., 32 (1991) 297
- Piccaglia, R., see Zadrazil, F., 32 (1991) 137
- Pienaar, J.P., see Meeske, R., 40 (1992) 121
- Pierce, A.B., see Sauer, W.C., 31 (1990) 269
- Pike, D.J., see Zaman, M.S., 45 (1994) 271
- Pilnik, W., see Renard, C.M.G.C., 32 (1991) 69
- Piór, H., see Puchala, R., 48 (1994) 121
- Pisulewska, E., Hanczakowski, P. and Pisulewski, P., Yield, composition and nutritive value of leaf protein concentrates from mixed forages of cereals and legumes, 27 (1989) 117
- Pisulewski, P., see Pisulewska, E., 27 (1989) 117
- Piva, A., see Masoero, F., 48 (1994) 253
- Pizarro, M., see Viveros, A., 48 (1994) 237
- Plassart, M., see Leon, A.M., 32 (1991) 297
- Plata P., F., Mendoza M., G.D., Bárcena-Gama, J.R. and González M., S., Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203
- Platford, R.G., see Wittenberg, K.M., 27 (1989) 101
- Payne, M.J., see Jones, R.J., 37 (1992) 297
- Plumb, V.E., see Bainton, S.J., 34 (1991) 261
- Pochet, S., see Broudicou, L., 49 (1994) 189
- Poncet, C., see Lallès, J.P., 35 (1991) 139
- Poncet, C., see Broudicou, L., 49 (1994) 189
- Pond, K.R., see Guessous, F., 35 (1991) 95
- Pond, W.G., see Babatunde, G.M., 31 (1990) 313
- Pond, W.G., Lehmann, J.W., Elmore, R., Husby, F., Calvert, C.C., Newman, C.W., Lewis, B., Harrold, R.L. and Froseth, J., Feeding value of raw or heated grain amaranth germplasm, 33 (1991) 221
- Poppert, G.L., see Mader, T.L., 42 (1993) 109
- Poppert, G.L., see Mader, T.L., 42 (1993) 309
- Poppi, D.P., see Borens, F.M.P., 28 (1990) 275
- Porter, M.G., Comparison of sample preparation methods for the determination of the gross energy concentration of fresh silage, 37 (1992) 201
- Posler, G., see White, J.S., 33 (1991) 313
- Posler, G.L., see Lenssen, A.W., 39 (1992) 61
- Potkins, Z.V., Lawrence, T.L.J. and Thomlinson, J.R., Effects on ileal apparent digestibility

- in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171
- Pott, E.B., Henry, P.R., Ammerman, C.B., Merritt, A.M., Madison, J.B. and Miles, R.D., Relative bioavailability of copper in a copper-lysine complex for chicks and lambs, 45 (1994) 193
- Powell, C.J., see Panigrahi, S., 34 (1991) 37
- Prabhu, U.H., see Subba Rao, A., 49 (1994) 37
- Prieto, C., Aguilera, J.F., Lachica, M., Fernandez-Figares, I., Perez, L., Nieto, R. and Ferrando, G., The use of plasma free amino acids for predicting the limiting amino acid(s) in diets for chickens, 47 (1994) 151
- Prins, R.A. and Kreulen, D.A., Comparative aspects of plant cell wall digestion in insects, 32 (1991) 101
- Prior, P., see Hassoun, P., 29 (1990) 113
- Priore, F., see Combellas, J., 42 (1993) 319
- Puchala, R., see Makoni, N.F., 41 (1993) 1
- Puchala, R., Piór, H., Von Keyserlingk, M., Shelford, J.A. and Barej, W., Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121
- Puls, J., see Südekum, K.-H., 38 (1992) 143
- Puls, J., see Südekum, K.-H., 46 (1994) 307
- Punia, B.S. and Leibholz, J., Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
- Pusztai, A., see Rubio, L.A., 49 (1994) 93
- Rahman, H., see Rubio, L.A., 49 (1994) 93
- Rai, S.N., Walli, T.K. and Gupta, B.N., The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81
- Raj, S., see Löwgren, W., 39 (1992) 183
- Rajaguru, A.S.B., see Samarasinghe, K., 36 (1992) 143
- Rajashekher, A.R., Rao, P.V., Reddy, V.R. and Eshwaraiah, Chemical composition and nutritive value of ambadi (*Hibiscus cannabinus*) meal for layers, 44 (1993) 151
- Rankins Jr., D.L., see Rude, B.J., 44 (1993) 101
- Rao, P.V., see Rajashekher, A.R., 44 (1993) 151
- Rathbone, S., see Stockdale, C.R., 40 (1992) 1
- Rathee, C.S., see Dharmender, 44 (1993) 169
- Ravi, R., see Natanam, R., 27 (1989) 95
- Rearte, D.H., see Elizalde, J.C., 38 (1992) 161
- Reddy, S.M., see Surekha, M., 31 (1990) 167
- Reddy, V.R., see Rajashekher, A.R., 44 (1993) 151
- Reed, J.D., Solter, H. and Woodward, A., Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
- Reed, J.D., see Solter, H., 33 (1991) 297
- Reeves III, J.B., see Balde, A.T., 44 (1993) 29
- Remillard, R.L., Johnson, D.E., Lewis, L.D. and Nockels, C.F., Starch digestion and digesta kinetics in the small intestine of steers fed on a maize grain and maize silage mixture, 30 (1990) 79
- Rémond, B., Souday, E. and Jouany, J.P., In vitro and in vivo fermentation of glycerol by rumen microbes, 41 (1993) 121
- Renard, C.M.G.C., Voragen, A.G.J., Thibault, J.F. and Pilnik, W., Comparison between enzymatically and chemically extracted pectins from apple cell walls, 32 (1991) 69
- Retrum, R., see Latshaw, J.D., 47 (1994) 179
- Revington, W.H. and Moran Jr., E.T., Effect of nutrient level and feed form on the performance of heavy breeder turkey toms, 29 (1990) 321
- Ribailier, D., see Quinsac, A., 48 (1994) 265
- Richards, D.E., Brown, W.F., Rueggsegger, G. and Bates, D.B., Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37
- Richards, D.E., Brown, W.F., Rueggsegger, G. and Bates, D.B., Replacement value of tree legumes for concentrates in forage-based di-

Q

- Quinsac, A., Lessire, M., Krouti, M., Ribailier, D., Coïc, J.P., Fauduet, H. and Rollin, P., Improvement in the nutritive value of high and low glucosinolate rapeseed meal by aqueous extraction, 48 (1994) 265

R

- Radloff, H.D., see Judkins, M.B., 33 (1991) 323
- Rahardjo, Y.C., see Tangendjaja, B., 29 (1990) 63

- ets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53
- Richardson, C.R., see Deetz, L.E., 31 (1990) 293
- Richert, E., see Geay, Y., 36 (1992) 255
- Ridzwan, B.H., Fadzli, M.K., Rozali, M.B.O., Chin, D.T.F., Ibrahim, B.M. and Faridnordin, B.I., Evaluation of cocoa-pod husks on performance of rabbits (Short Communication), 40 (1993) 267
- Rigault, M., see Giger-Reverdin, S., 32 (1991) 223
- Rigsby, L.L., see Ohlde, G.W., 36 (1992) 173
- Rigsby, L.L., see Akin, D.E., 43 (1993) 303
- Rihani, N., see Guessous, F., 35 (1991) 95
- Rihawi, S., see Capper, B.S., 26 (1989) 105
- Rihawi, S., see Erskine, W., 28 (1990) 61
- Rihawi, S., see Thomson, E.F., 44 (1993) 191
- Rioperez, J., see Tortuero, F., 48 (1994) 1
- Risley, C.R., Kornegay, E.T., Lindemann, M.D. and Weakland, S.M., Effects of organic acids with and without a microbial culture on performance and gastrointestinal tract measurements of weanling pigs, 35 (1991) 259
- Ritchie, W.L., see Kratzer, F.H., 46 (1994) 67
- Rivkin, I., see Shqueir, A.A., 27 (1989) 127
- Robblee, A.R., see Fengler, A.I., 28 (1990) 243
- Robertson, B.M., see Ahn, J.H., 27 (1989) 147
- Robertson, S., see Chamberlain, D.G., 37 (1992) 257
- Robinson, P.H., see Tamminga, S., 27 (1989) 49
- Robinson, P.H. and McNiven, M.A., Nutritive value of raw and roasted sweet white lupins (*Lupinus albus*) for lactating dairy cows, 43 (1993) 275
- Robinson, P.H., see McNiven, M.A., 47 (1994) 31
- Rode, L.M., see McAllister, T.A., 30 (1990) 91
- Rodehutscord, M., see Döngelhof, M., 49 (1994) 1
- Rodriguez, M.L., see Tortuero, F., 48 (1994) 1
- Roger, V., Bernalier, A., Grenet, E., Fonty, G., Jamot, J. and Gouet, P., Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69
- Rogers, J.A., see Deetz, L.E., 31 (1990) 293
- Rohr, K., see Carro, M.D., 37 (1992) 209
- Rokbani, N., see Ben Salem, H., 48 (1994) 15
- Rollin, P., see Quinsac, A., 48 (1994) 265
- Romulo, B., see Bird, S.H., 45 (1994) 119
- Rose, S.P., see Howlader, M.A.R., 39 (1992) 71
- Rose, S.P., Anderson, D.M. and White, M.B., The growth of pigs from 6 to 10 kg when fed fish silages that were preserved either by formic acid or by fermentation (Short Communication), 49 (1994) 163
- Rossi, F., see Masoero, F., 48 (1994) 253
- Rossnagel, B.G., see Campbell, G.L., 26 (1989) 221
- Rossnagel, B.G., see Campbell, G.L., 41 (1993) 191
- Roth-Maier, D.A., Machmüller, A., Kreuzer, M. and Kirchgesner, M., Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177
- Roth-Maier, D.A., see Kirchgesner, M., 46 (1994) 293
- Rowan, A.M., Moughan, P.J. and Wilson, M.N., The flows of deoxyribonucleic acid and diaminopimelic acid and the digestibility of dietary fibre components at the terminal ileum, as indicators of microbial activity in the upper digestive tract of ileostomised pigs, 36 (1992) 129
- Rowan, T.G., Lawrence, T.L.J. and Kershaw, S.J., Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247
- Rowan, T.G., see Subuh, A.M.H., 49 (1994) 297
- Rowlinson, P., see Hemsley, C.L., 26 (1989) 139
- Rowlinson, P., see Hemsley, C.L., 26 (1989) 153
- Roxas, D.B., see Bainton, S.J., 34 (1991) 261
- Rozali, M.B.O., see Ridzwan, B.H., 40 (1993) 267
- Rubinstein, A., see Solomon, R., 37 (1992) 185
- Rubio, L., see Treviño, J., 30 (1990) 313
- Rubio, L.A., Grant, G., Rahman, H., Dewey, P. and Pustai, A., Apparent absorption of Ca, P and Zn, and true absorption of ⁶⁵Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93
- Rude, B.J. and Rankins Jr., D.L., Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101
- Rueggsegger, G., see Richards, D.E., 46 (1994) 37
- Rueggsegger, G., see Richards, D.E., 46 (1994) 53
- Rumsey, G.L., Kinsella, J.E., Shetty, K.J. and Hughes, S.G., Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177
- Rumsey, G.L., Hughes, S.G., Smith, R.R., Kinsella, J.E. and Shetty, K.J., Digestibility and

- energy values of intact, disrupted and extracts from brewer's dried yeast fed to rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 185
- Rumsey, G.L., Hughes, S.G. and Winfree, R.A., Chemical and nutritional evaluation of soya protein preparations as primary nitrogen sources for rainbow trout (*Oncorhynchus mykiss*), 40 (1993) 135
- Russel, J.R., Yoder, S.J. and Marley, S.J., The effects of bale density, type of binding and storage surface on the chemical composition, nutrient recovery and digestibility of large round hay bales, 29 (1990) 131
- Russel, J.R., Irlbeck, N.A., Hallauer, A.R. and Buxton, D.R., Nutritive value and ensiling characteristics of maize herbage as influenced by agronomic factors, 38 (1992) 11
- Russel, J.R., see Irlbeck, N.A., 41 (1993) 51
- Rutagwenda, T., Lechner-Doll, M., Schwartz, H.J., Schultka, W. and Von Engelhardt, W., Dietary preference and degradability of forage on a semiarid thornbush savannah by indigenous ruminants, camels and donkeys, 31 (1990) 179
- Ryadi, A., see Benabdeljelil, K., 30 (1990) 301
- S**
- Sahle, M., Coleou, J. and Haas, C., Nutritional value of cassava meal in diets for geese, 36 (1992) 29
- Sahnoun, S., Besle, J.M., Chenost, M., Jouany, J.P. and Combès, D., Treatment of straw with urea. 1. Ureolysis in a low water medium, 34 (1991) 75
- Said, A.N., see Getachew, G., 46 (1994) 97
- Saini, H.S., see Batterham, E.S., 26 (1989) 191
- Saini, H.S., see Batterham, E.S., 27 (1990) 317
- Saitoh, M., see Kajikawa, H., 31 (1990) 91
- Saitoh, M., see Kajikawa, H., 34 (1991) 203
- Sajdook, J., see Burianová, T., 33 (1991) 41
- Salas, M., Aumont, G., Biessy, G. and Magnie, E., Effect of variety, stage of maturity and nitrate fertilization on nutritive values of sugar cane, 39 (1992) 265
- Salek, M., see Heger, J., 29 (1990) 89
- Salih, M.E., Classen, H.L. and Campbell, G.L., Response of chickens fed on hull-less barley to dietary β -glucanase at different ages, 33 (1991) 139
- Salinas, J., see Caro, M.R., 31 (1990) 285
- Samanta, A.K., Chopra, R.C., Atreja, P.P. and Chhabra, A., An attempt to inactive mimosine of *Leucaena leucocephala* by mineral supplementation for feeding to ruminants, 50 (1994) 157
- Samarasinghe, K. and Rajaguru, A.S.B., Raw and processed wild colocasia corn meal (*Colocasia esculenta* (L.) Schott, var. *esculenta*) as an energy source for broilers, 36 (1992) 143
- Saminadin, G., see Hassoun, P., 29 (1990) 113
- Sampath, S.R., see Subba Rao, A., 49 (1994) 37
- Samuels, W.A., Fontenot, J.P., Allen, V.G. and Flick, G.J., Fermentation characteristics of ensiled seafood wastes and low-quality roughages, 38 (1992) 305
- Sanderson, M.A. and Wedin, W.F., In situ digestion of detergent fiber nitrogen in alfalfa stems, 30 (1990) 1
- Sankari, S., see Hassan, S., 41 (1993) 103
- Santini, F.J., see Elizalde, J.C., 38 (1992) 161
- Santini, F.J., see Elizalde, J.C., 47 (1994) 201
- Sarwatt, S.V., Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51
- Sato, T., see Goto, M., 48 (1994) 27
- Sauer, W.C., see Cherian, G., 27 (1989) 137
- Sauer, W.C., Mosenthin, R. and Pierce, A.B., The utilization of pelleted, extruded, and extruded and repelleted diets by early weaned pigs, 31 (1990) 269
- Sauer, W.C., see Mosenthin, R., 37 (1992) 245
- Sauvant, D., see Giger-Reverdin, S., 32 (1991) 223
- Sauvant, D., see Giger-Reverdin, S., 48 (1994) 73
- Savage, T.F., see Kill, D.R., 40 (1992) 87
- Savage, T.F., see Hayat, J., 43 (1993) 291
- Savoie, L., see Caugant, I., 41 (1993) 223
- Savoini, G., see Van der Koelen, C.J., 38 (1992) 35
- Sazzad, H.M., Bertechini, A.G. and Nobre, P.T.C., Egg production, tissue deposition and mineral metabolism in two strains of commercial layers with various levels of manganese in diets, 46 (1994) 271
- Scaife, J.R., see Sinclair, L.A., 34 (1991) 181
- Schaefer, D.M., see McAllister, T.A., 30 (1990) 91
- Scheijen, M.A., see Morrison III, W.H., 32 (1991) 17
- Schein, G., see Flachowsky, G., 34 (1991) 279
- Schein, G., see Flachowsky, G., 39 (1992) 173
- Scheuermann, S.E., Effect of the probiotic

- Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs, 41 (1993) 181
- Schiere, J.B., Ibrahim, M.N.M., Sewalt, V.J.H. and Zemmeling, G., Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
- Schiere, J.B., see Navaratne, H.V.R.G., 29 (1990) 209
- Schiere, J.B. and De Wit, J., Feeding standards and feeding systems, 43 (1993) 121
- Schiere, J.B. and Nell, A.J., Feeding of urea treated straw in the tropics. I. A review of its technical principles and economics, 43 (1993) 135
- Schiere, J.B., see Subba Rao, A., 49 (1994) 37
- Schmitz, M., see Inborr, J., 44 (1993) 113
- Schneider, A., see Flachowsky, G., 43 (1993) 41
- Schneider, M. and Flachowsky, G., Studies on ammonia treatment of wheat straw: effects of level of ammonia, moisture content, treatment time and temperature on straw composition and degradation in the rumen of sheep, 29 (1990) 251
- Schneider, M., see Flachowsky, G., 38 (1992) 199
- Schöne, F., Winnefeld, K., Kirchner, E., Grün, M., Lüdke, H. and Hennig, A., Copper and iodine in pig diets with high glucosinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters, 30 (1990) 143
- Schöne, F., Kirchheim, U. and Schumann, W., Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229
- Schubert, R. and Flachowsky, G., Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ¹⁵N horse urine treated wheat straw in small ruminants, 48 (1994) 199
- Schuldt, A., see Südekum, K.-H., 46 (1994) 307
- Schultka, W., see Rutagwenda, T., 31 (1990) 179
- Schumann, W., see Schöne, F., 48 (1994) 229
- Schuermans, J.L.L., see Mulder, M.M., 39 (1992) 335
- Schwartz, H.J., see Rutagwenda, T., 31 (1990) 179
- Scott, K.C. and Latshaw, J.D., The vitamin D₃ and prehepatic content of menhaden fish meal as affected by drying conditions, 47 (1994) 99
- Sebek, L.B.J., see Smits, B., 45 (1994) 349
- Segura, M., see Gidenne, T., 32 (1991) 215
- Sehgal, J.P. and Makkar, G.S., Protein evaluation in ruminants in vitro, in sacco, in vivo protein degradability and microbial efficiency of different protein supplements in growing buffalo calves, 45 (1994) 149
- Sehgal, J.P. and Makkar, G.S., Protein evaluation in ruminants. 2. Evaluation of agroindustrial by-product-based rations in metabolic and rumen studies of buffalo calves, 47 (1994) 61
- Seib, P.A., see Zhu, X.S., 27 (1990) 341
- Seligman, N.G., see Genizi, A., 29 (1990) 265
- Sell, J.L., see Zafari, I.M., 30 (1990) 121
- Seoane, J.R., see Martineau, Y., 47 (1994) 53
- Sequeira, C.A. and Sequeira, J.C., Bacterial adhesion to fibre during in vitro incubations under varying osmotic pressure, 41 (1993) 65
- Sequeira, J.C., see Sequeira, C.A., 41 (1993) 65
- Sewalt, V.J.H., see Schiere, J.B., 26 (1989) 179
- Shahjahan, M., Mosihuzzaman, M. and Mian, A.J., In vitro digestibility studies of some local and high yielding varieties of rice straw (*Oryza sativa*), 42 (1993) 121
- Shain, D.H., see Judkins, M.B., 33 (1991) 323
- Shaw, J., Baidoo, S.K. and Aherne, F.X., Ileal and faecal energy digestibility coefficients of full-fat canola seed for swine, 28 (1990) 71
- Shaw, J., Baidoo, S.K. and Aherne, F.X., Nutritive value of canola seed for young pigs, 28 (1990) 325
- Shafet, G., see Maltz, E., 35 (1991) 15
- Shelford, J.A., see Makoni, N.F., 41 (1993) 1
- Shelford, J.A., see Puchala, R., 48 (1994) 121
- Shelley, B.C., see King, R.H., 37 (1992) 1
- Shepperson, N., see Wiseman, J., 36 (1992) 41
- Shetty, K.J., see Rumsey, G.L., 33 (1991) 177
- Shetty, K.J., see Rumsey, G.L., 33 (1991) 185
- Shi, X.S. and Noblet, J., Digestible and metabolizable energy values of ten feed ingredients in growing pigs fed ad libitum and sows fed at maintenance level; comparative contribution of the hindgut, 42 (1993) 223
- Shimada, A., see Leal, M., 47 (1994) 141
- Shimojo, M., see Zhao, J.Y., 41 (1993) 261
- Shqueir, A.A., Brown, D.L., Taylor, S.J., Rivkin, I. and Klasing, K.C., Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127
- Sibbald, I.R., Hall, D.D., Wolynetz, M.S., Fernández, J.A. and Jørgensen, H., Relationships between bioavailable energy estimates made with pigs and cockerels, 30 (1990) 131
- Sijtsma, L. and Tan, B., Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221

- Silanikove, N., Brosh, A., Holzer, Z. and Levy, D., Urea treatment of green panic: effect on in vivo digestibility and on digesta mean retention time, 31 (1990) 117
- Silanikove, N., see Maltz, E., 35 (1991) 15
- Simpson, M.V., see Phillip, L.E., 33 (1991) 29
- Sinclair, L.A., Galbraith, H. and Scaife, J.R., Effect of dietary protein concentration and cimaterol on growth and body composition of entire male lambs, 34 (1991) 181
- Sindt, M.H., Stock, R.A. and Klopfenstein, T.J., Urea vs. urea and escape protein for finishing calves and yearlings, 49 (1994) 103
- Singh, B., see Negi, S.S., 26 (1989) 309
- Singh, B., see Makkar, H.P.S., 32 (1991) 253
- Singh, B., see Makkar, H.P.S., 36 (1992) 113
- Singh, B., see Makkar, H.P.S., 41 (1993) 247
- Singh, U.B. and Mehra, U.R., Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
- Singh, U.B., see Tiwari, S.P., 29 (1990) 333
- Siroka, P., see Zelenák, I., 49 (1994) 211
- Skilton, G.A., Smith, W.C. and Moughan, P.J., The ileal digestibility of nitrogen and amino acids in meat and bone meals determined using a rate assay, 34 (1991) 111
- Smith, A.J., see Langlands, J.P., 28 (1990) 1
- Smith, A.J., see Langlands, J.P., 28 (1990) 15
- Smith, A.J., see Donald, G.E., 40 (1993) 295
- Smith, A.J., see Langlands, J.P., 46 (1994) 109
- Smith, R.H., see Merry, R.J., 31 (1990) 55
- Smith, R.L., see Neutze, S.A., 40 (1993) 251
- Smith, R.R., see Rumsey, G.L., 33 (1991) 185
- Smith, T., see Manyuchi, B., 49 (1994) 11
- Smith, W.A., Du Plessis, G.S. and Griessel, A., Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287
- Smith, W.C., see Moughan, P.J., 34 (1991) 95
- Smith, W.C., see Skilton, G.A., 34 (1991) 111
- Smith, W.C., see Donkoh, A., 49 (1994) 43
- Smith, W.C., see Donkoh, A., 49 (1994) 57
- Smith, W.C., see Donkoh, A., 49 (1994) 73
- Smith, W.J., Antibiotics in feed, with special reference to pigs: a veterinary viewpoint, 45 (1993) 57
- Smits, B., Jongbloed, A.W. and Sebek, L.B.J., Effect of pelleting and feeding level on apparent digestibility and feeding value of diets for growing-finishing pigs, 45 (1994) 349
- Smits, B., see Liu, Y.-G., 48 (1994) 273
- Sniffen, C.J., see Assoumani, M.B., 39 (1992) 357
- Snyman, L.D., Nutritive value of maize residues in comparison with *Eragrostis curvula* hay as feed for sheep, 34 (1991) 213
- Snyman, L.D. and Joubert, H.W., Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47
- Snyman, L.D., Effect of exposure on the chemical composition and in vitro dry matter digestibility of untreated and formalin treated green chop, 44 (1993) 275
- Sobamiwa, O. and Longe, O.G., The nutritive value of alkali-treated cocoa husk meal in broiler chick diets, 46 (1994) 321
- Sobamiwa, O. and Longe, O.G., Utilization of cocoa-pod pericarp fractions in broiler chick diets, 47 (1994) 237
- Soller, H., see Reed, J.D., 30 (1990) 39
- Soller, H., Reed, J.D. and Butterworth, M.H., Effect of work on utilization of cereal crop residues by oxen, 33 (1991) 297
- Solomon, R., Miron, J., Rubinstein, A. and Ben-Ghedalia, D., Ozone-treated cotton stalks as a component of a ration for growing lambs, 37 (1992) 185
- Solomon, R., see Ben-Ghedalia, D., 42 (1993) 283
- Sorensen, E.L., see Lenssen, A.W., 39 (1992) 61
- Sørensen, H., see Danielsen, V., 46 (1994) 239
- Sosulski, F.W., see Thacker, P.A., 46 (1994) 229
- Souday, E., see Rémond, B., 41 (1993) 121
- Spais, A.V., see Christaki, E.V., 48 (1994) 169
- Spiekers, H., see Dünghoef, M., 49 (1994) 1
- St. Pierre, N.R., see Weiss, W.P., 39 (1992) 95
- Stanogias, G., Pearce, G.R., Alifakiotis, T., Michaelidis, J. and Pappa-Michaelidis, B., Effects of dietary concentration and source of fibre on the apparent absorption of minerals by pigs, 47 (1994) 287
- Stefanon, B., see Susmel, P., 26 (1989) 231
- Stefanon, B., Mills, C.R. and Piasentier, E., Pattern of some internal and external markers along the gastrointestinal tract of cattle, 37 (1992) 143
- Stefanon, B., see Susmel, P., 42 (1993) 1
- Stefanon, B., see Susmel, P., 49 (1994) 119
- Steg, A., see Liu, Y.-G., 41 (1993) 133
- Steg, A., see Liu, Y.-G., 45 (1994) 397
- Steg, A., see Liu, Y.-G., 48 (1994) 273
- Steg, A., Hindle, V.A. and Liu, Y.-G., By-products of some novel oil seeds for feeding: laboratory evaluation, 50 (1994) 87
- Stern, M.D., see Bas, F.J., 29 (1990) 101

- Stern, M.D., see Calsamiglia, S., 39 (1992) 239
- Stern, M.D., see Illg, D.J., 48 (1994) 49
- Stevani, J., Durand, M., Zanchi, R., Beaumatin, Ph. and Hannequart, G., Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287
- Stewart, C.S., see Hidayat, 42 (1993) 193
- Stewart, C.S., see Cruz Soto, R., 49 (1994) 151
- Sticker, L.S., see Bunting, L.D., 45 (1994) 229
- Stilborn, I.L. and Waldrup, P.W., An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327
- Stock, R., see Goedecken, F., 26 (1989) 129
- Stock, R.A., see Mader, T.L., 42 (1993) 109
- Stock, R.A., see Mader, T.L., 42 (1993) 309
- Stock, R.A., see Sindt, M.H., 49 (1994) 103
- Stockdale, C.R. and Rathbone, S., Comparisons of methods for estimating *in vivo* digestibility of feedstuffs in dairy cattle, 40 (1992) 1
- Streeter, M.N., Wagner, D.G., Hibberd, C.A., Mitchell Jr., E.D. and Oltjen, J.W., Effect of variety of sorghum grain on digestion and availability of dry matter and starch *in vitro*, 29 (1990) 279
- Streeter, M.N., Hill, G.M., Wagner, D.G., Hibberd, C.A. and Owens, F.N., Chemical and physical properties and *in vitro* dry matter and starch digestion of eight sorghum grain hybrids and maize, 44 (1993) 45
- Stritzler, N.P., Wolstrup, J., Eggum, B.O. and Jensen, B.B., Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
- Stuteville, D.L., see Lenssen, A.W., 39 (1992) 61
- Stuth, J.W., see Lyons, R.K., 35 (1991) 21
- Subba Rao, A., Prabhu, U.H., Sampath, S.R. and Schiere, J.B., The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37
- Subuh, A.M.H., Rowan, T.G. and Lawrence, T.L.J., Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297
- Südekum, K.-H., Puls, J., Brandt, M. and Vearasilp, T., Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with ear and husk meal maize silages from three different stages of maturity, 38 (1992) 143
- Südekum, K.-H., Brandt, M., Schuldt, A. and Puls, J., Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with rolled cereal grains, 46 (1994) 307
- Sun, W., see Galloway Sr., D.L., 32 (1991) 261
- Sun, W., Goetsch, A.L., Forster Jr., L.A., Galloway Sr., D.L. and Johnson, Z.B., Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
- Sun, W., see Forster Jr., L.A., 47 (1994) 259
- Sundås, S., see Jonsson, A., 31 (1990) 139
- Sundstøl, F., see Mgheni, D.M., 44 (1993) 209
- Sundstøl, F., see Getachew, G., 46 (1994) 97
- Sundstøl, F., see Mgheni, D.M., 49 (1994) 223
- Surekha, M. and Reddy, S.M., Succession of mycoflora on groundnut fodder, 31 (1990) 167
- Surtan, M.S., see Ayangbile, O.A., 40 (1993) 153
- Susmel, P., Stefanon, B. and Piasentier, E., Effect of forage and concentrate intake level on rumen degradability of protein sources having different *in vitro* rates of N solubilisation, 26 (1989) 231
- Susmel, P., Mills, C.R., Colitti, M. and Stefanon, B., *In vitro* solubility and degradability of nitrogen in concentrate ruminant feeds, 42 (1993) 1
- Susmel, P., Antongiovanni, M., Stefanon, B., Mills, C.R., Hindle, V.A. and Van Vurren, A.M., Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119
- Sutton, J.D., see McAllan, A.B., 46 (1994) 277
- Sweet, A., see Butterly, P.J., 45 (1993) 97
- Swingle, R.S., see Glenn, E.P., 40 (1992) 21
- Szymczyk, B., see Hanczakowski, P., 38 (1992) 81

T

- Tahon, F., see Leterme, P., 35 (1991) 49
- Takabe, K., see Goto, M., 36 (1992) 229
- Takabe, K., see Goto, M., 40 (1993) 207
- Takahashi, J. and Young, B.A., Prophylactic effect of L-cysteine on nitrate-induced alterations in respiratory exchange and metabolic rate in sheep, 35 (1991) 105

- Takahashi, J. and Young, B.A., The modulation of nitrate-enhanced hypothermia by sulphur compounds in cold-exposed sheep, 39 (1992) 347
- Takahashi, T., see Kajikawa, H., 31 (1990) 91
- Tallam, S.K., see Ayangbile, O.A., 40 (1993) 153
- Tamminga, S., Robinson, P.H., Meijis, S. and Boer, H., Feed components as internal markers in digestion studies with dairy cows, 27 (1989) 49
- Tamminga, S., see Kaitho, R.J., 43 (1993) 19
- Tamminga, S., see Liu, Y.-G., 48 (1994) 273
- Tan, B., see Sijtsma, L., 44 (1993) 221
- Tangendjaja, B., Rahardjo, Y.C. and Lowry, J.B., Leucaena leaf meal in the diet of growing rabbits: evaluation and effect of a low-mimosine treatment, 29 (1990) 63
- Tankou, C.M., see Tegui, A., 40 (1993) 233
- Tano, R., see Kajikawa, H., 31 (1990) 91
- Taoueb, H., see Kayouli, C., 40 (1993) 343
- Tashev, T.K., see Todorov, N.A., 45 (1994) 299
- Taylor, S.J., see Shqueir, A.A., 27 (1989) 127
- Tchoumboue, J., see Tegui, A., 40 (1993) 233
- Tegui, A., Tchoumboue, J., Mayaka, B.T. and Tankou, C.M., The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia* spp.) in the finisher diet, 40 (1993) 233
- Teller, E., see Chermiti, A., 47 (1994) 41
- Tesfa, A.T., Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77
- Tesfa, A.T., Effects of rape-seed oil supplementation on digestion microbial protein synthesis and duodenal microbial amino acid composition in ruminants, 41 (1993) 313
- Thacker, P.A., see Campbell, G.L., 26 (1989) 221
- Thacker, P.A., see Cherian, G., 27 (1989) 137
- Thacker, P.A. and Sosulski, F.W., Use of wild oat groats in starter diets for swine, 46 (1994) 229
- Thacker, P.A., Campbell, G.L. and Xu, Y., Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251
- Thaler, R.C., see Weeden, T.L., 45 (1994) 211
- Tham, S.H., see Karunajewa, H., 26 (1989) 45
- Theander, O., Chemical analysis of lignocellulose materials, 32 (1991) 35
- Theodorou, M.K., Williams, B.A., Dhanoa, M.S., McAllan, A.B. and France, J., A simple gas production method using a pressure transducer to determine the fermentation kinetics of ruminant feeds, 48 (1994) 185
- Théwis, A., see Leterme, P., 29 (1990) 45
- Théwis, A., see Leterme, P., 35 (1991) 49
- Théwis, A., see Leterme, P., 37 (1992) 309
- Théwis, A., see Walhain, P., 38 (1992) 43
- Théwis, A., see Leterme, P., 39 (1992) 209
- Théwis, A., see Mathot, P., 39 (1992) 227
- Thibault, J.F., see Renard, C.M.G.C., 32 (1991) 69
- Thivend, P., see Geay, Y., 36 (1992) 255
- Thomas, P.C., see Newbold, C.J., 35 (1991) 191
- Thomlinson, J.R., see Potkins, Z.V., 35 (1991) 171
- Thomson, A.M., see Flint, H.J., 32 (1991) 123
- Thomson, E.F., see Capper, B.S., 26 (1989) 105
- Thomson, E.F., Herbert, F. and Rihawi, S., Effects of genotype and simulated rainfall on the morphological characteristics, chemical composition and rumen degradation of the straw fractions of barley plants, 44 (1993) 191
- Thorne, P.J., Wiseman, J., Cole, D.J.A. and Machin, D.H., Effects of level of inclusion of copra meal in balanced diets supplemented with synthetic amino acids on growth and fat deposition and composition in growing pigs fed and libitum at a constant temperature of 25°C, 40 (1992) 31
- Thwaites, C.J., The effects of feeding supplements containing different amounts and sources of nitrogen on live weight and the testes of rams during and after mating, 48 (1994) 177
- Tingda, J., Dihua, M., Yiwan, C. and Chunping, Z., Nutrition of feed collagen protein powder from the reclamation treatment of chrome leather scrap, 37 (1992) 175
- Tiroke, K., see Flachowsky, G., 34 (1991) 279
- Tiwari, S.P., Singh, U.B. and Mehra, U.R., Ureal molasses mineral blocks as a feed supplement: effect on growth and nutrient utilization in buffalo calves, 29 (1990) 333
- Tjandraatmadja, M., MacRae, I.C. and Norton, B.W., Intake and digestibility of sorghum silage by goats, 41 (1993) 171
- Todorov, N.A., Tashev, T.K., Yancheva, N.J. and Alexandrov, A.N., Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299
- Todorov, N.A., see Djouvinov, D.S., 48 (1994) 289
- Tomes, G., see Eggum, B.O., 43 (1993) 109
- Tortuero, F., Rioperez, J., Cosfin, C., Barrera, J. and Rodriguez, M.L., Effects of dietary fiber sources on volatile fatty acid production, in-

- testinal microflora and mineral balance in rabbits, 48 (1994) 1
- Toullec, R., see Caugant, I., 41 (1993) 223
- Toullec, R., Lallès, J.P. and Bouchez, P., Replacement of skim milk with soya bean protein concentrates and whey in milk replacers for veal calves, 50 (1994) 101
- Toussaint, B., Excoffier, G. and Vignon, M.R., Effect of steam explosion treatment on the physico-chemical characteristics and enzyme hydrolysis of poplar cell wall components, 32 (1991) 235
- Treviño, J., Centeno, C., Brenes, A., Yuste, P. and Rubio, L., Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313
- Treviño, J., Ortiz, L. and Centeno, C., Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345
- Treviño, J., see Ortiz, L.T., 41 (1993) 271
- Triantos, A., see Belibasakis, N.G., 33 (1991) 151
- Tripathi, J.P. and Yadav, J.S., Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59
- Tsen, H.Y., see Yu, B., 40 (1993) 309
- Tserveni-Gousi, A.L., see Christaki, E.V., 48 (1994) 169
- Tserveni-Gousi, A.S., see Yannakopoulos, A.L., 27 (1989) 77
- Tserveni-Gousi, A.S., see Yannakopoulos, A.L., 36 (1992) 53
- Tucker, R.E., see Mahmoudzadeh, H., 27 (1989) 111
- Tuen, A.A., Dahan, M.M., Young, B.A. and Vichulata, P., Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333
- Tung, R.S., see Kung Jr., L., 35 (1991) 37
- Tung, R.S., see Kung Jr., L., 39 (1992) 1
- value of jackbeans (*Canavalia ensiformis*) for broilers, 48 (1994) 335
- Udén, P., see Mero, R.N., 31 (1990) 1
- Udén, P., see Mbwire, R.P., 32 (1991) 243
- Udén, P., The influence of leaf and stem particle size in vitro and of sample size in sacco on neutral detergent fibre fermentation kinetics, 37 (1992) 85
- Udén, P., Simulation of feed particle sedimentation in the reticulum as affected by hydration and fermentation, 39 (1992) 135
- Ueberschar, K.H., see Wang, P.-X., 31 (1990) 157
- Umunna, N.N., see Iwuanyanwu, I.E.J., 31 (1990) 277
- Uray, G., see Andrighetto, I., 39 (1992) 323
- Ushida, K. and Jouany, J.P., Effect of defaunation on fibre digestion in sheep given two isonitrogenous diets (Short Communication), 29 (1990) 153
- ## V
- Vadiveloo, J. and Fadel, J.G., Compositional analyses and rumen degradability of selected tropical feeds, 37 (1992) 265
- Vaithyanathan, S., see Kumar, R., 30 (1990) 21
- Vaithyanathan, S. and Kumar, R., Relationship between protein-precipitating capacity of fodder tree leaves and their tannin content (Short Communication), 44 (1993) 281
- Valentinotti, M., see Malossini, F., 50 (1994) 113
- Van Den Abeele, Th., see Van Der Poel, A.F.B., 26 (1989) 29
- Van der Koelen, C.J., Goedhart, P.W., Van Vuuren, A.M. and Savoini, G., Sources of variation of the in situ nylon bag technique, 38 (1992) 35
- Van der Koelen, C.J., see Antoniewicz, A.M., 39 (1992) 111
- Van der Meer, J.M., see Garrido, A., 35 (1991) 199
- Van der Merwe, H.J., see Cilliers, J.W., 43 (1993) 151
- Van der Poel, A.F.B., Effect of processing on antinutritional factors and protein nutritional value of dry beans (*Phaseolus vulgaris* L.). A review. (Review), 29 (1990) 179
- Van der Poel, A.F.B., Den Hartog, L.A., Van Stiphout, W.A.A., Bremmers, R. and Huisman, J., Effects of extrusion of maize on ileal
- ## U
- Ubosi, C.O., see Olawuni, K.A., 38 (1992) 1
- Uchida, S., see Nishino, N., 47 (1994) 297
- Uchida, S., see Nishino, N., 48 (1994) 131
- Udedibie, A.B.I., Esonu, B.O., Obaji, C.N. and Durunna, C.S., Dry urea treatment prior to toasting as a method of improving the nutritive

- and faecal digestibility of nutrients and performance of young piglets, 29 (1990) 309
- Van der Poel, A.F.B., Gravendeel, S. and Boer, H., Effect of different processing methods on tannin content and in vitro protein digestibility of faba bean, 33 (1991) 49
- Van der Poel, A.F.B., Gravendeel, S., Van Kleef, D.J., Jansman, A.J.M. and Kemp, B., Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205
- Van der Poel, A.F.B., see Jansman, A.J.M., 42 (1993) 83
- Van der Poel, A.F.B., see Hendriks, W.H., 48 (1994) 99
- Van Der Poel, A.F.B., Den Hartog, L.A., Van Den Abeele, Th., Boer, H. and Van Zuilichem, D.J., Effect of infrared irradiation or extrusion processing of maize on its digestibility in piglets, 26 (1989) 29
- Van Gelder, W.M.J., see Meijer, M.M.T., 46 (1994) 1
- Van Hoecke, A., see Focant, M., 28 (1990) 303
- Van Hoecke, A., see Focant, M., 30 (1990) 69
- Van Houtert, M.F.J., The production and metabolism of volatile fatty acids by ruminants fed roughages: a review (Review), 43 (1993) 189
- Van Kleef, D.J., see Van der Poel, A.F.B., 36 (1992) 205
- Van Lunen, T.A., see Donovan, B.C., 43 (1993) 77
- Van Nevel, C.J., see Broudiscou, L., 30 (1990) 51
- Van Nevel, C.J. and Demeyer, D.I., Effects of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of rumen contents in vivo, 31 (1990) 323
- Van Nevel, C.J. and Demeyer, D.I., Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21
- Van Nevel, C.J., see De Smet, S., 37 (1992) 333
- Van Ravenswaay, R.O., Henry, P.R., Ammerman, C.B. and Littell, R.C., Relative bioavailability of magnesium sources for ruminants as measured by urinary magnesium excretion, 39 (1992) 13
- Van Soest, P.J. and Mason, V.C., The influence of the Maillard reaction upon the nutritive value of fibrous feeds, 32 (1991) 45
- Van Stiphout, W.A.A., see Van der Poel, A.F.B., 29 (1990) 309
- Van Vurren, A.M., see Susmel, P., 49 (1994) 119
- Van Vuuren, A.M., see Van der Koelen, C.J., 38 (1992) 35
- Van Vuuren, A.M., see Antoniewicz, A.M., 39 (1992) 111
- Van Zuilichem, D.J., see Van Der Poel, A.F.B., 26 (1989) 29
- Vanacker, J.M., see De Boever, J.L., 47 (1994) 1
- Vanbelle, M., see Focant, M., 28 (1990) 303
- Vanbelle, M., see Focant, M., 30 (1990) 69
- Vanbelle, M., see Focant, M., 32 (1991) 229
- Vanbelle, M., see Chermiti, A., 47 (1994) 41
- Vancoillie, Y., see Fiems, L.O., 26 (1989) 347
- Vandersall, J.H., see Balde, A.T., 44 (1993) 29
- Vanhatalo, A., see Aronen, I., 32 (1991) 201
- Vanopdenbosch, E., see Fiems, L.O., 26 (1989) 347
- Varga, G.A. and Whitsel, T.J., Effect of nonstructural to structural carbohydrate ratio on rate and extent of nutrient utilization in situ, 32 (1991) 275
- Varvikko, T., see Aronen, I., 32 (1991) 201
- Varvikko, T., see Khalili, H., 36 (1992) 275
- Varvikko, T. and Khalili, H., Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian \times Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239
- Varvikko, T., see Khalili, H., 41 (1993) 39
- Vearasilp, T., see Südekum, K.-H., 38 (1992) 143
- Vedeau, F., see Assoumani, M.B., 39 (1992) 357
- Vedhanayagam, K., see Arumugam, M.P., 26 (1989) 119
- Veerreswara Rao, B., Parthasarathy, M. and Krishna, N., Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265
- Velásquez, L.A., see Ibáñez, I.A., 42 (1993) 165
- Ventura, M.R., Castañón, J.I.R. and McNab, J.M., Nutritional value of seaweed (*Ulva rigida*) for poultry, 49 (1994) 87
- Vérité, R., see Aufrère, J., 33 (1991) 97
- Vermorel, M., see Giger-Reverdin, S., 48 (1994) 73
- Verstegen, M.W.A., see Jansman, A.J.M., 43 (1993) 239
- Vervaeke, I.J., Graham, H., Dierick, N.A., Demeyer, D.I. and Decuyper, J.A., Chemical analysis of cell wall and energy digestibility in growing pigs, 32 (1991) 55
- Vesely, D., see Bláha, J., 28 (1990) 315
- Vignon, M.R., see Toussaint, B., 32 (1991) 235

- Vijchulata, P., see Tuen, A.A., 32 (1991) 333
- Villamide, M.-J., see Wiseman, J., 39 (1992) 27
- Villamide, M.-J., see De Blas, C., 39 (1992) 39
- Villamide, M.J., see De Blas, C., 31 (1990) 239
- Virk, A.S., see Yadav, B.S., 50 (1994) 123
- Viswanathan, K., see Natanam, R., 27 (1989) 89
- Viveros, A., Brenes, A., Pizarro, M. and Castaño, M., Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237
- Vohra, P., see Kratzer, F.H., 31 (1990) 247
- Vohra, P., see Kratzer, F.H., 46 (1994) 67
- Volenc, J.J., see Cherney, D.J.R., 37 (1992) 9
- Von Engelhardt, W., see Rutagwenda, T., 31 (1990) 179
- Von Keyserlingk, M., see Puchala, R., 48 (1994) 121
- Von Keyserlingk, M.A.G., see Makoni, N.F., 41 (1993) 1
- Voragen, A.G.J., see Renard, C.M.G.C., 32 (1991) 69
- Vukić Vranješ, M., Pflirter, H.P. and Wenk, C., Influence of processing treatment and type of cereal on the effect of dietary enzymes in broiler diets, 46 (1994) 261
- Waanders, A., see Oosting, S.J., 43 (1993) 31
- Wadhwa, M., Makkar, G.S. and Ichhponani, J.S., Disappearance of protein supplements and their fractions in sacco, 40 (1993) 285
- Wagner, D.G., see Streeter, M.N., 29 (1990) 279
- Wagner, D.G., see Streeter, M.N., 44 (1993) 45
- Wakita, M., see Cann, I.K.O., 35 (1991) 55
- Wakita, N., see Kobayashi, Y., 36 (1992) 67
- Wakita, M., see Kobayashi, Y., 40 (1993) 177
- Waldroup, P.W., see Stilborn, H.L., 27 (1990) 327
- Wales, W.J., Doyle, P.T. and Pearce, G.R., The feeding value of cereal straws for sheep. I. Wheat straws, 29 (1990) 1
- Walhain, P., Foucart, M. and Théwis, A., Influence of extrusion on ruminal and intestine disappearance in sacco of pea (*Pisum sativum*) proteins and starch, 38 (1992) 43
- Walhain, P., see Mathot, P., 39 (1992) 227
- Walker, A.G., see D'Mello, J.P.F., 33 (1991) 117
- Walker, N., A comparison of single- and multi-space feeders for growing pigs fed non-pelleted diets ad libitum (Short Communication), 30 (1990) 169
- Walker, N., The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3
- Walker, W.R., see Myer, R.O., 31 (1990) 43
- Wallace, G., Chesson, A., Lomax, J.A. and Jarvis, M.C., Lignin-carbohydrate complexes in graminaceous cell walls in relation to digestibility, 32 (1991) 193
- Wallace, R.J. and Falconer, M.L., In vitro studies of conditions required to protect protein from ruminal degradation by heating in the presence of sugars, 37 (1992) 129
- Wallace, R.J., see Cruz Soto, R., 49 (1994) 151
- Walli, T.K., see Rai, S.N., 26 (1989) 81
- Wang, P.-X. and Uebeschär, K.H., The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans (*Vicia faba* L.), 31 (1990) 157
- Warren, B.E. and Farrell, D.J., The nutritive value of full-fat and defatted Australian rice bran. I. Chemical composition, 27 (1990) 219
- Warren, B.E. and Farrell, D.J., The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229
- Warren, B.E. and Farrell, D.J., The nutritive value of full-fat and defatted Australian rice bran. III. The apparent digestible energy content of defatted rice bran in rats and pigs and the metabolisability of energy and nutrients in defatted and full-fat bran in chickens and adult cockerels, 27 (1990) 247
- Warren, B.E. and Farrell, D.J., The nutritive value of full-fat and defatted Australian rice bran. IV. Egg production of hens on diets with defatted rice bran, 27 (1990) 259
- Warren, B.E. and Farrell, D.J., The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323
- Waters, C.J. and Givens, D.I., Nitrogen degradability of fresh herbage: effect of maturity and growth type, and prediction from chemical composition and by near infrared reflectance spectroscopy, 38 (1992) 335
- Waters, C.J., Kitcherside, M.A. and Webster, A.J.F., Problems associated with estimating the digestibility of undegraded dietary nitrogen from acid-detergent insoluble nitrogen, 39 (1992) 279

W

- Weakland, S.M., see Risley, C.R., 35 (1991) 259
- Webster, A.J.F., see Waters, C.J., 39 (1992) 279
- Webster, A.J.F., see Chaudhry, A.S., 42 (1993) 209
- Webster, P.M., Hoover, W.H. and Miller, T.K., Determination of 2,6-diaminopimelic acid in biological materials using high performance liquid chromatography, 30 (1990) 11
- Weddell, J.R., see Jakhmola, R.C., 28 (1990) 39
- Weddell, J.R., see Jakhmola, R.C., 41 (1993) 87
- Wedin, W.F., see Sanderson, M.A., 30 (1990) 1
- Weeden, T.L., Nelssen, J.L., Thaler, R.C., Fitzner, G.E. and Goodband, R.D., Effect of dietary protein and supplemental soya-bean oil fed during lactation on sow and litter performance through two parities, 45 (1994) 211
- Weinberg, Z.G., Ashbell, G., Hen, Y. and Harduf, Z., Ensiling whole wheat for ruminant feeding at different stages of maturity, 32 (1991) 313
- Weinberg, Z.G., see Meeske, R., 43 (1993) 165
- Weingertner, K., see Fashina-Bombata, H.A., 47 (1994) 171
- Weiss, W.P., Conrad, H.R. and St. Pierre, N.R., A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95
- Weiss, W.P., see Messman, M.A., 49 (1994) 25
- Wenk, C., see Vukić Vranješ, M., 46 (1994) 261
- Werner, D., see Arieli, A., 26 (1989) 299
- Wetscherek, W., see Zollitsch, W., 41 (1993) 237
- Wetscherek, W., see Knaus, W., 48 (1994) 111
- White, J.S., Bolsen, K.K., Posler, G. and Neill, J.W., Forage sorghum silage dry matter disappearance as influenced by plant part proportion, 33 (1991) 313
- White, M.B., see Rose, S.P., 49 (1994) 163
- Whitehead, C.C., Vitamin supplementation of cereal diets for poultry, 45 (1993) 81
- Whitsel, T.J., see Varga, G.A., 32 (1991) 275
- Willcock, G.P., see King, R.H., 37 (1992) 1
- Williams, B.A., see Theodorou, M.K., 48 (1994) 185
- Wilson, B.N., see Donkoh, A., 35 (1991) 161
- Wilson, M.N., see Rowan, A.M., 36 (1992) 129
- Wilson, R.K., see Moloney, A.P., 46 (1994) 215
- Winfree, R.A., see Rumsey, G.L., 40 (1993) 135
- Winnefeld, K., see Schöne, F., 30 (1990) 143
- Wiseman, J., Influence of emulsification on the apparent metabolisable energy of two dry fats given to broiler chicks of increasing age, 31 (1990) 9
- Wiseman, J., Edmunds, B.K. and Shepperson, N., The apparent metabolisable energy of sunflower oil and sunflower acid oil for broiler chickens, 36 (1992) 41
- Wiseman, J., see Agunbiade, J.A., 36 (1992) 303
- Wiseman, J., Villamide, M.-J., De Blas, C., Carabaño, M.-J. and Carabaño, R.M., Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. I. Individual classes of feeds, 39 (1992) 27
- Wiseman, J., see De Blas, C., 39 (1992) 39
- Wiseman, J., see Thorne, P.J., 40 (1992) 31
- Wiseman, J. and Blanch, A., The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm kernel oil for broiler chickens aged 12 and 52 days, 47 (1994) 225
- Wittenberg, K.M., Moshtaghi-Nia, S.A., Mills, P.A. and Platford, R.G., Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101
- Wittenberg, K.M. and Moshtaghi-Nia, S.A., Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. I. Nutrient composition and utilization, 28 (1990) 333
- Wittenberg, K.M. and Moshtaghi-Nia, S.A., Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67
- Woldetsadick, F., Dixon, R.M., Yuen, H.P. and Holmes, J.H.G., Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325
- Wolstrup, J., see Stritzler, N.P., 38 (1992) 263
- Wolynetz, M.S., see Sibbald, I.R., 30 (1990) 131
- Woodward, A., see Reed, J.D., 30 (1990) 39

X

- Xian, J. and Farrell, D.J., The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127
- Xiccato, G., Cinetto, M., Carazzolo, A. and Cossu, M.E., The effect of silo type and dry matter content on the maize silage fermentation process and ensiling loss, 49 (1994) 311
- Xu, Y., see Thacker, P.A., 46 (1994) 251

Y

- Yadav, B.S. and Virk, A.S., The fixation of nitrogen using acid, green forage and germinated barley during urea treatment of straws, 50 (1994) 123
- Yadav, J.S., see Tripathi, J.P., 37 (1992) 59
- Yamazaki, M., see Akiba, Y., 43 (1993) 259
- Yancheva, N.J., see Todorov, N.A., 45 (1994) 299
- Yannakopoulos, A.L. and Tserveni-Gousi, A.S., The effect of Greek cottonseed meal on the performance of laying Japanese quail, 27 (1989) 77
- Yannakopoulos, A.L., Tserveni-Gousi, A.S. and Christaki, E.V., Effect of locally produced tomato meal on the performance and the egg quality of laying hen, 36 (1992) 53
- Yin, Y.-L., Hunan, R., Zhong, H., Chen, C.-M. and Dai, H., Influence of different cannulation techniques on the pre-caecal digestibility of protein, amino acids and cell wall constituents from diets, containing different protein meals, in pigs, 35 (1991) 271
- Yin, Y.-L., Huang, R.-L. and Zhong, H.-Y., Comparison of ileorectal anastomosis and the conventional method for the measurement of ileal digestibility of protein sources and mixed diets in growing pigs, 42 (1993) 297
- Yin, Y.-L., Huang, R.-L., Zhang, H.-Y., Chen, C.-M., Li, T.-J. and Pan, Y.-F., Nutritive value of feedstuffs and diets for pigs: I. Chemical composition, apparent ileal and faecal digestibilities, 44 (1993) 1
- Yin, Y.-L., Nutritive value of feedstuffs and diets for pigs: 2. Apparent post-ileal digestibility and interrelationships between dietary constituents and faecal and ileal digestibility, 45 (1994) 243
- Yin, Y.L., Chen, C.-M., Zhong, H.-Y., Huang, R.-L. and Chen, X.-S., Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283
- Yiwan, C., see Tingda, J., 37 (1992) 175
- Yoder, S.J., see Russel, J.R., 29 (1990) 131
- Yokoe, Y., see Goto, M., 40 (1993) 207
- Yokoyama, M.T., see Miron, J., 27 (1990) 269
- Yokoyama, M.T., see Miron, J., 30 (1990) 107
- Yosef, E., see Ben-Ghedalia, D., 41 (1993) 113
- Yosef, E., Ben-Ghedalia, D., Miron, J., Huttermann, A., Majcherzyk, A., Milstein, O., Lude-mann, H.D. and Frund, R., Characterization of some cell-wall components of untreated and SO₂-treated wheat straw, 46 (1994) 331
- Yosef, E., see Ben-Ghedalia, D., 47 (1994) 89
- Yosef, E. and Ben-Ghedalia, D., Effect of isolation procedure on molecular weight distribution and monosaccharide composition of cotton stalk lignins, 50 (1994) 27
- Young, B.A. and Nicol, A.M., Influence of temperature and physical form of turnips on the metabolic cost of ingestion (Short Communication), 29 (1990) 147
- Young, B.A., see Tuen, A.A., 32 (1991) 333
- Young, B.A., see Takahashi, J., 35 (1991) 105
- Young, B.A., see Takahashi, J., 39 (1992) 347
- Young, B.A., see Liang, J.B., 47 (1994) 189
- Yu, B. and Tsen, H.Y., An in vitro assessment of several enzymes for the supplementation of rabbit diets, 40 (1993) 309
- Yuen, H.P., see Woldetsadick, F., 49 (1994) 325
- Yulzari, A., see Genizi, A., 29 (1990) 265
- Yuste, P., see Treviño, J., 30 (1990) 313
- Yutste, P., Longstaff, M.A., McNab, J.M. and McCorquodale, C., The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289

Z

- Zadrazil, F., Galletti, G.C., Piccaglia, R., Chiavari, G. and Francioso, O., Influence of oxygen and carbon dioxide on cell wall degradation by white-rot fungi, 32 (1991) 137
- Zaman, M.S., Owen, E. and Pike, D.J., The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
- Zamime, B., see Givens, D.I., 36 (1992) 1
- Zamora, E., see Caro, M.R., 31 (1990) 285
- Zanchi, R., see Stevani, J., 36 (1992) 287
- Zatari, I.M. and Sell, J.L., Effects of pelleting diets containing sunflower meal on the performance of broiler chickens, 30 (1990) 121
- Zavarce, O., see Combellas, J., 42 (1993) 319
- Zečňák, I., Jalč, D., Kmet, V. and Siroka, P., Influence of diet and yeast supplement on in vitro ruminal characteristics, 49 (1994) 211
- Zemmelink, G., see Schiere, J.B., 26 (1989) 179
- Zhang, H.-Y., see Yin, Y.-L., 44 (1993) 1

- Zhang, Y., see Bunting, L.D., 45 (1994) 229
- Zhao, J.Y., Shimojo, M. and Goto, I., The effects of feeding level and roughage/concentrate ratio on the measurement of protein degradability of two tropical forages in the rumen of goats, using the nylon bag technique, 41 (1993) 261
- Zhong, H., see Yin, Y.-L., 35 (1991) 271
- Zhong, H.-Y., see Yin, Y.-L., 42 (1993) 297
- Zhong, H.-Y., see Yin, Y.-L., 45 (1994) 283
- Zhou, M.-Q., see Liu, Y.-G., 45 (1994) 257
- Zhu, X.S., Seib, P.A., Allec, G.L. and Lian, Y.T., Preparation of a low-phytate feed mixture and bioavailability of its phosphorus to chicks, 27 (1990) 341
- Zhu, X.S. and Deyoe, C.W., Effects of various ingredients on the manufacture of poured feed block containing a distillery by-product, 34 (1991) 229
- Zimmerman, D.R., see Honeyman, M.S., 35 (1991) 131
- Zinn, R.A., see DePeters, E.J., 39 (1992) 125
- Žitňan, R., see Jalč, D., 46 (1994) 131
- Zollitsch, W., Wetscherek, W. and Lettner, F., Use of differently processed full-fat soybeans in a diet for pig fattening, 41 (1993) 237
- Zuprizal, Larbier, M., Chagneau, A.M. and Lessire, M., Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255
- Zuprizal, Larbier, M., Chagneau, A.M. and Lessire, M., Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
- Zuprizal, see Barrier-Guillot, B., 41 (1993) 149
- Zuromska, M., see Czarnecka, M., 34 (1991) 343



ELSEVIER

Animal Feed Science and Technology 50 (1994) 229–331

ANIMAL FEED
SCIENCE AND
TECHNOLOGY

Subject index

*Animal Feed Science and Technology, volumes 26–50,
1989–1994*

the 1990s, the number of people in the world who are undernourished has increased from 600 million to 800 million.

There are a number of reasons why the world's population is still hungry. First, the world's population is growing rapidly. In 1990, the world population was 5.3 billion. By 2000, it had increased to 6.1 billion. By 2010, it is projected to reach 7.1 billion. This rapid population growth is putting increasing pressure on the world's food resources.

Second, the world's food resources are being used inefficiently. In many countries, a large proportion of the food that is produced is lost or wasted. For example, in the United States, it is estimated that 40% of the food that is produced is lost or wasted. This is a huge waste of resources, and it is contributing to the world's food shortage.

Third, the world's food resources are being used for purposes other than food. For example, in many countries, a large proportion of the land that is used for agriculture is used to produce crops for export. This means that the food that is produced is often sold to other countries, rather than being used to feed the local population.

Fourth, the world's food resources are being used in a way that is not sustainable. In many countries, the land is being overused, and the soil is being depleted. This means that the land is no longer able to produce food, and the food that is produced is often of poor quality.

Fifth, the world's food resources are being used in a way that is not equitable. In many countries, the food that is produced is often sold to the wealthy, rather than being used to feed the poor. This means that the poor are often unable to afford the food that they need to survive.

There are a number of things that can be done to address the world's food shortage. First, the world's population growth needs to be slowed down. This can be done by providing education and family planning services to women in developing countries.

A

Abierixin

- Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
- Effect of a new ionophore antibiotic, abierixin, on the digestion of a roughage-based diet measured in sheep; comparison with results obtained in Rusitec, 31 (1990) 29

Acid treatment

- Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13
- Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233

Acremonium coenophialum

- Effect of ammoniation on toxicity of *Acremonium coenophialum* infested tall fescue, 35 (1991) 227

Agronomic factors

- Effect of variety, stage of maturity and nitrate fertilization on nutritive values of sugar cane, 39 (1992) 265
- Nutritive value and ensiling characteristics of maize stover as influenced by hybrid maturity and generation, plant density and harvest date, 41 (1993) 51
- Effects of genotype and simulated rainfall on the morphological characteristics, chemical composition and rumen degradation of the straw fractions of barley plants, 44 (1993) 191

Aleurone

- Digestion of wheat aleurone by commercial polysaccharidases, 32 (1991) 185

Alfalfa

- Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101
- Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. I. Nutrient composition and utilization, 28 (1990) 333
- Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves,

32 (1991) 119

- Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287

- Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241

- Protein solubility and degradation in vitro as influenced by buffer and maturity of alfalfa, 37 (1992) 9

- Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1

- Forage quality of alfalfa protected by resistance to bacterial leaf spot, 39 (1992) 61

- Fractionation of fresh, wilted and ensiled alfalfa proteins, 41 (1993) 1

- Evaluation of alfalfa type as a roughage source in feedlot adaptation and finishing diets containing different corn types, 42 (1993) 109

- Effect of alfalfa and corn moisture level on whole corn mastication, 42 (1993) 309

- Effect of stage of maturity of alfalfa and orchardgrass on in situ dry matter and crude protein degradability and amino acid composition, 44 (1993) 29

- Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299

Alfalfa hay

- Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67

Alfalfa hay meal

- Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Alfalfa juice

- The effect of flocculant applied in the process of fractionating alfalfa juice on the chemical composition of the obtained protein concentrates, 31 (1990) 305

Alfalfa meal

- An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327

Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293

Alfalfa protein

Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131

Alfalfa silage

Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59

Quality and fermentation of enzyme-treated alfalfa silages at three moisture concentrations, 31 (1990) 261

Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287

Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37

Effect of sample pretreatment on alfalfa silage dry matter and protein degradability in sacco, 38 (1992) 69

Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273

A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297

Effect of sodium metabisulphite on proteolysis and rumen degradability of alfalfa silage protein, 48 (1994) 143

Alfalfa stems

In situ digestion of detergent fiber nitrogen in alfalfa stems, 30 (1990) 1

Alkali treatment

Pyrolysis mass spectrometry of coastal Bermudagrass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17

Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343

Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded

residues, 35 (1991) 309

Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287

Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47

The upgrading of wheat straw by alkaline hydrogen peroxide treatment: The effect of NaOH and H₂O₂ on the site and extent of digestion in sheep, 40 (1992) 121

A comparison of farm-scale methods of application of sodium hydroxide on the nutritive value of a winter wheat straw, 41 (1993) 199

The nutritive value of alkali-treated cocoa husk meal in broiler chick diets, 46 (1994) 321

A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297

Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131

The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245

In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1

n-Alkane

Variability of n-alkane content in a natural pasture and in faeces of grazing dairy cows, 50 (1994) 113

Alkaline hydrogen peroxide treatment

Effects of various combinations of urea, soyabean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101

Allantoin

Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189

Almond hulls

Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13

Amaranth

Feeding value of raw or heated grain amaranth germplasm, 33 (1991) 221

Ambadi meal

Chemical composition and nutritive value of ambadi (*Hibiscus cannabinus*) meal for layers, 44 (1993) 151

Amino acids, general

Estimation of the true ileal digestibility of amino acids and nitrogen from their apparent values for growing pigs, 26 (1989) 271

Chemical composition of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston) and availability of its amino acids to chicks (Short Communication), 30 (1990) 155

Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321

Nitrogen, amino acid and starch absorption and endogenous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15

Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161

The ileal digestibility of nitrogen and amino acids in meat and bone meals determined using a rate assay, 34 (1991) 111

Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255

Effects of level of inclusion of copra meal in balanced diets supplemented with synthetic amino acids on growth and fat deposition and composition in growing pigs fed and libitum at a constant temperature of 25°C, 40 (1992) 31

Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271

Metabolizable energy value and effect on amino acid availability of medium-chain triglycerides in diets fed to chickens of different ages, 43 (1993) 259

Effect of stage of maturity of alfalfa and orchard-grass on in situ dry matter and crude protein degradability and amino acid composition, 44 (1993) 29

Amino acid supplementation of cereal-based diets for non-ruminants, 45 (1993) 1

Recent progress towards matching feed quality to the amino acid needs of ruminants, 45 (1993) 19

Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

The use of plasma free amino acids for predicting the limiting amino acid(s) in diets for chickens, 47 (1994) 151

The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57

The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305

Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43

The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57

True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73

Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151

The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Ammonia

Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127

Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. I. Nutrient composition and utilization, 28 (1990) 333

Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67

The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31

Ammonia treatment

- Chemical composition and nutritive value to sheep of untreated and oven-ammoniated ryegrass hays prepared from crops of differing maturities, 26 (1989) 207
- Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293
- Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
- Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113
- Chemical composition, digestibility in vitro and biodegradability of grass hays oven-treated with different amounts of ammonia, 29 (1990) 237
- Studies on ammonia treatment of wheat straw: effects of level of ammonia, moisture content, treatment time and temperature on straw composition and degradation in the rumen of sheep, 29 (1990) 251
- Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343
- Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
- A comparison of near-infrared reflectance spectroscopy with three in vitro techniques to predict the digestibility in vivo of untreated and ammonia-treated cereal straws, 35 (1991) 83
- Effect of ammoniation on toxicity of *Acremonium coenophialum* infested tall fescue, 35 (1991) 227
- Regions of normalised near infrared reflectance difference spectra related to the rumen digestion of straws, 36 (1992) 1
- Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239
- Ammonia and sulfur dioxide treated wheat straw as a feedstuff for cattle, 37 (1992) 111
- Tentative explanation of the abnormally high faecal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
- Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293
- Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
- Comparison of characteristics of soluble lignins from untreated and ammonia-treated wheat straw, 39 (1992) 253
- Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
- Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207
- Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59
- Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41
- The effect of NH_3 and/or SO_2 on the compositional and histological characteristics of sorghum stover, 47 (1994) 141
- A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297
- Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
- Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

Ammonium salts

- The use of mixtures of ammonium salts with lime for upgrading cereal straws, 28 (1990) 169

Anaerobic pasteurizing conditioning system

- Growth performance of starting turkey poults fed diets subjected to an anaerobic pasteurizing conditioning system, 46 (1994) 67

Antibiotics

- Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1
- Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
- Effect of a new ionophore antibiotic, abierixin,

- on the digestion of a roughage-based diet measured in sheep; comparison with results obtained in Rusitec, 31 (1990) 29
- Effects of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of rumen contents in vivo, 31 (1990) 323
- Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
- Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21
- Antibiotics in feed, with special reference to pigs: a veterinary viewpoint, 45 (1993) 57
- Antinutritional factors (see also Toxicology)**
- Effect of processing on antinutritional factors and protein nutritional value of dry beans (*Phaseolus vulgaris* L.). A review. (Review), 29 (1990) 179
- The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147
- Studies on some leguminous browse plants, with particular reference to their proximate, mineral and some endogenous antinutritional constituents (Short Communication), 46 (1994) 343
- Nutritional and antinutritional characteristics of selected *Vicia* genotypes, 47 (1994) 125
- The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpyrrolidone for the assessment of phenolics-related antinutritive factors in browse species, 47 (1994) 305
- Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpyrrolidone or nylon bag, 49 (1994) 133
- Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325

Apple

- Comparison between enzymatically and chemically extracted pectins from apple cell walls, 32 (1991) 69

Apple pomace

- Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193

Aqueous treatment

- Improvement in the nutritive value of high and low glucosinolate rapeseed meal by aqueous extraction, 48 (1994) 265
- Crambe meal: removal of glucosinolates by heating with additives and water extraction, 48 (1994) 273

Armillaria heimii

- The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39

Ascorbic acid

- See Vitamin C

Aspergillus niger

- Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227

Aspergillus oryzae culture extract

- Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Autoclave treatment

- Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237

B

Babala

- Effect of exposure on the chemical composition and in vitro dry matter digestibility of untreated and formalin treated green chop, 44 (1993) 275

Bacteria

- Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269
- Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113
- Some aspects of cellobiose effect on bacterial cell surface structures involved in lucerne walls utilization by fresh isolates of rumen bacteria, 30 (1990) 107
- Rumen ciliates: their metabolism and relationships with bacteria and their hosts, 30 (1990) 203
- Effect of additives on the quality of big-bale silage, 31 (1990) 139
- Isolation and identification of *Listeria monocytogenes* in vegetable byproduct silages containing preservative additives and destined for animal feeding, 31 (1990) 285
- Mechanisms of cellulose degradation by fungi and bacteria, 32 (1991) 77
- The genetic manipulation of rumen bacteria with special reference to fibre digestion, 32 (1991) 123
- Cellulose degradation by two rumen anaerobic fungi in monoculture or in coculture with rumen bacteria, 32 (1991) 131
- Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
- Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247
- Bacterial adhesion to fibre during in vitro incubations under varying osmotic pressure, 41 (1993) 65
- Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69
- Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177
- The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193

The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283

Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Bacterial leaf spot

Forage quality of alfalfa protected by resistance to bacterial leaf spot, 39 (1992) 61

Bacterial preparations

Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67

Bacterial protein synthesis

Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293

Barley

- Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221
- Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243
- Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223
- Morphological study of the digestion of barley and maize grain by rumen microorganisms, 30 (1990) 91
- Morphology, fiber composition and mean particle diameter relationships in ground barley and oat forages at different ages, 31 (1990) 65
- Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201
- Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
- The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1

- Utilization of whole or steamrolled barley fed with forages to wethers and cattle, 33 (1991) 59
- Response of chickens fed on hull-less barley to dietary β -glucanase at different ages, 33 (1991) 139
- Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195
- Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193
- Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171
- The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319
- Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199
- Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1
- Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227
- Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
- Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109
- Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273
- Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
- Evaluation of hull-less barley genotypes varying in extract viscosity in broiler chick diets, 41 (1993) 191
- The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279
- Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73
- Effects of combinations of wheat, corn or hullless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
- Development and evaluation of Uromalt-20 as concentrate feed for growing cattle, 44 (1993) 169
- Effects of adding barley hulls and linseed meal to wheat and hullless barley diets fed to growing pigs, 45 (1994) 177
- The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
- Stability of feed enzymes to steam pelleting during feed processing, 46 (1994) 179
- Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31
- Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237
- Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325
- Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37
- The fixation of nitrogen using acid, green forage and germinated barley during urea treatment of straws, 50 (1994) 123
- Barley grain**
- Effect of β -glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33
- Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25
- Barley straw**
- Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105
- Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39
- The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
- Feed intake and milk yield using an ensiled mix-

- ture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231
- Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
- Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229
- In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
- Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
- Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293
- Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
- Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207
- Treatment of barley straw with ligninase: effect on activity and fate of the enzyme shortly after being added to straw, 41 (1993) 15
- The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193
- Effects of genotype and simulated rainfall on the morphological characteristics, chemical composition and rumen degradation of the straw fractions of barley plants, 44 (1993) 191
- The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
- In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1
- The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55
- Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137
- Bauhinia leaf meal**
- The nutritive value of bauhinia leaf meal for broiler starter chicks, 37 (1992) 317
- Bean**
- Effect of processing on antinutritional factors and protein nutritional value of dry beans (*Phaseolus vulgaris* L.). A review. (Review), 29 (1990) 179
- Effect of high inclusion levels of triticale in diets for laying hens containing 30% field beans (Short Communication), 31 (1990) 349
- The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147
- The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
- Nutritional and antinutritional characteristics of selected *Vicia* genotypes, 47 (1994) 125
- Beet**
- Feed intake and milk yield using an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231
- Nutritive value of beet and citrus pulps for rabbits, 31 (1990) 239
- Beet pulp**
- Digesta collection procedure may affect ileal digestibility in pigs fed diets based on wheat bran or beet pulp, 27 (1990) 307
- Behaviour**
- The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3
- Nutrition of the one-humped camel. II. Intake and feeding behaviour on arid ranges in southern Tunisia, 39 (1992) 303
- Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
- Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41

Bentonite clay

Evaluation of spent bleaching and filtering clay — a bentonite product from palm oil refining as a potential feed ingredient in layer diets, 40 (1992) 13

Bermudagrass

Pyrolysis mass spectrometry of coastal Bermudagrass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17

Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241

Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91

Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101

Biodegradation

See Special Issue "Cell Walls: Structure — Biodegradation — Utilisation. Papers presented at an OECD Workshop, Nantes, France, July 1989", Vol. 32 (1991) 1-251

Birdsfoot trefoil

Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119

Blood meal

Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25

Bone meal

Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43

The laboratory rat as a model animal for determining ileal amino acid digestibility in meat

and bone meal for the growing pig, 49 (1994) 57

True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73

Bran

Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

Brewer's dried grains

Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231

Utilization of an ensiled wet brewer's grains-corn mixture by growing lambs, 28 (1990) 29

Brewer's dried yeast

Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177

Digestibility and energy values of intact, disrupted and extracts from brewer's dried yeast fed to rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 185

Bromegrass

Relationship of lignin and esterified phenolics to fermentation of smooth bromegrass fibre, 32 (1991) 63

Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119

Buffalo

Ureol molasses mineral blocks as a feed supplement: effect on growth and nutrient utilization in buffalo calves, 29 (1990) 333

Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311

Protein evaluation in ruminants in vitro, in sacco, in vivo protein degradability and microbial efficiency of different protein supplements in growing buffalo calves, 45 (1994) 149

Protein evaluation in ruminants. 2. Evaluation of agroindustrial by-product-based rations in metabolic and rumen studies of buffalo calves, 47 (1994) 61

- Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189

By-products — general

- Protein evaluation in ruminants. 2. Evaluation of agroindustrial by-product-based rations in metabolic and rumen studies of buffalo calves, 47 (1994) 61
- The nutritive value and chemical composition of energy-rich by-products for ruminants, 49 (1994) 261

By-products — animal waste

- Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1
- The nutritive evaluation of dried poultry excreta as a feed ingredient for broiler chickens, 37 (1992) 99
- Nutrition of feed collagen protein powder from the reclamation treatment of chrome leather scrap, 37 (1992) 175
- Ensiling of cattle waste with desert grass *Lasiurus sindicus*, millet (*Pennisetum typhoides*) straw, additives and starter culture (Short Communication), 38 (1992) 75
- Nutritional evaluation of sugarcane bagasse based rations treated with urea and cattle manure, 38 (1992) 135
- Fermentation characteristics of ensiled seafood wastes and low-quality roughages, 38 (1992) 305
- Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209
- Processing of slaughterhouse blood and poultry litter and the effects on nutrient digestibility by steers, 40 (1993) 153
- Body composition of two commercial broiler strains subjected to early feed restriction or feeding with dried chick excreta, 44 (1993) 85
- Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101
- Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
- Growth responses and ruminal adaptation of lambs fed crustacean processing wastes, 45 (1994) 229

By-products — crambe

- Crambe meal, a review of nutrition, toxicity and effect of treatments (Review), 41 (1993) 133

By-products — crop residues

- Grape juice concentrate as feed for beef cattle, 26 (1989) 139
- Grape juice concentrate as a feed for growing pigs, 26 (1989) 153
- Isolation and identification of *Listeria monocytogenes* in vegetable byproduct silages containing preservative additives and destined for animal feeding, 31 (1990) 285
- Effects of high rates of inclusion of palm kernel meal in broiler chick diets, 34 (1991) 37
- Chemical composition of cocoa pod husk and its effect on growth and food efficiency in broiler chicks, 35 (1991) 161
- Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171
- Cocoa pod-and-husk meal as a feed ingredient in layer diets, 35 (1991) 283
- Compositional analyses and rumen degradability of selected tropical feeds, 37 (1992) 265
- The potential of dilute-acid hydrolysis as a treatment for improving the nutritional quality of industrial lignocellulosic by-products, 42 (1993) 39
- Rumen degradation and intestinal digestion of crambe and other oilseed by-products in dairy cows, 45 (1994) 397
- By-products of some novel oil seeds for feeding: laboratory evaluation, 50 (1994) 87

By-products — date pulp

- Effects of dietary date pulp on digestion in the rat, 32 (1991) 229

By-products — distillery waste

- Effects of various ingredients on the manufacture of poured feed block containing a distillery by-product, 34 (1991) 229
- The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319
- The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57

By-products — ghee residue

Chemical composition and nutritive value of ghee residue for chickens, 26 (1989) 119

C**Cadmium**

The effect of dietary cadmium intake on the growth performance and retention of cadmium in growing pigs, 37 (1992) 1

Calcimycin

Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183

Calcium

Effect of pelleting mixed feeds on phytase activity and the apparent absorbability of phosphorus and calcium in pigs, 28 (1990) 233

Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93

Calcium formate

Studies on the influence of calcium formate on growth, digestibility of crude nutrients, nitrogen balance and calcium retention in weaned piglets, 43 (1993) 65

Calcium hydroxide treatment

Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59

The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271

Calcium salts

Performance of steers fed combinations of calcium salts of branched and unbranched fatty acids, 31 (1990) 293

Calliandra calothyrsus

Rumen degradation and in vivo digestibility of dried *Calliandra calothyrsus* leaves, 43 (1993) 19

***Calliandra* spp.**

Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297

Calorimetry

Calorimetric determination of the degradation rate of rapidly fermentable organic matter of forages, 26 (1989) 299

Camel

Dietary preference and degradability of forage on a semiarid thornbush savannah by indigenous ruminants, camels and donkeys, 31 (1990) 179

Nutrition of the one-humped camel. I. Faecal index determination and chromic oxide excretion pattern and recovery, 39 (1992) 293

Nutrition of the one-humped camel. II. Intake and feeding behaviour on arid ranges in southern Tunisia, 39 (1992) 303

Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343

Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1. Methodological approach, 46 (1994) 143

Cane

Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281

Canola

The utilization of canola and its constituents by lactating dairy cows, 30 (1990) 289

Canola meal

Effects of combinations of wheat, corn or hullless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129

The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique, 47 (1994) 321

The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Canola oil

Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251

Canola seed

Ileal and faecal energy digestibility coefficients of full-fat canola seed for swine, 28 (1990) 71

Nutritive value of canola seed for young pigs, 28 (1990) 325

Carbohydrates

Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135

Determination of cell-wall carbohydrates in forages by near infrared reflectance spectroscopy, 28 (1990) 293

Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313

Effect of nonstructural to structural carbohydrate ratio on rate and extent of nutrient utilization in situ, 32 (1991) 275

Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195

Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263

Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343

The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279

Casein

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263

Cassava

The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289

Cassava meal

Nutritional value of cassava meal in diets for geese, 36 (1992) 29

Cassava peel meal

Effects of fermented cassava peel meal on the performance of layers, 29 (1990) 295

Cationomycin

Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1

Cattle — general

Effects of feed on the composition of the rumen ciliate protozoal population in cattle and its relationship to cellulolytic ciliate protozoa (Short Communication), 29 (1990) 159

Seasonal utilization of saltgrass (*Distichlis* spp.) by cattle, 30 (1990) 321

Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201

Utilization of whole or steamrolled barley fed with forages to wethers and cattle, 33 (1991) 59

Studies on urea-ammonia treatment of maize straw: treatment method and potential for dry season feeding of cattle in Northern Nigeria, 33 (1991) 289

Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311

Procedures for processing cattle fecal samples for NIRS analysis, 35 (1991) 21

Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77

The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319

Pattern of some internal and external markers along the gastrointestinal tract of cattle, 37 (1992) 143

Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161

Influence of the addition of fish meal to diets of roughage or roughage and concentrate on the consumption and live-weight gain of growing cattle, 42 (1993) 319

Relationships between chemical components of

- veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151
- Development and evaluation of Uromalt-20 as concentrate feed for growing cattle, 44 (1993) 169
- The use of near-infrared reflectance spectroscopy to define nutrient digestion of hay by cattle, 44 (1993) 237
- Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189
- Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121
- The use of internal markers to predict total digestibility and duodenal flow of nutrients in cattle given six different diets, 48 (1994) 211
- Cattle — beef**
- Performance of finishing cattle fed maize silage prior to grain adaptation, 26 (1989) 129
- Grape juice concentrate as feed for beef cattle, 26 (1989) 139
- High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287
- Construction and operation of an open-circuit ventilated hood system for cattle nourished wholly by intragastric infusion of nutrients, 28 (1990) 109
- Evaluation of *Solanum laciniatum* press-cake silage as roughage for growing-finishing cattle, 28 (1990) 267
- Starch digestion and digesta kinetics in the small intestine of steers fed on a maize grain and maize silage mixture, 30 (1990) 79
- Effect of energy density by dietary incorporation of fats on the performance of double-muscled bulls, 30 (1990) 267
- Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275
- Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277
- Performance of steers fed combinations of calcium salts of branched and unbranched fatty acids, 31 (1990) 293
- Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
- Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29
- Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79
- Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195
- Sucrose supplements in cattle given grass silage-based diet. 1. Digestion of organic matter and nitrogen, 33 (1991) 247
- Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263
- Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275
- Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
- Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49
- Effects of chemical treatments of cereal grains on in vitro dry matter disappearance and steer feedlot performance, 34 (1991) 163
- Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
- Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 2. Studies with growing bulls on restricted feeding, 36 (1992) 153
- Effects of feeding sorbitol associated with different sources and amounts of nitrogen on growth, digestion and metabolism in young bulls, 36 (1992) 255
- Effect of β -glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33
- Rumen fermentation and nutrient digestion in

- cattle fed diets varying in forage and energy source, 39 (1992) 1
- Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
- Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109
- Processing of slaughterhouse blood and poultry litter and the effects on nutrient digestibility by steers, 40 (1993) 153
- The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165
- Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273
- Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
- Evaluation of alfalfa type as a roughage source in feedlot adaptation and finishing diets containing different corn types, 42 (1993) 109
- Effect of alfalfa and corn moisture level on whole corn mastication, 42 (1993) 309
- Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
- Forage quality, productivity and feeding value to beef cattle of quackgrass (*Elytrigia repens* (L.) Nevski.) compared with timothy (*Phleum pratense* L.), 47 (1994) 53
- Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
- The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213
- Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259
- The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
- Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11
- Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203
- Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287
- Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37
- Cattle — calf**
- Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347
- The effect of barley-sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105
- Use of whey and concentrate to partially replace whole milk consumption in the rearing of Friesian × Boran calves, 36 (1992) 59
- Whey protein digestion in the distal ileum of the preruminant calf, 41 (1993) 223
- Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves, 47 (1994) 245
- The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique, 47 (1994) 321
- Use of soy protein concentrate in combination with potato protein in milk replacers for veal calves, 48 (1994) 111
- Urea vs. urea and escape protein for finishing calves and yearlings, 49 (1994) 103
- Replacement of skim milk with soya bean protein concentrates and whey in milk replacers for veal calves, 50 (1994) 101
- Cattle — dairy**
- Feed components as internal markers in digestion studies with dairy cows, 27 (1989) 49

- Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59
- The effect of two heat treatments (steam flaking and extrusion) on the digestion of *Pisum sativum* in the stomach of heifers, 28 (1990) 303
- Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69
- The utilization of canola and its constituents by lactating dairy cows, 30 (1990) 289
- Effects of sugar-beet pulp on ruminal and lactation performances of cows having different rumen fermentation patterns, 31 (1990) 91
- Feed intake and milk yield using an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231
- Effect of nonstructural to structural carbohydrate ratio on rate and extent of nutrient utilization in situ, 32 (1991) 275
- Effects of sodium carbonate on milk yield, milk composition and blood components of dairy cows in hot weather, 33 (1991) 151
- Effects of whole cottonseed on ruminal properties and lactation performance of cows with different rumen fermentation patterns, 34 (1991) 203
- Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291
- Effect of replacement of concentrate mix by wilted sesbania (*Sesbania sesban*) forage on diet digestibility, rumen fermentation and milk production in Friesian \times Zebu (Boran) crossbred cows fed low quality native hay, 36 (1992) 275
- Ruminal passage rate as affected by CrNDF particle size, 37 (1992) 193
- The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257
- Substitution of concentrates by ensiled high-moisture maize grain in dairy cattle diets, 38 (1992) 57
- Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with ear and husk meal maize silages from three different stages of maturity, 38 (1992) 143
- Tapioca pellets as a partial replacement for maize in the diet of lactating dairy cows, 39 (1992) 125
- Comparisons of methods for estimating in vivo digestibility of feedstuffs in dairy cattle, 40 (1992) 1
- Effects of ingestive and ruminative mastication on digestion of forage by cattle, 40 (1992) 41
- Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian \times Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239
- The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279
- Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25
- Nutritive value of raw and roasted sweet white lupins (*Lupinus albus*) for lactating dairy cows, 43 (1993) 275
- Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299
- Rumen degradation and intestinal digestion of crambe and other oilseed by-products in dairy cows, 45 (1994) 397
- Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
- Rumen fermentation characteristics and duodenal nutrient flow in lactating cows receiving two types of grass silage with two levels of concentrates, 46 (1994) 277
- Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with rolled cereal grains, 46 (1994) 307
- Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41
- The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201
- Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287
- Variability of *n*-alkane content in a natural pasture and in faeces of grazing dairy cows, 50 (1994) 113

Cattle — draught

Effect of work on utilization of cereal crop residues by oxen, 33 (1991) 297

Cattle — growing

Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179

The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37

Cell wall

Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293

See also Special Issue "Cell Walls: Structure — Biodegradation — Utilisation. Papers presented at an OECD Workshop, Nantes, France, July 1989", Vol. 32 (1991) 1-251

The influence of ageing on cell wall composition and degradability of three maize genotypes, 40 (1993) 331

Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221

Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

Characterization of some cell-wall components of untreated and SO₂-treated wheat straw, 46 (1994) 331

Brown midrib mutant maize with reduced levels of phenolic acids ether-linked to the cell walls, 48 (1994) 27

Cellobiose

Some aspects of cellobiose effect on bacterial cell surface structures involved in lucerne walls utilization by fresh isolates of rumen bacteria, 30 (1990) 107

Cellulase

Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77

Rumen degradation of some *Leguminosae* and *Graminae* roughages: effect of chemical pre-treatment with or without cellulase prepara-

tion on dry matter and cell wall disappearance, 38 (1992) 219

Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87

Cellulolysis

Cellulose degradation by two rumen anaerobic fungi in monoculture or in coculture with rumen bacteria, 32 (1991) 131

Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation, 33 (1991) 41

Cellulose

Mechanisms of cellulose degradation by fungi and bacteria, 32 (1991) 77

Cereals, general

The effect of cereal processing on the lactation performance of Chios sheep and Damascus goats and the pre-weaning growth of their offspring, 26 (1989) 93

Chemical composition, digestibility in vitro, and digestibility and energy values in vivo of untreated cereal straws produced on farms throughout England, 26 (1989) 323

Yield, composition and nutritive value of leaf protein concentrates from mixed forages of cereals and legumes, 27 (1989) 117

The use of mixtures of ammonium salts with lime for upgrading cereal straws, 28 (1990) 169

Effect of work on utilization of cereal crop residues by oxen, 33 (1991) 297

Effects of chemical treatments of cereal grains on in vitro dry matter disappearance and steer feedlot performance, 34 (1991) 163

Study of variability in French cereals, 43 (1993) 87

Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with rolled cereal grains, 46 (1994) 307

Chaya leaf meal

Chemical composition of chaya leaf meal (*Cnidoscolus aconitifolius* (Mill.) Johnston) and availability of its amino acids to chicks (Short Communication), 30 (1990) 155

Chewing activity

Chewing activity of ruminants as a measure of physical structure — a review of factors affecting it (Review), 27 (1990) 281

Chick excreta

Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1

Chicken — general

Leucaena leucocephala in poultry nutrition — a review (Review), 26 (1989) 1

Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83

The nutritive value of full-fat and defatted Australian rice bran. III. The apparent digestible energy content of defatted rice bran in rats and pigs and the metabolisability of energy and nutrients in defatted and full-fat bran in chickens and adult cockerels, 27 (1990) 247

Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243

The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127

The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323

The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289

Extraction methods for removing soybean alpha-galactosides and improving true metabolizable energy for poultry (Short Communication), 41 (1993) 73

Vitamin supplementation of cereal diets for poultry, 45 (1993) 81

Chicken — broiler

Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221

The toxic effects of karanja (*Pongamia glabra* Vent) oil and cake on growth and feed efficiency in broiler chicks, 27 (1989) 95

Effect of graded levels of sorghum gluten meal on the performance of broiler chicks, 29 (1990) 289

Effects of pelleting diets containing sunflower meal on the performance of broiler chickens, 30 (1990) 121

Influence of emulsification on the apparent meta-

bolisable energy of two dry fats given to broiler chicks of increasing age, 31 (1990) 9

Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79

The retention of phytin phosphorus from diets with fat supplements in broiler chicks, 31 (1990) 223

The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1

Effect of graded levels of sunflower seed meal in broiler diets, 33 (1991) 129

Response of chickens fed on hull-less barley to dietary β -glucanase at different ages, 33 (1991) 139

Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1

Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21

Effects of high rates of inclusion of palm kernel meal in broiler chick diets, 34 (1991) 37

Effects of ascorbic acid (vitamin C) supplementation on ejaculated semen characteristics of broiler breeder chickens under hot and humid tropical conditions, 34 (1991) 141

Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193

Chemical composition of cocoa pod husk and its effect on growth and food efficiency in broiler chicks, 35 (1991) 161

The apparent metabolisable energy of sunflower oil and sunflower acid oil for broiler chickens, 36 (1992) 41

Raw and processed wild colocasia corn meal (*Colocasia esculenta* (L.) Schott, var. esculenta) as an energy source for broilers, 36 (1992) 143

The replacement value of sorghum gluten meal for soya-bean meal in broiler chick diets (Short Communication), 36 (1992) 339

The nutritive evaluation of dried poultry excreta as a feed ingredient for broiler chickens, 37 (1992) 99

Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105

The response of growing male and female broiler chickens kept at different temperatures to

- dietary energy concentration and feed form, 39 (1992) 71
- Reproductive performance of dwarf breeder pullets fed yellow peas (*Pisum sativum* L. var. 'Miranda') (Short Communication), 40 (1992) 87
- The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia* spp.) in the finisher diet, 40 (1993) 233
- Evaluation of hull-less barley genotypes varying in extract viscosity in broiler chick diets, 41 (1993) 191
- Metabolizable energy value and effect on amino acid availability of medium-chain triglycerides in diets fed to chickens of different ages, 43 (1993) 259
- Body composition of two commercial broiler strains subjected to early feed restriction or feeding with dried chick excreta, 44 (1993) 85
- Nutritional evaluation of sorghum germ meal as a substitute for sorghum in broiler diets, 44 (1993) 93
- Stability of feed enzymes to steam pelleting during feed processing, 46 (1994) 179
- Influence of processing treatment and type of cereal on the effect of dietary enzymes in broiler diets, 46 (1994) 261
- The nutritive value of alkali-treated cocoa husk meal in broiler chick diets, 46 (1994) 321
- The use of plasma free amino acids for predicting the limiting amino acid(s) in diets for chickens, 47 (1994) 151
- The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm kernel oil for broiler chickens aged 12 and 52 days, 47 (1994) 225
- Utilization of cocoa-pod pericarp fractions in broiler chick diets, 47 (1994) 237
- Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237
- Dry urea treatment prior to toasting as a method of improving the nutritive value of jackbeans (*Canavalia ensiformis*) for broilers, 48 (1994) 335
- Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237
- Chicken — chick**
- Chemical composition and nutritive value of ghee residue for chickens, 26 (1989) 119
- The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229
- Preparation of a low-phytate feed mixture and bioavailability of its phosphorus to chicks, 27 (1990) 341
- Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199
- Chemical composition of chaya leaf meal (*Cnidioscolus aconitifolius* (Mill.) Johnston) and availability of its amino acids to chicks (Short Communication), 30 (1990) 155
- Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313
- Effect of concanavalin A from jack-bean seeds on short-term food intake regulation in chicks and laying hens, 32 (1991) 297
- Nitrogen, amino acid and starch absorption and endogenous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15
- Detoxification of jack beans (*Canavalia ensiformis*): studies with young chicks, 33 (1991) 117
- The nutritional values of faba bean flours varying in their mean particle size in young chickens, 34 (1991) 11
- The nutritive value of baubinia leaf meal for broiler starter chicks, 37 (1992) 317
- Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345
- Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103
- Dietary protein and energy effects on reproductive characteristics of commercial egg-type pullets reared in arid hot climate (Short Communication), 41 (1993) 161
- Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271
- Comparative utilization of rubber seed oil and palm oil by broilers in a humid tropical environment, 43 (1993) 177
- Relative bioavailability of copper in a copper-lysine complex for chicks and lambs, 45 (1994) 193
- Productivity of laying pullets fed diets containing yellow peas (*Pisum sativum* L. var. Miranda), 45 (1994) 205
- The nutritive value of barley, rye, wheat and

- corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
- Evaluation of the effect of extrusion cooking of jackbean (*Canavalia ensiformis* L.) seed on short-term feed intake in chicks, 46 (1994) 197
- Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251
- Nutritional value of seaweed (*Ulva rigida*) for poultry, 49 (1994) 87
- Chicken — cockerel**
- Relationships between bioavailable energy estimates made with pigs and cockerels, 30 (1990) 131
- The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecotomised cockerels, 34 (1991) 147
- Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
- Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149
- The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305
- Chicken — growing**
- Effect of autoclaving on metabolizable energy value of smooth pea seed (*Pisum sativum*) in growing chicks, 26 (1989) 337
- Chicken — laying hen**
- Sunflower seed meal, sunflower oil and full-fat sunflower seeds, hulls and kernels for laying hens, 26 (1989) 45
- The effect of karanja (*Pongamia glabra* Vent) cake on the performance of White Leghorn pullets, 27 (1989) 89
- The nutritive value of full-fat and defatted Australian rice bran. IV. Egg production of hens on diets with defatted rice bran, 27 (1990) 259
- An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327
- Effects of fermented cassava peel meal on the performance of layers, 29 (1990) 295
- Gliricidia leaf meal as an ingredient in layer diets, 29 (1990) 303
- Effect of dietary ascorbic acid supplementation on the performance of brown-egg layers and egg quality, 30 (1990) 301
- Effect of high inclusion levels of triticale in diets for laying hens containing 30% field beans (Short Communication), 31 (1990) 349
- Effect of concanavalin A from jack-bean seeds on short-term food intake regulation in chicks and laying hens, 32 (1991) 297
- Cocoa pod-and-husk meal as a feed ingredient in layer diets, 35 (1991) 283
- Effect of vermiculite on productive performance of White Leghorn hens in a controlled feeding system, 35 (1991) 301
- Effect of locally produced tomato meal on the performance and the egg quality of laying hen, 36 (1992) 53
- Effects of feed restriction on egg production and egg quality of exotic chickens during their second year of production in a Sudano-Sahelian environment, 38 (1992) 1
- Effects of treating cottonseed meal with a solution of ferrous sulphate on laying hen performance and discolourations in eggs, 38 (1992) 89
- Evaluation of spent bleaching and filtering clay — a bentonite product from palm oil refining as a potential feed ingredient in layer diets, 40 (1992) 13
- Chemical composition and nutritive value of ambadi (*Hibiscus cannabinus*) meal for layers, 44 (1993) 151
- Egg production, tissue deposition and mineral metabolism in two strains of commercial layers with various levels of manganese in diets, 46 (1994) 271
- Use of sorghum gluten feed as a substitute for soyabean meal in layer diets (Short Communication), 48 (1994) 165
- Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325
- Chicken — rooster**
- Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255
- Processing of feather meal to maximize its nutritional value for poultry, 47 (1994) 179
- Chitin**
- Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101

Cholesterol

Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127

Chromic oxide

Nutrition of the one-humped camel. I. Faecal index determination and chromic oxide excretion pattern and recovery, 39 (1992) 293

Cimaterol

Effect of dietary protein concentration and cimaterol on growth and body composition of entire male lambs, 34 (1991) 181

Rumen fermentation and digesta passage in ruminants fed cimaterol, 46 (1994) 215

Citrullus colocynthis

Citrullus colocynthis seed meal as a protein supplement for Najdi sheep in northern Saudi Arabia, 29 (1990) 57

Citrus pulp

Nutritive value of beet and citrus pulps for rabbits, 31 (1990) 239

Clover

Chemical composition and nutritive value of mature annual legumes for sheep, 37 (1992) 221

Cocksfoot

Tentative explanation of the abnormally high faecal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25

Cocoa husk meal

The nutritive value of alkali-treated cocoa husk meal in broiler chick diets, 46 (1994) 321

Cocoa pod

Chemical composition of cocoa pod husk and its effect on growth and food efficiency in broiler chicks, 35 (1991) 161

Cocoa pod-and-husk meal as a feed ingredient in layer diets, 35 (1991) 283

Evaluation of cocoa-pod husks on performance of rabbits (Short Communication), 40 (1993) 267

Utilization of cocoa-pod pericarp fractions in broiler chick diets, 47 (1994) 237

Coconut/palm kernel oil

The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm

kernel oil for broiler chickens aged 12 and 52 days, 47 (1994) 225

Collagen

Nutrition of feed collagen protein powder from the reclamation treatment of chrome leather scrap, 37 (1992) 175

Colocasia corn meal

Raw and processed wild colocasia corn meal (*Colocasia esculenta* (L.) Schott, var. *esculenta*) as an energy source for broilers, 36 (1992) 143

Colostrum

Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347

Compound feeds, general

Prediction of the energy values of compound feeds for ruminants, 48 (1994) 73

Concanavalin A

Effect of concanavalin A from jack-bean seeds on short-term food intake regulation in chicks and laying hens, 32 (1991) 297

Convicine

The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans (*Vicia faba* L.), 31 (1990) 157

Copper

Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135

Copper and iodine in pig diets with high glucosinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters, 30 (1990) 143

Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247

Relative bioavailability of copper in a copper-lysine complex for chicks and lambs, 45 (1994) 193

Copra meal

Effects of level of inclusion of copra meal in balanced diets supplemented with synthetic amino acids on growth and fat deposition and composition in growing pigs fed and libitum at a constant temperature of 25°C, 40 (1992) 31

Coprinus fimetarius

The chemical composition and nutritive value of rice straw after treatment with urea of *Coprinus fimetarius* in a solid state fermentation system, 26 (1989) 81

Cotton seed meal

Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

Cotton stalk

Ozone-treated cotton stalks as a component of a ration for growing lambs, 37 (1992) 185

Effect of isolation procedure on molecular weight distribution and monosaccharide composition of cotton stalk lignins, 50 (1994) 27

Cottonseed

Effects of whole cottonseed on ruminal properties and lactation performance of cows with different rumen fermentation patterns, 34 (1991) 203

Cottonseed cake

Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119

Cottonseed meal

The effect of Greek cottonseed meal on the performance of laying Japanese quail, 27 (1989) 77

Uncorticated cottonseed meal as a substitute for soya bean meal in diets for weaner and growing-finishing pigs, 30 (1990) 193

Effects of treating cottonseed meal with a solution of ferrous sulphate on laying hen performance and discolourations in eggs, 38 (1992) 89

Cowpea husk

Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309

Crambe

Rumen degradation and intestinal digestion of crambe and other oilseed by-products in dairy cows, 45 (1994) 397

Crambe meal

Crambe meal, a review of nutrition, toxicity and effect of treatments (Review), 41 (1993) 133

Crambe meal: removal of glucosinolates by heating with additives and water extraction, 48 (1994) 273

Crotalaria ochroleuca

Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51

Crustacean processing waste

Growth responses and ruminal adaptation of lambs fed crustacean processing wastes, 45 (1994) 229

Cysteine

Prophylactic effect of L-cysteine on nitrate-induced alterations in respiratory exchange and metabolic rate in sheep, 35 (1991) 105

D

Date pulp

Effects of dietary date pulp on digestion in the rat, 32 (1991) 229

DDIC

Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21

Deaminase inhibitors

Effects of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of rumen contents in vivo, 31 (1990) 323

Defaunation

Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135

Effect of defaunation on fibre digestion in sheep given two isonitrogenous diets (Short Communication), 29 (1990) 153

Effect of soya oil hydrolysate on rumen digestion in defaunated and refaunated sheep, 30 (1990) 51

Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333

Deoxyribonucleic acid

The flows of deoxyribonucleic acid and diaminopimelic acid and the digestibility of dietary fibre components at the terminal ileum, as indicators of microbial activity in the upper digestive tract of ileostomised pigs, 36 (1992) 129

Desert grass

Ensiling of cattle waste with desert grass *Lasiurus indicus*, millet (*Pennisetum typhoides*) straw, additives and starter culture (Short Communication), 38 (1992) 75

Detoxification

Detoxification of jack beans (*Canavalia ensiformis*): studies with young chicks, 33 (1991) 117

Diaminopimelic acid

The flows of deoxyribonucleic acid and diaminopimelic acid and the digestibility of dietary fibre components at the terminal ileum, as indicators of microbial activity in the upper digestive tract of ileostomised pigs, 36 (1992) 129

In vitro and in vivo comparisons of diaminopimelic acid and purines for estimating protein synthesis in the rumen, 48 (1994) 49

2,6-Diaminopimelic acid

Determination of 2,6-diaminopimelic acid in biological materials using high performance liquid chromatography, 30 (1990) 11

Digesta retention

Urea treatment of green panic: effect on in vivo digestibility and on digesta mean retention time, 31 (1990) 117

Digestibility — alfalfa

Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273

Digestibility — amino acids and proteins

Estimation of the true ileal digestibility of amino acids and nitrogen from their apparent values for growing pigs, 26 (1989) 271

Assessment of apparent ileal lysine digestibility for use in diet formulation for the growing pig, 34 (1991) 95

Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255

Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121

Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131

Effect of sodium metabisulphite on proteolysis and rumen degradability of alfalfa silage protein, 48 (1994) 143

The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305

Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43

The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57

True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73

The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Digestibility — apple pomace

Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193

Digestibility — barley

Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique,

- 32 (1991) 201
- Effect of β -glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33
- Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73
- Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237

Digestibility — by-products

- Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

Digestibility — carbohydrates

- The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. 1. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201

Digestibility — cell wall, general

- Lignin-carbohydrate complexes in graminaceous cell walls in relation to digestibility, 32 (1991) 193
- Diet influence on biological degradation in sacco of cell walls by ruminants, 32 (1991) 223
- Effect of different supplements on the degradability of organic matter, cell wall constituents, in vitro gas production and organic digestibility of wheat straw, 38 (1992) 187
- Rumen degradation of some *Leguminosae* and *Graminae* roughages: effect of chemical pretreatment with or without cellulase preparation on dry matter and cell wall disappearance, 38 (1992) 219

Digestibility — cocoa-pod

- Evaluation of cocoa-pod husks on performance of rabbits (Short Communication), 40 (1993) 267

Digestibility — coefficients

- Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51

- Ileal and faecal energy digestibility coefficients of full-fat canola seed for swine, 28 (1990) 71

Digestibility — dry matter

- Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199
- Rumen degradation of some *Leguminosae* and *Graminae* roughages: effect of chemical pretreatment with or without cellulase preparation on dry matter and cell wall disappearance, 38 (1992) 219
- In sacco degradation of dry matter and nitrogen in oven dried and fresh tropical grasses and some relationships to in vitro dry matter digestibility, 40 (1993) 191
- Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* \times *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
- Comparison of in vitro digestion of feed ingredients by rabbit cecal and bovine rumen fluids, 41 (1993) 329
- Relationships between chemical components of veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151
- Effect of exposure on the chemical composition and in vitro dry matter digestibility of untreated and formalin treated green chop, 44 (1993) 275
- Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
- The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57
- The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Digestibility — energy

- Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. 1. Individual classes of feeds, 39 (1992) 27
- Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. 2. Mixed diets, 39 (1992) 39
- Digestibility and energy value of combinations of forage mixtures, 39 (1992) 151

Digestibility — estimation

Evaluation of methods for calibrating in vitro digestibility estimates of ruminant feeds, 29 (1990) 265

An improved enzymatic method by adding gamma-mannase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1

Digestibility — faba bean

Chemical composition and digestibility in vitro of *Vicia faba* L. cultivars varying in tannin content, 35 (1991) 205

Ileal and faecal digestibility in piglets of field beans (*Vicia faba* L.) varying in tannin content, 42 (1993) 83

Digestibility — fats

Effect of soya oil hydrolysate on rumen digestion in defaunated and refaunated sheep, 30 (1990) 51

Digestibility — fibre

Effect of defaunation on fibre digestion in sheep given two isonitrogenous diets (Short Communication), 29 (1990) 153

In vitro continuous culture studies on the effect of nitrogen source on rumen microbial growth and fibre digestion, 31 (1990) 55

Chemical analysis of cell wall and energy digestibility in growing pigs, 32 (1991) 55

The genetic manipulation of rumen bacteria with special reference to fibre digestion, 32 (1991) 123

Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201

Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215

The flows of deoxyribonucleic acid and diamino-pimelic acid and the digestibility of dietary fibre components at the terminal ileum, as indicators of microbial activity in the upper digestive tract of ileostomised pigs, 36 (1992) 129

Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333

The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201

The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213

The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39

Digestibility — finger millet

The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37

Digestibility — forages, general

Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343

Changes in chemical composition and in vitro digestibility of oesophageal fistula and hand plucked forage samples due to drying method and stage of maturity, 46 (1994) 87

Digestibility — glucosinolate

Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229

Digestibility — grass

Calorimetric determination of the degradation rate of rapidly fermentable organic matter of forages, 26 (1989) 299

Prediction of the organic matter digestibility of grass silage, 28 (1990) 115

The chemical composition and energy value of high temperature dried grass produced in England, 36 (1992) 215

The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319

Prediction of the digestibility and energy value of grass silage conserved in big bales, 41 (1993) 297

The digestibility and energy value of badly preserved grass silages, 42 (1993) 97

Effect of breed, age and bodyweight of sheep on the measurement of apparent digestibility of dried grass (Short Communication), 46 (1994) 155

Digestibility — green panic

Urea treatment of green panic: effect on *in vivo* digestibility and on digesta mean retention time, 31 (1990) 117

Digestibility — hay

Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269

The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225

The effects of bale density, type of binding and storage surface on the chemical composition, nutrient recovery and digestibility of large round hay bales, 29 (1990) 131

Chemical composition, digestibility *in vitro* and biodegradability of grass hays oven-treated with different amounts of ammonia, 29 (1990) 237

Chemical composition and *in vitro* digestion to predict digestibility of field-cured and barn-cured grass hays, 31 (1990) 125

Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277

A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227

Digestibility — lucerne

Characterisation of *in situ* degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75

Digestibility — maize

Effect of infrared irradiation or extrusion processing of maize on its digestibility in piglets, 26 (1989) 29

Metabolic energy of corn (maize) gluten feed and apparent digestibility of the fibrous components for gestating sows, 35 (1991) 131

Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233

Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with ear and husk meal maize silages from

three different stages of maturity, 38 (1992) 143

A note on the *in sacco* dry matter degradability of variously processed maize grains and of different maize varieties in sheep (Short Communication), 39 (1992) 173

The influence of ageing on cell wall composition and degradability of three maize genotypes, 40 (1993) 331

Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59

Treatment with different chemicals and their effects on the digestibility of maize stalks. 2. Intake and *in vivo* digestibility as affected by chemical treatment and monensin supplementation, 45 (1994) 309

The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97

Digestibility — masticate

Digestion of ruminant masticate dried by three different methods, 37 (1992) 323

Digestibility — nitrogen

In situ digestion of detergent fiber nitrogen in alfalfa stems, 30 (1990) 1

Sucrose supplements in cattle given grass silage-based diet. 1. Digestion of organic matter and nitrogen, 33 (1991) 247

Nitrogen degradability of fresh herbage: effect of maturity and growth type, and prediction from chemical composition and by near infrared reflectance spectroscopy, 38 (1992) 335

Problems associated with estimating the digestibility of undegraded dietary nitrogen from acid-detergent insoluble nitrogen, 39 (1992) 279

In sacco degradation of dry matter and nitrogen in oven dried and fresh tropical grasses and some relationships to *in vitro* dry matter digestibility, 40 (1993) 191

In vitro solubility and degradability of nitrogen in concentrate ruminant feeds, 42 (1993) 1

The true digestibility and biological value for rats of undegraded dietary nitrogen in feeds for ruminants, 42 (1993) 209

Determination of nitrogen intestinal digestibility in ruminants, 48 (1994) 253

The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Digestibility — oak leaves

Effect of storage and urea addition on detannification and in sacco dry matter digestibility of mature oak (*Quercus incana*) leaves, 41 (1993) 247

Digestibility — organic matter

- Prediction of the organic matter digestibility of grass silage, 28 (1990) 115
- Effect of supplementing mature grass hay with dried *Leucaena* leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1
- Comparison of laboratory methods on precision and accuracy of predicting forage organic matter digestibility, 32 (1991) 243
- Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247
- Estimation of organic matter digestibility of whole maize plants by laboratory methods, 36 (1992) 187
- Effect of different supplements on the degradability of organic matter, cell wall constituents, in vitro gas production and organic digestibility of wheat straw, 38 (1992) 187
- Effect of pelleting and feeding level on apparent digestibility and feeding value of diets for growing-finishing pigs, 45 (1994) 349
- The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. I. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201
- The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
- Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17

Digestibility — pea

Ileal and faecal digestibility of light- or dark-coloured peas (*Pisum sativum*) in growing pigs, 42 (1993) 15

Digestibility — prediction

Comparison of four techniques for predicting digestibility of tropical feeds, 29 (1990) 209

Digestibility — proteins

- Intestinal digestibility of rumen undegraded protein of various feeds as estimated by the mobile bag technique, 37 (1992) 161
- Refinement of an enzymatic method for estimating the theoretical degradability of proteins in feedstuffs for ruminants, 39 (1992) 357
- In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review (Review), 40 (1992) 57
- Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273
- Comparison of ileorectal anastomosis and the conventional method for the measurement of ileal digestibility of protein sources and mixed diets in growing pigs, 42 (1993) 297

Digestibility — proteins and amino acids

- Factors affecting the apparent digestibility of protein for swine when determined by the mobile nylon bag technique, 27 (1989) 137
- Quality assessment of tropical browse legumes: tannin content and protein degradation, 27 (1989) 147
- Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45
- Effect of different processing methods on tannin content and in vitro protein digestibility of faba bean, 33 (1991) 49
- Digestibility and energy values of intact, disrupted and extracts from brewer's dried yeast fed to rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 185
- A rapid assay for the measurement of protein digestion to the ileum of pigs by the use of a mobile nylon bag technique, 33 (1991) 209
- The ileal digestibility of nitrogen and amino acids in meat and bone meals determined using a rate assay, 34 (1991) 111
- The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323
- Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205
- Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabo-

- lites in the digestive tract of growing pigs, 37 (1992) 245
- Intestinal digestibility of rumen undegraded protein of formaldehyde-treated feedstuffs measured by mobile bag and in vitro technique, 39 (1992) 111
- Disappearance of protein supplements and their fractions in sacco, 40 (1993) 285
- Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271
- The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates, 47 (1994) 335
- Digestibility — rapeseed**
- Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
- Digestibility — sorghum**
- Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79
- Forage sorghum silage dry matter disappearance as influenced by plant part proportion, 33 (1991) 313
- Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233
- Intake and digestibility of sorghum silage by goats, 41 (1993) 171
- The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283
- Digestibility — soya bean**
- Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79
- Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
- Digestibility — spring herbage**
- The nutritive value of spring-grown herbage produced on farms throughout England and Wales over four years. I. The effect of stage of maturity and other factors on chemical composition, apparent digestibility and energy values measured in vivo, 27 (1989) 157
- The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. II. The prediction of apparent digestibility in vivo from various laboratory measurements, 27 (1990) 173
- Digestibility — starch**
- Post-ruminal digestion of starch in the presence of phenolic monomers, 27 (1989) 111
- Effect of variety of sorghum grain on digestion and availability of dry matter and starch in vitro, 29 (1990) 279
- Starch digestion and digesta kinetics in the small intestine of steers fed on a maize grain and maize silage mixture, 30 (1990) 79
- The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
- Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345
- Digestibility — straw**
- Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105
- Chemical composition, digestibility in vitro, and digestibility and energy values in vivo of untreated cereal straws produced on farms throughout England, 26 (1989) 323
- Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and live-weight change by sheep fed a rice straw, 27 (1989) 17
- Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31
- Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293
- Within- and between-centre variability in the measurement of organic matter digestibility in vivo of cereal straws, 28 (1990) 103
- The feeding value of cereal straws for sheep. I. Wheat straws, 29 (1990) 1
- The feeding value of cereal straws for sheep. II. Rice straws, 29 (1990) 15
- The effect of sodium hydroxide treatment on

- the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
- Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
- Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
- Regions of normalised near infrared reflectance difference spectra related to the rumen digestion of straws, 36 (1992) 1
- Differences in rumen bacterial degradation of morphological fractions in eight cereal straws and the effect of digestion on different types of tissues and mechanical properties of straw stalks, 36 (1992) 173
- Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59
- In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
- Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
- Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207
- In vitro digestibility studies of some local and high yielding varieties of rice straw (*Oryza sativa*), 42 (1993) 121
- A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
- Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
- The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
- The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245
- In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1
- Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137
- Digestibility — sugar cane**
- Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113
- Digestibility — sugars, general**
- Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119
- Digestibility — tree leaves**
- Rumen degradation and in vivo digestibility of dried *Calliandra calothyrsus* leaves, 43 (1993) 19
- Digestibility — tropical feedstuffs, general**
- Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91
- Digestibility — wheat**
- Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201
- The digestion and energy value of whole crop wheat treated with urea, 43 (1993) 51
- Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
- Digestibility markers**
- Feed components as internal markers in digestion studies with dairy cows, 27 (1989) 49
- Dilute-acid hydrolysis**
- The potential of dilute-acid hydrolysis as a treatment for improving the nutritional quality of industrial lignocellulosic by-products, 42 (1993) 39
- Effects of dilute-acid hydrolysis treatment on the physico-chemical features and bio-utilization of wheat straw, 42 (1993) 55

Dioxane

Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchard-grass hay and silage, 41 (1993) 213

Distillery waste

Effects of various ingredients on the manufacture of poured feed block containing a distillery by-product, 34 (1991) 229

The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57

The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

Donkey

Dietary preference and degradability of forage on a semiarid thornbush savannah by indigenous ruminants, camels and donkeys, 31 (1990) 179

Dromedary

Comparison of microbial activity in the forestomachs of the dromedary and the sheep measured in vitro and in sacco on mediterranean roughages, 33 (1991) 237

Dry matter degradation

Chemical and physical properties and in vitro dry matter and starch digestion of eight sorghum grain hybrids and maize, 44 (1993) 45

Dyschondroplasia

Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21

E**Earthworm meal**

Nutritional and toxicological evaluation on rats of earthworm (*Eisenia fetida*) meal as protein source for animal feed, 42 (1993) 165

Economics

Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1

Feeding of urea treated straw in the tropics.

I. A review of its technical principles and economics, 43 (1993) 135

Ecosyl™

Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37

Effective degradability

Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287

Egg production

The effect of Greek cottonseed meal on the performance of laying Japanese quail, 27 (1989) 77

The effect of karanja (*Pongamia glabra* Vent) cake on the performance of White Leghorn pullets, 27 (1989) 89

The nutritive value of full-fat and defatted Australian rice bran. IV. Egg production of hens on diets with defatted rice bran, 27 (1990) 259

Effect of dietary ascorbic acid supplementation on the performance of brown-egg layers and egg quality, 30 (1990) 301

Effect of vermiculite on productive performance of White Leghorn hens in a controlled feeding system, 35 (1991) 301

Effects of feed restriction on egg production and egg quality of exotic chickens during their second year of production in a Sudano-Sahelian environment, 38 (1992) 1

Egg production, tissue deposition and mineral metabolism in two strains of commercial layers with various levels of manganese in diets, 46 (1994) 271

Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325

Egg quality

Effect of locally produced tomato meal on the performance and the egg quality of laying hen, 36 (1992) 53

Effects of feed restriction on egg production and egg quality of exotic chickens during their second year of production in a Sudano-Sahelian environment, 38 (1992) 1

Effects of treating cottonseed meal with a solution of ferrous sulphate on laying hen perfor-

- mance and discolourations in eggs, 38 (1992) 89
- Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325
- Electrophoresis**
- Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25
- Emulsification**
- Influence of emulsification on the apparent metabolisable energy of two dry fats given to broiler chicks of increasing age, 31 (1990) 9
- Energy digestibility**
- Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. I. Individual classes of feeds, 39 (1992) 27
- Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. 2. Mixed diets, 39 (1992) 39
- Energy metabolism**
- The apparent metabolisable energy of sunflower oil and sunflower acid oil for broiler chickens, 36 (1992) 41
- Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105
- Effect of the probiotic Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs, 41 (1993) 181
- Energy utilization**
- Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313
- Effect of work on utilization of cereal crop residues by oxen, 33 (1991) 297
- Energy value**
- Chemical composition, digestibility in vitro, and digestibility and energy values in vivo of untreated cereal straws produced on farms throughout England, 26 (1989) 323
- The nutritive value of spring-grown herbage produced on farms throughout England and Wales over four years. I. The effect of stage of maturity and other factors on chemical composition, apparent digestibility and energy values measured in vivo, 27 (1989) 157
- The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. III. The prediction of energy values from various laboratory measurements, 27 (1990) 185
- The nutritive value of full-fat and defatted Australian rice bran. III. The apparent digestible energy content of defatted rice bran in rats and pigs and the metabolisability of energy and nutrients in defatted and full-fat bran in chickens and adult cockerels, 27 (1990) 247
- Ileal and faecal energy digestibility coefficients of full-fat canola seed for swine, 28 (1990) 71
- Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91
- The use of dried sugar cane fractions as the principal energy source in sheep rations, 28 (1990) 155
- The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
- Relationships between bioavailable energy estimates made with pigs and cockerels, 30 (1990) 131
- Low-glucosinolate rapeseeds and rapeseed meals: effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs, 30 (1990) 175
- Effect of energy density by dietary incorporation of fats on the performance of double-muscled bulls, 30 (1990) 267
- Influence of emulsification on the apparent metabolisable energy of two dry fats given to broiler chicks of increasing age, 31 (1990) 9
- Chemical analysis of cell wall and energy digestibility in growing pigs, 32 (1991) 55
- The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147
- Metabolic energy of corn (maize) gluten feed and apparent digestibility of the fibrous components for gestating sows, 35 (1991) 131
- Raw and processed wild colocasia corn meal (*Colocasia esculenta* (L.) Schott, var. *esculenta*) as an energy source for broilers, 36 (1992) 143

- The chemical composition and energy value of high temperature dried grass produced in England, 36 (1992) 215
- Utilization of dietary energy and nutrients from soya bean products by growing pigs, 36 (1992) 303
- Comparison of sample preparation methods for the determination of the gross energy concentration of fresh silage, 37 (1992) 201
- Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245
- The response of growing male and female broiler chickens kept at different temperatures to dietary energy concentration and feed form, 39 (1992) 71
- Digestibility and energy value of combinations of forage mixtures, 39 (1992) 151
- Predicting the energy value of pig feeds using in vitro or analytical methods, 39 (1992) 183
- Dietary protein and energy effects on reproductive characteristics of commercial egg-type pullets reared in arid hot climate (Short Communication), 41 (1993) 161
- Prediction of the digestibility and energy value of grass silage conserved in big bales, 41 (1993) 297
- The digestibility and energy value of badly preserved grass silages, 42 (1993) 97
- Digestible, metabolizable and net energy values of 13 feedstuffs for growing pigs: effect of energy system, 42 (1993) 131
- Digestible and metabolizable energy values of ten feed ingredients in growing pigs fed ad libitum and sows fed at maintenance level; comparative contribution of the hindgut, 42 (1993) 223
- The digestion and energy value of whole crop wheat treated with urea, 43 (1993) 51
- Protein and energy evaluation with rats of seed from 11 lupin cultivars, 43 (1993) 109
- Metabolizable energy value and effect on amino acid availability of medium-chain triglycerides in diets fed to chickens of different ages, 43 (1993) 259
- An improved enzymatic method by adding gamma-manase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1
- The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm kernel oil for broiler chickens aged 12 and 52 days, 47 (1994) 225
- The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates, 47 (1994) 335
- Prediction of the energy values of compound feeds for ruminants, 48 (1994) 73
- ### Enzyme preparations
- Effect of enzyme addition, autoclave treatment and fermenting on the nutritive value of field beans (*Vicia faba* L.), 26 (1989) 71
- The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1
- Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation, 33 (1991) 41
- Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193
- The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257
- Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105
- An in vitro assessment of several enzymes for the supplementation of rabbit diets, 40 (1993) 309
- Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273
- The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
- Stability of feed enzymes to steam pelleting during feed processing, 46 (1994) 179
- Influence of processing treatment and type of cereal on the effect of dietary enzymes in broiler diets, 46 (1994) 261
- Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237
- Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237
- ### Enzyme treatment
- Quality and fermentation of enzyme-treated alfalfa silages at three moisture concentrations,

- 31 (1990) 261
 Comparison between enzymatically and chemically extracted pectins from apple cell walls, 32 (1991) 69
 Digestion of wheat aleurone by commercial polysaccharidases, 32 (1991) 185
 Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs, 44 (1993) 113

Enzymes, general

- Effect of steam explosion treatment on the physico-chemical characteristics and enzyme hydrolysis of poplar cell wall components, 32 (1991) 235
 Refinement of an enzymatic method for estimating the theoretical degradability of proteins in feedstuffs for ruminants, 39 (1992) 357
 Feed enzymes, 45 (1993) 65

Eragrostis curvula

- Nutritive value of maize residues in comparison with *Eragrostis curvula* hay as feed for sheep, 34 (1991) 213

Extrusion

- The utilization of pelleted, extruded, and extruded and repelleted diets by early weaned pigs, 31 (1990) 269
 Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99

F

Faba bean

- Effect of enzyme addition, autoclave treatment and fermenting on the nutritive value of field beans (*Vicia faba* L.), 26 (1989) 71
 The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans (*Vicia faba* L.), 31 (1990) 157
 Effect of different processing methods on tannin content and in vitro protein digestibility of faba bean, 33 (1991) 49
 Effects of treatment with polyvinylpyrrolidone and polyethylene glycol on Faba bean tannins, 35 (1991) 199

- Chemical composition and digestibility in vitro of *Vicia faba* L. cultivars varying in tannin content, 35 (1991) 205

- Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205

- Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345

- Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271

- Ileal and faecal digestibility in piglets of field beans (*Vicia faba* L.) varying in tannin content, 42 (1993) 83

- Effects of dietary inclusion of hulls of faba beans (*Vicia faba* L.) with a low and high content of condensed tannins on digestion and some physiological parameters in piglets, 43 (1993) 239

- Technological-scale dehulling process to improve the nutritional value of faba beans, 46 (1994) 1

Faba bean flour

- The nutritional values of faba bean flours varying in their mean particle size in young chickens, 34 (1991) 11

Faecal index determination

- Nutrition of the one-humped camel. I. Faecal index determination and chromic oxide excretion pattern and recovery, 39 (1992) 293

Fat deposition

- Manipulation of lean deposition in animals, 45 (1993) 97

Fats

- Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199

- Effect of energy density by dietary incorporation of fats on the performance of double-muscled bulls, 30 (1990) 267

- Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275

- Influence of emulsification on the apparent metabolisable energy of two dry fats given to broiler chicks of increasing age, 31 (1990) 9

The retention of phytin phosphorus from diets with fat supplements in broiler chicks, 31 (1990) 223

Fatty acids

Performance of steers fed combinations of calcium salts of branched and unbranched fatty acids, 31 (1990) 293

Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α -galactosides, 32 (1991) 177

Effects of the ionophore salinomycin on nitrogen and long-chain fatty acid profiles of digesta in the rumen and duodenum of sheep, 36 (1992) 67

Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21

A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95

The production and metabolism of volatile fatty acids by ruminants fed roughages: a review (Review), 43 (1993) 189

Digestion and utilisation of fatty acids by ruminants, 45 (1994) 379

Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251

The effect of free fatty acid content on the apparent metabolisable energy of coconut/palm kernel oil for broiler chickens aged 12 and 52 days, 47 (1994) 225

Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Feather meal

Processing of feather meal to maximize its nutritional value for poultry, 47 (1994) 179

Feed blocks

Effects of various ingredients on the manufacture of poured feed block containing a distillery by-product, 34 (1991) 229

Feed preference

Dietary preference and degradability of forage on a semiarid thornbush savannah by indigenous ruminants, camels and donkeys, 31 (1990) 179

Feed restriction

Effects of feed restriction on egg production and egg quality of exotic chickens during their second year of production in a Sudano-Sahelian environment, 38 (1992) 1

Feeding rate

The effect of rate of feeding on the nutritional value of three triticale cultivars for growing pigs, 27 (1990) 317

Feeding standards

Feeding standards and feeding systems, 43 (1993) 121

Feeding systems

A comparison of various feeding systems for finishing pigs, 26 (1989) 251

A comparison of offering meal from a self-feed hopper having built-in watering with some conventional systems of offering meal and pellets to finishing pigs, 26 (1989) 261

Construction and operation of an open-circuit ventilated hood system for cattle nourished wholly by intragastric infusion of nutrients, 28 (1990) 109

A comparison of single- and multi-space feeders for growing pigs fed non-pelleted diets ad libitum (Short Communication), 30 (1990) 169

Performance and production costs of two commercial broiler strains following feed restriction or feeding with dried chick excreta, 34 (1991) 1

A comparison of offering meal and pellets to finishing pigs from self-feed hoppers with and without built-in watering, 34 (1991) 29

The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3

Feeding standards and feeding systems, 43 (1993) 121

Fermentation kinetics

The influence of leaf and stem particle size in vitro and of sample size in sacco on neutral detergent fibre fermentation kinetics, 37 (1992) 85

A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297

A simple gas production method using a pressure transducer to determine the fermentation kinetics of ruminant feeds, 48 (1994) 185

Ferrous sulphate

Effects of treating cottonseed meal with a solution of ferrous sulphate on laying hen performance and discolourations in eggs, 38 (1992) 89

Fertilizers

Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73

Fibre

Effect of defaunation on fibre digestion in sheep given two isonitrogenous diets (Short Communication), 29 (1990) 153

In situ digestion of detergent fiber nitrogen in alfalfa stems, 30 (1990) 1

In vitro continuous culture studies on the effect of nitrogen source on rumen microbial growth and fibre digestion, 31 (1990) 55

Morphology, fiber composition and mean particle diameter relationships in ground barley and oat forages at different ages, 31 (1990) 65

The content of neutral and acid detergent fibre in forages predicted by near infrared reflectance analysis, 32 (1991) 13

Relationship of lignin and esterified phenolics to fermentation of smooth brome grass fibre, 32 (1991) 63

Nutritional aspects of dietary fibres, 32 (1991) 143

Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201

Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215

Distribution of condensed tannins (proanthocyanidins) in various fibre fractions in young and mature leaves of some oak species, 32 (1991) 253

Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323

Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311

Evaluation of chemical composition, optical den-

sity measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13

Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermuda-grass hay, 36 (1992) 91

Effect of β -glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33

Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297

Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. 1. The source of supplemental nitrogen, 38 (1992) 263

In vitro ruminal fiber digestion as influenced by phenolic-carbohydrate complexes released from sorghum cell walls, 39 (1992) 79

A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95

Bacterial adhesion to fibre during in vitro incubations under varying osmotic pressure, 41 (1993) 65

Measurement of the rate of passage in restricted-fed rabbits: effect of dietary cell wall level on the transit of fibre particles of different sizes, 42 (1993) 151

Effect of dietary starch origin on digestion in the rabbit. 2. Starch hydrolysis in the small intestine, cell wall degradation and rate of passage measurements, 42 (1993) 249

Fibre analyses and in sacco degradability of plant fractions of two corn varieties harvested at various times, 43 (1993) 41

Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs, 44 (1993) 113

Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293

The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos tau-*

- rus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213
- Effects of dietary concentration and source of fibre on the apparent absorption of minerals by pigs, 47 (1994) 287
- Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1
- The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39
- Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189
- Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203

Finger millet

- The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37

Fish

- Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177
- Digestibility and energy values of intact, disrupted and extracts from brewer's dried yeast fed to rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 185
- Chemical and nutritional quality of dried fermented fish silages and their nutritive value for tilapia (*Oreochromis niloticus*), 45 (1994) 167

Fish meal

- Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231
- Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
- Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29
- Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or am-

monia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195

- Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
- Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103
- Influence of the addition of fish meal to diets of roughage or roughage and concentrate on the consumption and live-weight gain of growing cattle, 42 (1993) 319
- The vitamin D₃ and precholecalciferol content of menhaden fish meal as affected by drying conditions, 47 (1994) 99
- Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119
- The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223

Fish silage

- Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199
- Chemical and nutritional quality of dried fermented fish silages and their nutritive value for tilapia (*Oreochromis niloticus*), 45 (1994) 167
- The growth of pigs from 6 to 10 kg when fed fish silages that were preserved either by formic acid or by fermentation (Short Communication), 49 (1994) 163

Flame roasting

- Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31

Fodder

- Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation, 33 (1991) 41

Fodder radish

- Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75

Formaldehyde treatment

Intestinal digestibility of rumen undegraded protein of formaldehyde-treated feedstuffs measured by mobile bag and in vitro technique, 39 (1992) 111

Effect of exposure on the chemical composition and in vitro dry matter digestibility of untreated and formalin treated green chop, 44 (1993) 275

Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Formic acid treatment

Effect of additives on the quality of big-bale silage, 31 (1990) 139

Lactic acid fermentation in silage preserved with formic acid, 47 (1994) 107

The growth of pigs from 6 to 10 kg when fed fish silages that were preserved either by formic acid or by fermentation (Short Communication), 49 (1994) 163

Fungi

Rumen anaerobic fungi and plant substrate colonization as affected by diet composition, 26 (1989) 55

Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83

Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101

The effect of moulds on the nutritional value of wheat, 28 (1990) 315

Succession of mycoflora on groundnut fodder, 31 (1990) 167

Degradation of leaf blades and stems by monocentric and polycentric isolates of ruminal fungi, 31 (1990) 205

Mechanisms of cellulose degradation by fungi and bacteria, 32 (1991) 77

Cellulose degradation by two rumen anaerobic fungi in monoculture or in coculture with rumen bacteria, 32 (1991) 131

Influence of oxygen and carbon dioxide on cell wall degradation by white-rot fungi, 32 (1991) 137

Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67

Fungal colonization of rice straw and palm press

fibre in the rumen of cattle and buffalo, 34 (1991) 311

Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59

Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227

Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69

Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221

Effect of fungus-treated straw on ruminal fermentation in vitro, 46 (1994) 131

The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39

G **α -Galactosides**

Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α -galactosides, 32 (1991) 177

Extraction methods for removing soybean alpha-galactosides and improving true metabolizable energy for poultry (Short Communication), 41 (1993) 73

Gammanase

An improved enzymatic method by adding gammanase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1

Gas production

Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109

Gelatinization

Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321

Genetics

Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221

The genetic manipulation of rumen bacteria with special reference to fibre digestion, 32 (1991) 123

Nutritive value and ensiling characteristics of maize herbage as influenced by agronomic factors, 38 (1992) 11

The influence of ageing on cell wall composition and degradability of three maize genotypes, 40 (1993) 331

Gentian violet

Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83

Germination

Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243

Ghee residue

Chemical composition and nutritive value of ghee residue for chickens, 26 (1989) 119

Gliricidia leaf meal

Gliricidia leaf meal as an ingredient in layer diets, 29 (1990) 303

Gliricidia sepium

Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37

Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53

Glucan

Effect of β -glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33

 β -Glucanase

Response of chickens fed on hull-less barley to dietary β -glucanase at different ages, 33 (1991) 139

Glucosinolate

Low-glucosinolate rapeseeds and rapeseed meals: effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs, 30 (1990) 175

Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247

Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321

Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229

Improvement in the nutritive value of high and low glucosinolate rapeseed meal by aqueous extraction, 48 (1994) 265

Crambe meal: removal of glucosinolates by heating with additives and water extraction, 48 (1994) 273

Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Glutathione peroxidase

Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103

Glycanase

Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105

Glycerol

In vitro and in vivo fermentation of glycerol by rumen microbes, 41 (1993) 121

Goat

The effect of cereal processing on the lactation performance of Chios sheep and Damascus goats and the pre-weaning growth of their offspring, 26 (1989) 93

The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225

The effect of barley-sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105

Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333

A note on the effects of feeding total mixed ration on performance of dairy goats in late lactation, 35 (1991) 15

Nitrogen and purine metabolism in preruminant and ruminant goat kids given increasing amounts of ribonucleic acids, 35 (1991) 213

Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123

Salicornia bigelovii Torr.: a seawater-irrigated forage for goats, 40 (1992) 21

Intake and digestibility of sorghum silage by goats, 41 (1993) 171

The effects of feeding level and roughage/concentrate ratio on the measurement of protein degradability of two tropical forages in the rumen of goats, using the nylon bag technique, 41 (1993) 261

The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31

Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209

Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37

Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53

Goose

Nutritional value of cassava meal in diets for geese, 36 (1992) 29

Grain amaranth

Feeding value of raw or heated grain amaranth germplasm, 33 (1991) 221

Grain legumes

Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325

Grain processing

The effect of barley-sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105

Grape juice concentrate

Grape juice concentrate as feed for beef cattle, 26 (1989) 139

Grape juice concentrate as a feed for growing pigs, 26 (1989) 153

Grape pulp meal

Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Grass — general

Calorimetric determination of the degradation rate of rapidly fermentable organic matter of forages, 26 (1989) 299

Forage quality of five cool-season grasses. I. Cultivar effects, 27 (1990) 197

Forage quality of five cool-season grasses. II. Species effects, 27 (1990) 209

Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49

Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101

Effect of breed, age and bodyweight of sheep on the measurement of apparent digestibility of dried grass (Short Communication), 46 (1994) 155

Grass — dried

The chemical composition and energy value of high temperature dried grass produced in England, 36 (1992) 215

Grass silage

Prediction of the organic matter digestibility of grass silage, 28 (1990) 115

Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29

Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247

Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275

Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77

The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319

Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281

Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273

Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87

The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279

Prediction of the digestibility and energy value of grass silage conserved in big bales, 41 (1993) 297

The digestibility and energy value of badly preserved grass silages, 42 (1993) 97

Raw or roasted lupin supplementation of grass silage diets for beef steers, 46 (1994) 23

Rumen fermentation characteristics and duodenal nutrient flow in lactating cows receiving two types of grass silage with two levels of concentrates, 46 (1994) 277

Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17

Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37

Grazing behaviour

Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259

Green panic

Urea treatment of green panic: effect on in vivo digestibility and on digesta mean retention time, 31 (1990) 117

Groundnut fodder

Succession of mycoflora on groundnut fodder, 31 (1990) 167

Groundnut meal

Effect of extruded full fat soyabean meal as a replacement for groundnut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 171

Growth performance — cattle

Performance of steers fed combinations of calcium salts of branched and unbranched fatty acids, 31 (1990) 293

Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29

Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49

Effects of chemical treatments of cereal grains on in vitro dry matter disappearance and steer feedlot performance, 34 (1991) 163

Effects of feeding sorbitol associated with different sources and amounts of nitrogen on growth, digestion and metabolism in young bulls, 36 (1992) 255

Influence of the addition of fish meal to diets of roughage or roughage and concentrate on the consumption and live-weight gain of growing cattle, 42 (1993) 319

Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119

Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves, 47 (1994) 245

Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259

Growth performance — chicken

The toxic effects of karanja (*Pongamia glabra* Vent) oil and cake on growth and feed efficiency in broiler chicks, 27 (1989) 95

The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229

- Effects of pelleting diets containing sunflower meal on the performance of broiler chickens, 30 (1990) 121
- Chemical composition of cocoa pod husk and its effect on growth and food efficiency in broiler chicks, 35 (1991) 161
- Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
- The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia* spp.) in the finisher diet, 40 (1993) 233
- Effect of enzyme supplementation of a diet based on barley, and autoclave treatment, on apparent digestibility, growth performance and gut morphology of broilers, 48 (1994) 237
- Effects of enzyme supplementation of barley-based diets on hen performance and egg quality, 48 (1994) 325
- Growth performance — fish**
- Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177
- Growth performance — goat**
- Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123
- Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
- Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37
- Growth performance — Japanese quail**
- Effect of sunflower seed meal on the performance and carcass characteristics of growing Japanese quail (Short Communication), 48 (1994) 169
- Growth performance — pig**
- The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3
- Effects of organic acids with and without a microbial culture on performance and gastrointestinal tract measurements of weanling pigs, 35 (1991) 259
- Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321
- The effect of dietary cadmium intake on the growth performance and retention of cadmium in growing pigs, 37 (1992) 1
- Effects of level of inclusion of copra meal in balanced diets supplemented with synthetic amino acids on growth and fat deposition and composition in growing pigs fed and libitum at a constant temperature of 25°C, 40 (1992) 31
- Studies on the influence of calcium formate on growth, digestibility of crude nutrients, nitrogen balance and calcium retention in weaned piglets, 43 (1993) 65
- Effects of combinations of wheat, corn or hullless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
- The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 165
- Effect of extruded full fat soyabean meal as a replacement for groundnut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 171
- Growth performance — rabbit**
- Evaluation of cocoa-pod husks on performance of rabbits (Short Communication), 40 (1993) 267
- Effect of dietary starch origin on digestion in the rabbit. I. Digestibility measurements from weaning to slaughter, 42 (1993) 237
- Growth performance — sheep**
- Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51
- Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
- Effect of dietary protein concentration and cimaterol on growth and body composition of entire male lambs, 34 (1991) 181

Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259

Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119

Growth responses and ruminal adaptation of lambs fed crustacean processing wastes, 45 (1994) 229

The effect of magnetic treatment of drinking water on growth, feed utilisation and carcass composition of lambs, 46 (1994) 11

The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97

Growth performance — turkey

Effect of nutrient level and feed form on the performance of heavy breeder turkey toms, 29 (1990) 321

Growth performance of starting turkey poults fed diets subjected to an anaerobic pasteurizing conditioning system, 46 (1994) 67

Guar gum

Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

H

Hamster

Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119

Hay

Chemical composition and nutritive value to sheep of untreated and oven-ammoniated ryegrass hays prepared from crops of differing maturities, 26 (1989) 207

Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59

Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101

Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269

Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51

The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225

Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. I. Nutrient composition and utilization, 28 (1990) 333

The effects of bale density, type of binding and storage surface on the chemical composition, nutrient recovery and digestibility of large round hay bales, 29 (1990) 131

Chemical composition, digestibility in vitro and biodegradability of grass hays oven-treated with different amounts of ammonia, 29 (1990) 237

Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275

Effect of supplementing mature grass hay with dried *Leucaena* leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1

Chemical composition and in vitro digestion to predict digestibility of field-cured and barn-cured grass hays, 31 (1990) 125

Urea for preservation of moist hay, 31 (1990) 193

Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277

Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323

Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67

- Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
- Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91
- Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333
- Tentative explanation of the abnormally high faecal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
- Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175
- Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1
- Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
- Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian \times Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* \times *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* \times *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
- Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchard-grass hay and silage, 41 (1993) 213
- The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193
- A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
- Effect of rapeseed oil supply on in vitro ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181
- The use of near-infrared reflectance spectroscopy to define nutrient digestion of hay by cattle, 44 (1993) 237
- Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
- Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
- The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* \times *Bos indicus*) steers fed native grass hay, 47 (1994) 213
- Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep, 47 (1994) 277
- The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* \times *Bos indicus*) steers fed native grass hay, 48 (1994) 153
- Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151
- Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75
- Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137
- High performance liquid chromatography**
- Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121
- Horse urine treatment**
- Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ^{15}N horse urine treated wheat straw in small ruminants, 48 (1994) 199
- Hydrogen peroxide treatment**
- Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309
- The upgrading of wheat straw by alkaline hydrogen peroxide treatment: The effect of NaOH and H_2O_2 on the site and extent of digestion in sheep, 40 (1992) 121

In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1

Hydrogen sulphate treatment

Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47

Hypothermia

The modulation of nitrate-enhanced hypothermia by sulphur compounds in cold-exposed sheep, 39 (1992) 347

I

Ileal digestibility

Nutritive value of feedstuffs and diets for pigs: 2. Apparent post-ileal digestibility and interrelationships between dietary constituents and faecal and ileal digestibility, 45 (1994) 243

Immunoglobulins

Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347

Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves, 47 (1994) 245

Insects

Comparative aspects of plant cell wall digestion in insects, 32 (1991) 101

Intake

Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105

Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231

Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and live-weight change by sheep fed a rice straw, 27 (1989) 17

Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51

The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225

Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39

Effect of supplementing mature grass hay with dried *Leucaena* leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1

Feed intake and milk yield using an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231

Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277

Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333

Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49

Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241

Substitution of concentrates by ensiled high-moisture maize grain in dairy cattle diets, 38 (1992) 57

Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199

Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293

Nutrition of the one-humped camel. II. Intake and feeding behaviour on arid ranges in southern Tunisia, 39 (1992) 303

- Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
- Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
- Intake and digestibility of sorghum silage by goats, 41 (1993) 171
- The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
- Relationships between chemical components of veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151
- A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
- Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59
- Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
- Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
- Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265
- Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
- Treatment with different chemicals and their effects on the digestibility of maize stalks. 2. Intake and in vivo digestibility as affected by chemical treatment and monensin supplementation, 45 (1994) 309
- Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
- Evaluation of the effect of extrusion cooking of jackbean (*Canavalia ensiformis* L.) seed on short-term feed intake in chicks, 46 (1994) 197
- Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
- Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259
- Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
- The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
- Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and a non-invasive method, 48 (1994) 289
- The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37
- Intestinal microflora**
See Rumen microbiology
- Iodine**
Copper and iodine in pig diets with high glucosinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters, 30 (1990) 143
- Iron**
Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135
- Irradiation**
Effect of infrared irradiation or extrusion processing of maize on its digestibility in piglets, 26 (1989) 29

J

Jack bean

Detoxification of jack beans (*Canavalia ensiformis*): studies with young chicks, 33 (1991) 117

Evaluation of the effect of extrusion cooking of jackbean (*Canavalia ensiformis* L.) seed on short-term feed intake in chicks, 46 (1994) 197

Jackbean meal

Dry urea treatment prior to toasting as a method of improving the nutritive value of jackbeans (*Canavalia ensiformis*) for broilers, 48 (1994) 335

Jackbean seeds

Effect of concanavalin A from jack-bean seeds on short-term food intake regulation in chicks and laying hens, 32 (1991) 297

Japanese quail

The effect of Greek cottonseed meal on the performance of laying Japanese quail, 27 (1989) 77

Effect of sunflower seed meal on the performance and carcass characteristics of growing Japanese quail (Short Communication), 48 (1994) 169

Johnsongrass

Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101

Juice

The nutritive value of protein of juice extracted from green parts of various plants (Short Communication), 38 (1992) 81

K

Karanja

The effect of karanja (*Pongamia glabra* Vent) cake on the performance of White Leghorn pullets, 27 (1989) 89

The toxic effects of karanja (*Pongamia glabra* Vent) oil and cake on growth and feed efficiency in broiler chicks, 27 (1989) 95

Kikuyu

Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77

Kinggrass

Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37

Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53

L

Lactation performance

The effect of cereal processing on the lactation performance of Chios sheep and Damascus goats and the pre-weaning growth of their offspring, 26 (1989) 93

The utilization of canola and its constituents by lactating dairy cows, 30 (1990) 289

Effects of sugar-beet pulp on ruminal and lactation performances of cows having different rumen fermentation patterns, 31 (1990) 91

Feed intake and milk yield using an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231

Effects of sodium carbonate on milk yield, milk composition and blood components of dairy cows in hot weather, 33 (1991) 151

Effects of whole cottonseed on ruminal properties and lactation performance of cows with different rumen fermentation patterns, 34 (1991) 203

Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291

A note on the effects of feeding total mixed ration on performance of dairy goats in late lactation, 35 (1991) 15

- Effect of replacement of concentrate mix by wilted sesbania (*Sesbania sesban*) forage on diet digestibility, rumen fermentation and milk production in Friesian \times Zebu (Boran) crossbred cows fed low quality native hay, 36 (1992) 275
- The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257
- Substitution of concentrates by ensiled high-moisture maize grain in dairy cattle diets, 38 (1992) 57
- Tapioca pellets as a partial replacement for maize in the diet of lactating dairy cows, 39 (1992) 125
- Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian \times Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239
- Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25
- Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
- Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53
- Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287
- Lactic acid**
- Lactic acid fermentation in silage preserved with formic acid, 47 (1994) 107
- Lactobacilli**
- Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223
- Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
- Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247
- Ensiling forage sorghum at two stages of maturity with the addition of lactic acid bacterial inoculants, 43 (1993) 165
- Lasalocid**
- Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1
- Leaf degradation**
- Degradation of leaf blades and stems by monocentric and polycentric isolates of ruminal fungi, 31 (1990) 205
- Leaf protein concentrate**
- Yield, composition and nutritive value of leaf protein concentrates from mixed forages of cereals and legumes, 27 (1989) 117
- Leather scrap**
- Nutrition of feed collagen protein powder from the reclamation treatment of chrome leather scrap, 37 (1992) 175
- Legume seed meal**
- The degradability of legume seed meals in the rumen: effect of heat treatment, 36 (1992) 101
- Legumes, general**
- Yield, composition and nutritive value of leaf protein concentrates from mixed forages of cereals and legumes, 27 (1989) 117
- Quality assessment of tropical browse legumes: tannin content and protein degradation, 27 (1989) 147
- Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39
- Chemical constraints to the use of tropical legumes in animal nutrition, 38 (1992) 237
- Protein quality of legume seeds for non-ruminant animals: a literature review (Review), 45 (1994) 317
- Studies on some leguminous browse plants, with particular reference to their proximate, mineral and some endogenous antinutritional constituents (Short Communication), 46 (1994) 343
- Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325
- Lentil straw**
- Variation in lentil straw quality, 28 (1990) 61

Leucaena leaf meal

Leucaena leaf meal in the diet of growing rabbits: evaluation and effect of a low-mimosine treatment, 29 (1990) 63

An attempt to inactivate mimosine of *Leucaena leucocephala* by mineral supplementation for feeding to ruminants, 50 (1994) 157

Leucaena leaves

Leucaena leucocephala in poultry nutrition — a review (Review), 26 (1989) 1

Effect of supplementing mature grass hay with dried *Leucaena* leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1

Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297

Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53

Lickblocks

Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179

Ureal molasses mineral blocks as a feed supplement: effect on growth and nutrient utilization in buffalo calves, 29 (1990) 333

Lignin

Relationship of lignin and esterified phenolics to fermentation of smooth bromegrass fibre, 32 (1991) 63

Plant cell walls as fibrous lignocellulosic composites: relations with lignin structure and function, 32 (1991) 159

Comparison of microbial activity in the forestomachs of the dromedary and the sheep measured in vitro and in sacco on mediterranean roughages, 33 (1991) 237

Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13

Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229

A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95

Comparison of characteristics of soluble lignins

from untreated and ammonia-treated wheat straw, 39 (1992) 253

Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchard-grass hay and silage, 41 (1993) 213

Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO₂-treated wheat straw, 47 (1994) 89

Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep, 47 (1994) 277

Effect of isolation procedure on molecular weight distribution and monosaccharide composition of cotton stalk lignins, 50 (1994) 27

Lignin-carbohydrate complexes

Lignin-carbohydrate complexes in graminaceous cell walls in relation to digestibility, 32 (1991) 193

Ligninase

Treatment of barley straw with ligninase: effect on activity and fate of the enzyme shortly after being added to straw, 41 (1993) 15

Lignocellulose

Chemical analysis of lignocellulose materials, 32 (1991) 35

Plant cell walls as fibrous lignocellulosic composites: relations with lignin structure and function, 32 (1991) 159

Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319

The potential of dilute-acid hydrolysis as a treatment for improving the nutritional quality of industrial lignocellulosic by-products, 42 (1993) 39

Measurement of the rate of passage in restricted-fed rabbits: effect of dietary cell wall level on the transit of fibre particles of different sizes, 42 (1993) 151

Lime

The use of mixtures of ammonium salts with lime for upgrading cereal straws, 28 (1990) 169

Linola™

Pyridoxine supplementation of Linola™ meal for growing pigs, 50 (1994) 167

Linseed

Evaluation of meals from Linola™ low-linolenic acid linseed and conventional linseed as protein sources for growing pigs, 35 (1991) 181

Linseed cake

Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119

Linseed meal

Nutritional evaluation of linseed meals from flax with yellow or brown hulls, using mice and pigs, 43 (1993) 1

Effects of adding barley hulls and linseed meal to wheat and hullless barley diets fed to growing pigs, 45 (1994) 177

Linseed oil

Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161

Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189

Listeria monocytogenes

Isolation and identification of *Listeria monocytogenes* in vegetable byproduct silages containing preservative additives and destined for animal feeding, 31 (1990) 285

Llama

Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221

Lucerne

Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269

Some aspects of cellobiose effect on bacterial cell surface structures involved in lucerne walls utilization by fresh isolates of rumen bacteria, 30 (1990) 107

Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13

A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227

Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119

Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75

Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75

Lucerne meal

Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215

Lucerne silage

Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191

Lupin

Nutritive value of raw and roasted sweet white lupins (*Lupinus albus*) for lactating dairy cows, 43 (1993) 275

Raw or roasted lupin supplementation of grass silage diets for beef steers, 46 (1994) 23

Lupin meal

Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α -galactosides, 32 (1991) 177

Lupin seed

Protein quality of two cultivars of lupin seeds evaluated in weanling rats, 33 (1991) 87

Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77

Protein and energy evaluation with rats of seed from 11 lupin cultivars, 43 (1993) 109

Lupin seed meal

Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93

Lupin silage

Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273

Lysine

Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, ly-

- sine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
- Assessment of apparent ileal lysine digestibility for use in diet formulation for the growing pig, 34 (1991) 95
- Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
- Relative bioavailability of copper in a copper-lysine complex for chicks and lambs, 45 (1994) 193
- A note on the interactive influence of dietary lysine and threonine on plasma urea levels in the growing pig (Short Communication), 46 (1994) 163
- Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99
- M**
- Magnesium**
- Relative bioavailability of magnesium sources for ruminants as measured by urinary magnesium excretion, 39 (1992) 13
- Magnetic treatment**
- The effect of magnetic treatment of drinking water on growth, feed utilisation and carcass composition of lambs, 46 (1994) 11
- Maillard reaction**
- The influence of the Maillard reaction upon the nutritive value of fibrous feeds, 32 (1991) 45
- Maize**
- Utilization of an ensiled wet brewer's grains-corn mixture by growing lambs, 28 (1990) 29
- Effects of various combinations of urea, soya-bean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
- Effects of extrusion of maize on ileal and faecal digestibility of nutrients and performance of young piglets, 29 (1990) 309
- Starch digestion and digesta kinetics in the small intestine of steers fed on a maize grain and maize silage mixture, 30 (1990) 79
- Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275
- Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79
- Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
- Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
- Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
- Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
- Nutritive value of maize residues in comparison with *Eragrostis curvula* hay as feed for sheep, 34 (1991) 213
- Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
- Comparison between the mechanism of protein degradation of two cereals by enzymatic and in situ methods, using gel electrophoresis, 35 (1991) 115
- Estimation of organic matter digestibility of whole maize plants by laboratory methods, 36 (1992) 187
- Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233
- Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1
- Tapioca pellets as a partial replacement for maize in the diet of lactating dairy cows, 39 (1992) 125
- In vitro digested and potassium permanganate delignified maize internode sections studied by histochemistry and analytical pyrolysis mass spectrometry, 39 (1992) 335

- Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
- The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia* spp.) in the finisher diet, 40 (1993) 233
- Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
- The influence of ageing on cell wall composition and degradability of three maize genotypes, 40 (1993) 331
- Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149
- Evaluation of alfalfa type as a roughage source in feedlot adaptation and finishing diets containing different corn types, 42 (1993) 109
- Effect of alfalfa and corn moisture level on whole corn mastication, 42 (1993) 309
- Fibre analyses and in sacco degradability of plant fractions of two corn varieties harvested at various times, 43 (1993) 41
- Chemical and physical properties and in vitro dry matter and starch digestion of eight sorghum grain hybrids and maize, 44 (1993) 45
- Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alternatives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101
- Effects of combinations of wheat, corn or hullless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
- The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
- Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31
- The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 165
- Brown midrib mutant maize with reduced levels of phenolic acids ether-linked to the cell walls, 48 (1994) 27
- Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1
- Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25
- Maize gluten feed**
- An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327
- Metabolic energy of corn (maize) gluten feed and apparent digestibility of the fibrous components for gestating sows, 35 (1991) 131
- A note on the digestibility and feeding value of wheat gluten feed for ruminants, 45 (1994) 131
- Maize gluten meal**
- Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79
- Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119
- Maize grain**
- Morphological study of the digestion of barley and maize grain by rumen microorganisms, 30 (1990) 91
- Substitution of concentrates by ensiled high-moisture maize grain in dairy cattle diets, 38 (1992) 57
- A note on the in sacco dry matter degradability of variously processed maize grains and of different maize varieties in sheep (Short Communication), 39 (1992) 173
- The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165
- Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287
- Maize silage**
- Performance of finishing cattle fed maize silage prior to grain adaptation, 26 (1989) 129
- High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287
- Nutritive value and ensiling characteristics of maize herbage as influenced by agronomic factors, 38 (1992) 11
- Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with ear and husk meal maize silages from three different stages of maturity, 38 (1992) 143

Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161

Effect of rapeseed oil supply on *in vitro* ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181

Effects of drying temperature on chemical composition and *in vitro* digestibility of forages, 46 (1994) 75

The effect of silo type and dry matter content on the maize silage fermentation process and ensiling loss, 49 (1994) 311

Maize stalk

Tentative explanation of the abnormally high faecal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25

Treatment with different chemicals and their effects on the digestibility of maize stalks, 38 (1992) 351

Treatment with different chemicals and their effects on the digestibility of maize stalks. 2. Intake and *in vivo* digestibility as affected by chemical treatment and monensin supplementation, 45 (1994) 309

Maize stem

Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69

Maize stover

Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319

Nutritive value and ensiling characteristics of maize stover as influenced by hybrid maturity and generation, plant density and harvest date, 41 (1993) 51

Ammonia and/or calcium hydroxide treatment of maize stover: intake, digestibility and digestion kinetics, 44 (1993) 59

The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97

Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11

Maize straw

Studies on urea-ammonia treatment of maize straw: treatment method and potential for dry season feeding of cattle in Northern Nigeria, 33 (1991) 289

Manganese

Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135

Egg production, tissue deposition and mineral metabolism in two strains of commercial layers with various levels of manganese in diets, 46 (1994) 271

Manure

The nutritive evaluation of dried poultry excreta as a feed ingredient for broiler chickens, 37 (1992) 99

Marigold

Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79

Markers — intestinal tract

Pattern of some internal and external markers along the gastrointestinal tract of cattle, 37 (1992) 143

The use of internal markers to predict total digestibility and duodenal flow of nutrients in cattle given six different diets, 48 (1994) 211

Masticate

Digestion of ruminal masticate dried by three different methods, 37 (1992) 323

Mastication

Effects of ingestive and ruminative mastication on digestion of forage by cattle, 40 (1992) 41

Meat

Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43

The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57

True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73

Meat and bone meal

The ileal digestibility of nitrogen and amino acids in meat and bone meals determined using a rate assay, 34 (1991) 111

Meat quality

Manipulation of lean deposition in animals, 45 (1993) 97

Mediterranean browse

Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpyrrolidone or nylon bag, 49 (1994) 133

Methane

Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21

The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245

Methionine sulfoxide

Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121

Microbial inoculation

Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37

Effects of organic acids with and without a microbial culture on performance and gastrointestinal tract measurements of weanling pigs, 35 (1991) 259

Microbial protein synthesis

Effects of rape-seed oil supplementation on digestion microbial protein synthesis and duodenal microbial amino acid composition in ruminants, 41 (1993) 313

Microbial treatment

Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223

Milk

Use of whey and concentrate to partially replace whole milk consumption in the rearing of Friesian × Boran calves, 36 (1992) 59

Milk substitutes

Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347

Use of whey and concentrate to partially replace whole milk consumption in the rearing of Friesian × Boran calves, 36 (1992) 59

Blood-derived immunoglobulins in milk replacer, or by injection, for improved performance of colostrum-deprived neonatal calves, 47 (1994) 245

Use of soy protein concentrate in combination with potato protein in milk replacers for veal calves, 48 (1994) 111

Replacement of skim milk with soya bean protein concentrates and whey in milk replacers for veal calves, 50 (1994) 101

Millet

In vitro digestion and textural strength of rind and pith of normal and brown midrib stems, 43 (1993) 303

Mimosine

Leucaena leaf meal in the diet of growing rabbits: evaluation and effect of a low-mimosine treatment, 29 (1990) 63

An attempt to inactivate mimosine of *Leucaena leucocephala* by mineral supplementation for feeding to ruminants, 50 (1994) 157

Minerals, general

Selenium supplements for grazing sheep. 1. A comparison between soluble salts and other forms of supplement, 28 (1990) 1

The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29

The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323

Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239

Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297

Egg production, tissue deposition and mineral metabolism in two strains of commercial layers

- with various levels of manganese in diets, 46 (1994) 271
- Effects of dietary concentration and source of fibre on the apparent absorption of minerals by pigs, 47 (1994) 287
- Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1
- An attempt to inactive mimosine of *Leucaena leucocephala* by mineral supplementation for feeding to ruminants, 50 (1994) 157
- Modelling**
- Mean retention time of dietary residues within the gastrointestinal tract of the young ruminant: a comparison of non-compartmental (algebraic) and compartmental (modelling) estimation methods, 35 (1991) 139
- A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95
- Molasse**
- Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
- Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277
- Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281
- Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* × *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
- The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213

- The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
- Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37

Monensin

- Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
- Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
- Treatment with different chemicals and their effects on the digestibility of maize stalks. 2. Intake and in vivo digestibility as affected by chemical treatment and monensin supplementation, 45 (1994) 309

Monosaccharides

- Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with rolled cereal grains, 46 (1994) 307

Mountain forage

- Prediction of digestible organic matter in dry matter in vivo from the chemical composition, in vitro and in situ measurements on native mountain forages, 39 (1992) 323

Mouse

- Nutritional evaluation of linseed meals from flax with yellow or brown hulls, using mice and pigs, 43 (1993) 1

Mycotoxins

- Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83

Myrosinase

- Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229

N

Napier grass

- Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265

Near-infrared reflectance spectroscopy

- Determination of cell-wall carbohydrates in forages by near infrared reflectance spectroscopy, 28 (1990) 293
- A comparison of near-infrared reflectance spectroscopy with three in vitro techniques to predict the digestibility in vivo of untreated and ammonia-treated cereal straws, 35 (1991) 83
- Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47
- Influence of growth type and season on the prediction of the metabolisable energy content of herbage by near-infrared reflectance spectroscopy, 37 (1992) 281
- The use of near-infrared reflectance spectroscopy to define nutrient digestion of hay by cattle, 44 (1993) 237
- Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17

Neutral detergent fibre

- Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fibre digestion in beef heifers, 33 (1991) 323
- Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13
- Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermuda-grass hay, 36 (1992) 91
- A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95
- Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203

Niacin

- Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Nitrate

- The modulation of nitrate-enhanced hypothermia by sulphur compounds in cold-exposed sheep, 39 (1992) 347

Nitrate poisoning

- Prophylactic effect of L-cysteine on nitrate-induced alterations in respiratory exchange and metabolic rate in sheep, 35 (1991) 105

Nitrogen

- Estimation of the true ileal digestibility of amino acids and nitrogen from their apparent values for growing pigs, 26 (1989) 271
- Influence of method of calculation and length of period of rumen fermentation on the effective degradability of dry matter and nitrogen in some tree forages, 26 (1989) 309
- In situ digestion of detergent fiber nitrogen in alfalfa stems, 30 (1990) 1
- Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
- Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69
- In vitro continuous culture studies on the effect of nitrogen source on rumen microbial growth and fibre digestion, 31 (1990) 55
- Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313
- Effects of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of rumen contents in vivo, 31 (1990) 323
- Nitrogen, amino acid and starch absorption and endogenous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15
- Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195

- Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247
- The ileal digestibility of nitrogen and amino acids in meat and bone meals determined using a rate assay, 34 (1991) 111
- Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343
- Influence of foodstuff particle size on in situ degradation of nitrogen in the rumen, 35 (1991) 69
- Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191
- Nitrogen and purine metabolism in preruminant and ruminant goat kids given increasing amounts of ribonucleic acids, 35 (1991) 213
- Effects of the ionophore salinomycin on nitrogen and long-chain fatty acid profiles of digesta in the rumen and duodenum of sheep, 36 (1992) 67
- Effects of feeding sorbitol associated with different sources and amounts of nitrogen on growth, digestion and metabolism in young bulls, 36 (1992) 255
- Losses of dry matter, nitrogen, minerals and fibre fractions from nylon bags containing *Leucaena leucocephala* and two *Calliandra* species in the rumen, 37 (1992) 297
- Tentative explanation of the abnormally high faecal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
- Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
- Nitrogen degradability of fresh herbage: effect of maturity and growth type, and prediction from chemical composition and by near infrared reflectance spectroscopy, 38 (1992) 335
- Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193
- Problems associated with estimating the digestibility of undegraded dietary nitrogen from acid-detergent insoluble nitrogen, 39 (1992) 279
- In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review (Review), 40 (1992) 57
- Influence of urea feeding duration on nitrogen metabolism of rumen bacteria and their host sheep, 40 (1993) 177
- In sacco degradation of dry matter and nitrogen in oven dried and fresh tropical grasses and some relationships to in vitro dry matter digestibility, 40 (1993) 191
- In vitro solubility and degradability of nitrogen in concentrate ruminant feeds, 42 (1993) 1
- Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177
- The true digestibility and biological value for rats of undegraded dietary nitrogen in feeds for ruminants, 42 (1993) 209
- The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
- Studies on the influence of calcium formate on growth, digestibility of crude nutrients, nitrogen balance and calcium retention in weaned piglets, 43 (1993) 65
- Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73
- Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
- Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
- The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates, 47 (1994) 335
- Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
- In vitro and in vivo comparisons of diaminopimelic acid and purines for estimating protein synthesis in the rumen, 48 (1994) 49
- The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57
- The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153

The effects of feeding supplements containing different amounts and sources of nitrogen on live weight and the testes of rams during and after mating, 48 (1994) 177

Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ^{15}N horse urine treated wheat straw in small ruminants, 48 (1994) 199

Determination of nitrogen intestinal digestibility in ruminants, 48 (1994) 253

The post-ruminal digestion of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains and canola meal, 49 (1994) 173

The fixation of nitrogen using acid, green forage and germinated barley during urea treatment of straws, 50 (1994) 123

Nitrogen solubilisation

Effect of forage and concentrate intake level on rumen degradability of protein sources having different *in vitro* rates of N solubilisation, 26 (1989) 231

Nutritive value — ambadi

Chemical composition and nutritive value of ambadi (*Hibiscus cannabinus*) meal for layers, 44 (1993) 151

Nutritive value — barley

Genotypic and environmental differences in extract viscosity of barley and their relationship to its nutritive value for broiler chickens, 26 (1989) 221

Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243

Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223

Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227

Nutritive value — baubinia

The nutritive value of baubinia leaf meal for broiler starter chicks, 37 (1992) 317

Nutritive value — beans

Effect of processing on antinutritional factors and protein nutritional value of dry beans (*Phaseolus vulgaris* L.). A review. (Review), 29 (1990) 179

Nutritive value — beet

Nutritive value of beet and citrus pulps for rabbits, 31 (1990) 239

Nutritive value — canola seed

Nutritive value of canola seed for young pigs, 28 (1990) 325

Nutritive value — cassava meal

Nutritional value of cassava meal in diets for geese, 36 (1992) 29

Nutritive value — clover

Chemical composition and nutritive value of mature annual legumes for sheep, 37 (1992) 221

Nutritive value — cocoa

The nutritive value of alkali-treated cocoa husk meal in broiler chick diets, 46 (1994) 321

Nutritive value — enzyme supplements

The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1

Nutritive value — faba bean

Effect of enzyme addition, autoclave treatment and fermenting on the nutritive value of field beans (*Vicia faba* L.), 26 (1989) 71

The nutritional values of faba bean flours varying in their mean particle size in young chickens, 34 (1991) 11

Technological-scale dehulling process to improve the nutritional value of faba beans, 46 (1994) 1

Nutritive value — fats

Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251

Nutritive value — feather meal

Processing of feather meal to maximize its nutritional value for poultry, 47 (1994) 179

Nutritive value — fibre

The influence of the Maillard reaction upon the nutritive value of fibrous feeds, 32 (1991) 45

Nutritive value — fish silage

Chemical and nutritional quality of dried fermented fish silages and their nutritive value

for tilapia (*Oreochromis niloticus*), 45 (1994) 167

Nutritive value — ghee residue

Chemical composition and nutritive value of ghee residue for chickens, 26 (1989) 119

Nutritive value — jack bean

Dry urea treatment prior to toasting as a method of improving the nutritive value of jackbeans (*Canavalia ensiformis*) for broilers, 48 (1994) 335

Nutritive value — lupin

Nutritive value of raw and roasted sweet white lupins (*Lupinus albus*) for lactating dairy cows, 43 (1993) 275

Nutritive value — maize

Nutritive value of maize residues in comparison with *Eragrostis curvula* hay as feed for sheep, 34 (1991) 213

Nutritive value and ensiling characteristics of maize herbage as influenced by agronomic factors, 38 (1992) 11

Nutritive value and ensiling characteristics of maize stover as influenced by hybrid maturity and generation, plant density and harvest date, 41 (1993) 51

Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149

Nutritive value — manure

The nutritive evaluation of dried poultry excreta as a feed ingredient for broiler chickens, 37 (1992) 99

Nutritive value — medic

Chemical composition and nutritive value of mature annual legumes for sheep, 37 (1992) 221

Nutritive value — molasse

Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281

Nutritive value — mountain forage

Prediction of digestible organic matter in dry matter in vivo from the chemical composition, in vitro and in situ measurements on native mountain forages, 39 (1992) 323

Nutritive value — plant juice

The nutritive value of protein of juice extracted from green parts of various plants (Short Communication), 38 (1992) 81

Nutritive value — proteins and amino acids

Yield, composition and nutritive value of leaf protein concentrates from mixed forages of cereals and legumes, 27 (1989) 117

Nutritive value — rapeseed

Improvement in the nutritive value of high and low glucosinolate rapeseed meal by aqueous extraction, 48 (1994) 265

Nutritive value — raspberry pomace

Composition of raspberry pomace and its nutritive value for monogastric animals, 45 (1994) 139

Nutritive value — rice

The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81

The nutritive value of full-fat and defatted Australian rice bran. I. Chemical composition, 27 (1990) 219

The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229

The nutritive value of full-fat and defatted Australian rice bran. III. The apparent digestible energy content of defatted rice bran in rats and pigs and the metabolisability of energy and nutrients in defatted and full-fat bran in chickens and adult cockerels, 27 (1990) 247

The nutritive value of full-fat and defatted Australian rice bran. IV. Egg production of hens on diets with defatted rice bran, 27 (1990) 259

Variation in the nutritional value of rice straw, 34 (1991) 261

The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323

Nutritive value — rubber seed

Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313

Nutritive value — rye

Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79

Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89

Nutritive value — ryegrass

Chemical composition and nutritive value to sheep of untreated and oven-ammoniated ryegrass hays prepared from crops of differing maturities, 26 (1989) 207

Nutritive value — seaweed

Nutritional value of seaweed (*Ulva rigida*) for poultry, 49 (1994) 87

Nutritive value — sorghum

Nutritional evaluation of sorghum germ meal as a substitute for sorghum in broiler diets, 44 (1993) 93

Nutritive value — soya bean

The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127

Nutritive value — spring grown herbage

The nutritive value of spring-grown herbage produced on farms throughout England and Wales over four years. I. The effect of stage of maturity and other factors on chemical composition, apparent digestibility and energy values measured in vivo, 27 (1989) 157

The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. II. The prediction of apparent digestibility in vivo from various laboratory measurements, 27 (1990) 173

The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. III. The prediction of energy values from various laboratory measurements, 27 (1990) 185

Nutritive value — sugar cane

Effect of variety, stage of maturity and nitrate fertilization on nutritive values of sugar cane, 39 (1992) 265

Nutritive value — tagasaste

The nutritive value for ruminants of tagasaste (*Chamaecytisus palmensis*), a leguminous tree, 28 (1990) 275

Nutritive value — triticale

The effect of mild heat on the nutritional value of triticale for growing pigs, 26 (1989) 191

The effect of rate of feeding on the nutritional value of three triticale cultivars for growing pigs, 27 (1990) 317

Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79

Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89

Nutritive value of whole triticale grain for sheep (Short Communication), 30 (1990) 163

Nutritive value of triticale cultivars in pigs as a function of their chemical composition, 35 (1991) 49

Nutritive value — tropical feedstuffs, general

Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91

Nutritive value — wheat

Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79

Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243

The effect of moulds on the nutritional value of wheat, 28 (1990) 315

Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89

A comparison of farm-scale methods of application of sodium hydroxide on the nutritive value of a winter wheat straw, 41 (1993) 199

O

Oak leaves

Distribution of condensed tannins (proanthocyanidins) in various fibre fractions in young and mature leaves of some oak species, 32 (1991) 253

Detannification of oak (*Quercus incana*) leaves: treatments and their optimization, 36 (1992) 113

Effect of storage and urea addition on detannification and in sacco dry matter digestibility of

mature oak (*Quercus incana*) leaves, 41 (1993) 247

Oat

Morphology, fiber composition and mean particle diameter relationships in ground barley and oat forages at different ages, 31 (1990) 65

Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161

Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343

A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227

Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31

The effect of stage of harvest on the processes of digestion in cattle fed winter oats indoors. 1. Digestion of organic matter, neutral detergent fibre and water-soluble carbohydrate, 47 (1994) 201

Oat groats

Use of wild oat groats in starter diets for swine, 46 (1994) 229

Oat straw

The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73

In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73

Oatmeal by-product

Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

Oil seeds

By-products of some novel oil seeds for feeding: laboratory evaluation, 50 (1994) 87

Oligosaccharides

Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313

Olive pulp meal

Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Optical density measurement

Evaluation of chemical composition, optical density measurements and in sacco disappearance of two commodities under controlled moisture and heating conditions, 36 (1992) 13

Orange peel

Chemical changes during the ensiling of orange peel, 43 (1993) 269

Orchardgrass

Digestibility by rumen microorganisms of neutral sugars in perennial forage stems and leaves, 32 (1991) 119

Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287

Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchardgrass hay and silage, 41 (1993) 213

Effect of stage of maturity of alfalfa and orchardgrass on in situ dry matter and crude protein degradability and amino acid composition, 44 (1993) 29

Organic acids

Effects of organic acids with and without a microbial culture on performance and gastrointestinal tract measurements of weanling pigs, 35 (1991) 259

Organic matter, general

Within- and between-centre variability in the measurement of organic matter digestibility in vivo of cereal straws, 28 (1990) 103

Osmolarity

Bacterial adhesion to fibre during in vitro incubations under varying osmotic pressure, 41 (1993) 65

Ozone treatment

Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269

- Pyrolysis mass spectrometry of coastal Bermuda-grass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17
- Ozone-treated cotton stalks as a component of a ration for growing lambs, 37 (1992) 185

P

Paciflor®

- Effect of the probiotic Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs, 41 (1993) 181

Palatability

- Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1. Methodological approach, 46 (1994) 143

Palm kernel meal

- Effects of high rates of inclusion of palm kernel meal in broiler chick diets, 34 (1991) 37

Palm oil

- Comparative utilization of rubber seed oil and palm oil by broilers in a humid tropical environment, 43 (1993) 177

Palm oil refinery product

- Evaluation of spent bleaching and filtering clay — a bentonite product from palm oil refining as a potential feed ingredient in layer diets, 40 (1992) 13

Palm press fibre

- Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311

Parasitism

- Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325

Particle sedimentation

- Simulation of feed particle sedimentation in the reticulum as affected by hydration and fermentation, 39 (1992) 135

Particle size

- Morphology, fiber composition and mean particle diameter relationships in ground barley and oat forages at different ages, 31 (1990) 65

- Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215

- The nutritional values of faba bean flours varying in their mean particle size in young chickens, 34 (1991) 11

- Influence of foodstuff particle size on in situ degradation of nitrogen in the rumen, 35 (1991) 69

- The influence of leaf and stem particle size in vitro and of sample size in sacco on neutral detergent fibre fermentation kinetics, 37 (1992) 85

- Ruminal passage rate as affected by CrNDF particle size, 37 (1992) 193

- Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17

Passage estimation

- Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59

Passage rate

- Measurement of the rate of passage in restricted-fed rabbits: effect of dietary cell wall level on the transit of fibre particles of different sizes, 42 (1993) 151

- Effect of dietary starch origin on digestion in the rabbit. 2. Starch hydrolysis in the small intestine, cell wall degradation and rate of passage measurements, 42 (1993) 249

Pasture plants

- Seasonal trends in forage dry matter production of some improved pastures and animal performance in relation to chemical composition in Malawi, 28 (1990) 255

Pea

- Effect of autoclaving on metabolizable energy value of smooth pea seed (*Pisum sativum*) in growing chicks, 26 (1989) 337

- The effect of two heat treatments (steam flaking and extrusion) on the digestion of *Pisum sativum* in the stomach of heifers, 28 (1990) 303

Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45

Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313

The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289

Varietal distribution of the trypsin inhibitor activity in peas (*Pisum sativum* L.), 37 (1992) 309

Influence of extrusion on ruminal and intestinal disappearance in sacco of pea (*Pisum sativum*) proteins and starch, 38 (1992) 43

Reproductive performance of dwarf breeder pullets fed yellow peas (*Pisum sativum* L. var. 'Miranda') (Short Communication), 40 (1992) 87

Ileal and faecal digestibility of light- or dark-coloured peas (*Pisum sativum*) in growing pigs, 42 (1993) 15

Productivity of laying pullets fed diets containing yellow peas (*Pisum sativum* L. var. Miranda), 45 (1994) 205

Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99

Peanut meal

Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

Pectin

Comparison between enzymatically and chemically extracted pectins from apple cell walls, 32 (1991) 69

Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171

Pectin fermentation and utilization by natural microflora during ryegrass ensilage, 41 (1993) 113

Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177

Pellet quality

Selenium supplements for grazing sheep. 1. Effectiveness of intra-ruminal pellets, 28 (1990) 15

Pelleting

Effects of pelleting diets containing sunflower meal on the performance of broiler chickens, 30 (1990) 121

The utilization of pelleted, extruded, and extruded and repelleted diets by early weaned pigs, 31 (1990) 269

Pentosan

Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105

Peptides

Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151

Phenolic-carbohydrate complexes

In vitro ruminal fiber digestion as influenced by phenolic-carbohydrate complexes released from sorghum cell walls, 39 (1992) 79

Phenolic compounds

Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313

Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep, 47 (1994) 277

The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpyrrolidone for the assessment of phenolics-related antinutritive factors in browse species, 47 (1994) 305

Brown midrib mutant maize with reduced levels of phenolic acids ether-linked to the cell walls, 48 (1994) 27

Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpyrrolidone or nylon bag, 49 (1994) 133

Phenolic monomers

Post-ruminal digestion of starch in the presence of phenolic monomers, 27 (1989) 111

Phenylalanine

Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Phosphorus

Preparation of a low-phytate feed mixture and bioavailability of its phosphorus to chicks, 27 (1990) 341

Effect of pelleting mixed feeds on phytase activity and the apparent absorbability of phosphorus and calcium in pigs, 28 (1990) 233

Relationship of lignin and esterified phenolics to fermentation of smooth brome grass fibre, 32 (1991) 63

Total phosphorus, phytate-phosphorus and phytase activity in plant feedstuffs, 47 (1994) 19

The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique, 47 (1994) 321

Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1

Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93

Phytase

Effect of pelleting mixed feeds on phytase activity and the apparent absorbability of phosphorus and calcium in pigs, 28 (1990) 233

Total phosphorus, phytate-phosphorus and phytase activity in plant feedstuffs, 47 (1994) 19

Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1

Phytate

Preparation of a low-phytate feed mixture and bioavailability of its phosphorus to chicks, 27 (1990) 341

Phytate-phosphorus

Total phosphorus, phytate-phosphorus and phytase activity in plant feedstuffs, 47 (1994) 19

Phytin phosphorus

The retention of phytin phosphorus from diets with fat supplements in broiler chicks, 31 (1990) 223

Pig — general

The nutritive value of full-fat and defatted Australian rice bran. III. The apparent digestible energy content of defatted rice bran in rats and pigs and the metabolisability of energy and nutrients in defatted and full-fat bran in chickens and adult cockerels, 27 (1990) 247

Digesta collection procedure may affect ileal digestibility in pigs fed diets based on wheat bran or beet pulp, 27 (1990) 307

Ileal and faecal energy digestibility coefficients of full-fat canola seed for swine, 28 (1990) 71

Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91

Relationships between bioavailable energy estimates made with pigs and cockerels, 30 (1990) 131

Uncorticated cottonseed meal as a substitute for soya bean meal in diets for weaner and growing-finishing pigs, 30 (1990) 193

A rapid assay for the measurement of protein digestion to the ileum of pigs by the use of a mobile nylon bag technique, 33 (1991) 209

Nutritive value of triticale cultivars in pigs as a function of their chemical composition, 35 (1991) 49

Influence of different cannulation techniques on the pre-caecal digestibility of protein, amino acids and cell wall constituents from diets, containing different protein meals, in pigs, 35 (1991) 271

The flows of deoxyribonucleic acid and diamino-pimelic acid and the digestibility of dietary fibre components at the terminal ileum, as indicators of microbial activity in the upper digestive tract of ileostomised pigs, 36 (1992) 129

Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993) 149

Nutritive value of feedstuffs and diets for pigs: 1. Chemical composition, apparent ileal and faecal digestibilities, 44 (1993) 1

Antibiotics in feed, with special reference to pigs: a veterinary viewpoint, 45 (1993) 57

Nutritive value of feedstuffs and diets for pigs: 2. Apparent post-ileal digestibility and inter-relationships between dietary constituents and faecal and ileal digestibility, 45 (1994) 243

The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305

Pig — finishing

- A comparison of various feeding systems for finishing pigs, 26 (1989) 251
- A comparison of offering meal from a self-feed hopper having built-in watering with some conventional systems of offering meal and pellets to finishing pigs, 26 (1989) 261
- A comparison of offering meal and pellets to finishing pigs from self-feed hoppers with and without built-in watering, 34 (1991) 29
- Effect of pelleting and feeding level on apparent digestibility and feeding value of diets for growing-finishing pigs, 45 (1994) 349

Pig — growing

- Effect of infrared irradiation or extrusion processing of maize on its digestibility in piglets, 26 (1989) 29
- Grape juice concentrate as a feed for growing pigs, 26 (1989) 153
- The effect of mild heat on the nutritional value of triticale for growing pigs, 26 (1989) 191
- Estimation of the true ileal digestibility of amino acids and nitrogen from their apparent values for growing pigs, 26 (1989) 271
- Factors affecting the apparent digestibility of protein for swine when determined by the mobile nylon bag technique, 27 (1989) 137
- The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229
- The effect of rate of feeding on the nutritional value of three triticale cultivars for growing pigs, 27 (1990) 317
- Effect of pelleting mixed feeds on phytase activity and the apparent absorbability of phosphorus and calcium in pigs, 28 (1990) 233
- Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45
- Copper and iodine in pig diets with high glucosinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters, 30 (1990) 143
- A comparison of single- and multi-space feeders for growing pigs fed non-pelleted diets *ad libitum* (Short Communication), 30 (1990) 169
- Low-glucosinolate rapeseeds and rapeseed meals: effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs, 30 (1990) 175
- Evaluation of scallop viscera silage as a high-protein feedstuff for growing-finishing swine, 31 (1990) 43
- Chemical analysis of cell wall and energy digestibility in growing pigs, 32 (1991) 55
- Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
- Assessment of apparent ileal lysine digestibility for use in diet formulation for the growing pig, 34 (1991) 95
- The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3
- Effects on ileal apparent digestibility in the growing pig of replacing barley with bran, oatmeal by-product, guar gum and pectin (Short Communication), 35 (1991) 171
- Evaluation of meals from Linola™ low-linolenic acid linseed and conventional linseed as protein sources for growing pigs, 35 (1991) 181
- Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247
- Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321
- Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205
- Utilization of dietary energy and nutrients from soya bean products by growing pigs, 36 (1992) 303
- The effect of dietary cadmium intake on the growth performance and retention of cadmium in growing pigs, 37 (1992) 1
- Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233
- Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245
- Predicting the energy value of pig feeds using *in vitro* or analytical methods, 39 (1992) 183
- Effects of level of inclusion of copra meal in balanced diets supplemented with synthetic amino acids on growth and fat deposition and composition in growing pigs fed *ad libitum*

- at a constant temperature of 25°C, 40 (1992) 31
- In vivo apparent digestibility and in vitro solubilization — the influence of pig live weight and diet, 40 (1993) 223
- Effect of the probiotic Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs, 41 (1993) 181
- Use of differently processed full-fat soybeans in a diet for pig fattening, 41 (1993) 237
- Ileal and faecal digestibility of light- or dark-coloured peas (*Pisum sativum*) in growing pigs, 42 (1993) 15
- Ileal and faecal digestibility in piglets of field beans (*Vicia faba* L.) varying in tannin content, 42 (1993) 83
- Digestible, metabolizable and net energy values of 13 feedstuffs for growing pigs: effect of energy system, 42 (1993) 131
- Digestible and metabolizable energy values of ten feed ingredients in growing pigs fed ad libitum and sows fed at maintenance level; comparative contribution of the hindgut, 42 (1993) 223
- Comparison of ileorectal anastomosis and the conventional method for the measurement of ileal digestibility of protein sources and mixed diets in growing pigs, 42 (1993) 297
- Nutritional evaluation of linseed meals from flax with yellow or brown hulls, using mice and pigs, 43 (1993) 1
- Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77
- Effects of dietary inclusion of hulls of faba beans (*Vicia faba* L.) with a low and high content of condensed tannins on digestion and some physiological parameters in piglets, 43 (1993) 239
- Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs, 44 (1993) 113
- Effects of combinations of wheat, corn or hullless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
- Effects of adding barley hulls and linseed meal to wheat and hullless barley diets fed to growing pigs, 45 (1994) 177
- Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283
- Effect of pelleting and feeding level on apparent digestibility and feeding value of diets for growing-finishing pigs, 45 (1994) 349
- A note on the interactive influence of dietary lysine and threonine on plasma urea levels in the growing pig (Short Communication), 46 (1994) 163
- Effects of dietary concentration and source of fibre on the apparent absorption of minerals by pigs, 47 (1994) 287
- Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229
- Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticales to pigs, 49 (1994) 1
- Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43
- The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57
- True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73
- The growth of pigs from 6 to 10 kg when fed fish silages that were preserved either by formic acid or by fermentation (Short Communication), 49 (1994) 163
- Pyridoxine supplementation of Linola™ meal for growing pigs, 50 (1994) 167
- Pig — sow**
- Metabolic energy of corn (maize) gluten feed and apparent digestibility of the fibrous components for gestating sows, 35 (1991) 131
- Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177
- Digestible and metabolizable energy values of ten feed ingredients in growing pigs fed ad libitum and sows fed at maintenance level; comparative contribution of the hindgut, 42 (1993) 223
- Effect of dietary protein and supplemental soybean oil fed during lactation on sow and litter performance through two parities, 45 (1994) 211

Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293

Pig — starter

Use of wild oat groats in starter diets for swine, 46 (1994) 229

Pig — weaner

Nutritive value of canola seed for young pigs, 28 (1990) 325

Effects of extrusion of maize on ileal and faecal digestibility of nutrients and performance of young piglets, 29 (1990) 309

The utilization of pelleted, extruded, and extruded and repelleted diets by early weaned pigs, 31 (1990) 269

Effects of organic acids with and without a microbial culture on performance and gastrointestinal tract measurements of weanling pigs, 35 (1991) 259

Studies on the influence of calcium formate on growth, digestibility of crude nutrients, nitrogen balance and calcium retention in weaned piglets, 43 (1993) 65

Dehulled protein-rich rapeseed meal as a protein source for early weaned piglets, 46 (1994) 239

The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 165

Effect of extruded full fat soyabean meal as a replacement for groundnut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 171

Pigment

Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79

Pleurotus ostreatus

Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59

Polyethylene glycol

Effects of treatment with polyvinylpyrrolidone and polyethylene glycol on Faba bean tannins, 35 (1991) 199

Polysaccharidases

Digestion of wheat aleurone by commercial polysaccharidases, 32 (1991) 185

Polysaccharides

Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α -galactosides, 32 (1991) 177

The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283

Polyvinylpyrrolidone

The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpyrrolidone for the assessment of phenolics-related antinutritive factors in browse species, 47 (1994) 305

Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpyrrolidone or nylon bag, 49 (1994) 133

Polyvinylpyrrolidone

Effects of treatment with polyvinylpyrrolidone and polyethylene glycol on Faba bean tannins, 35 (1991) 199

Poplar

Effect of steam explosion treatment on the physico-chemical characteristics and enzyme hydrolysis of poplar cell wall components, 32 (1991) 235

Potassium carbonate

Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175

Potassium permanganate

In vitro digested and potassium permanganate delignified maize internode sections studied by histochemistry and analytical pyrolysis mass spectrometry, 39 (1992) 335

Potassium sorbate

Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175

Potato

- The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
- Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273

Potato protein

- Use of soy protein concentrate in combination with potato protein in milk replacers for veal calves, 48 (1994) 111

Poultry litter

- Processing of slaughterhouse blood and poultry litter and the effects on nutrient digestibility by steers, 40 (1993) 153
- The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165

Precholecalciferol

- The vitamin D₃ and precholecalciferol content of menhaden fish meal as affected by drying conditions, 47 (1994) 99

Proanthocyanidin

- The antinutritive effect of proanthocyanidin-rich and proanthocyanidin-free hulls from field beans on digestion of nutrients and metabolisable energy in intact and caecectomised cockerels, 34 (1991) 147

Prolactin

- Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123

Propionic acid

- Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343
- Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245
- Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175

Protein concentrates

- The effect of flocculant applied in the process of fractionating alfalfa juice on the chemical composition of the obtained protein concentrates, 31 (1990) 305

Protein synthesis

- Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293
- In vitro and in vivo comparisons of diaminopimelic acid and purines for estimating protein synthesis in the rumen, 48 (1994) 49
- Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and a non-invasive method, 48 (1994) 289

Protein-precipitating capacity

- Relationship between protein-precipitating capacity of fodder tree leaves and their tannin content (Short Communication), 44 (1993) 281

Proteins — general

- Effect of different processing methods on tannin content and in vitro protein digestibility of faba bean, 33 (1991) 49
- The nutritive value of protein of juice extracted from green parts of various plants (Short Communication), 38 (1992) 81
- A theoretically-based model for predicting total digestible nutrient values of forages and concentrates, 39 (1992) 95
- Protein and energy evaluation with rats of seed from 11 lupin cultivars, 43 (1993) 109

Proteins — buffalo

- Protein evaluation in ruminants in vitro, in sacco, in vivo protein degradability and microbial efficiency of different protein supplements in growing buffalo calves, 45 (1994) 149
- Protein evaluation in ruminants. 2. Evaluation of agroindustrial by-product-based rations in metabolic and rumen studies of buffalo calves, 47 (1994) 61

Proteins — cattle

- Influence of extrusion on ruminal and intestinal disappearance in sacco of pea (*Pisum sativum*) proteins and starch, 38 (1992) 43
- Whey protein digestion in the distal ileum of the preruminant calf, 41 (1993) 223

Effect of stage of maturity of alfalfa and orchard-grass on in situ dry matter and crude protein degradability and amino acid composition, 44 (1993) 29

Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299

Use of soy protein concentrate in combination with potato protein in milk replacers for veal calves, 48 (1994) 111

Urea vs. urea and escape protein for finishing calves and yearlings, 49 (1994) 103

Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119

Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Replacement of skim milk with soya bean protein concentrates and whey in milk replacers for veal calves, 50 (1994) 101

Proteins — chicken

Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199

Nitrogen, amino acid and starch absorption and endogenous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15

Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255

Dietary protein and energy effects on reproductive characteristics of commercial egg-type pullets reared in arid hot climate (Short Communication), 41 (1993) 161

Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271

Proteins — degradation

Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231

Factors affecting the apparent digestibility of protein for swine when determined by the mobile nylon bag technique, 27 (1989) 137

Quality assessment of tropical browse legumes: tannin content and protein degradation, 27 (1989) 147

Comparison between the mechanism of protein degradation of two cereals by enzymatic and in situ methods, using gel electrophoresis, 35 (1991) 115

The degradability of legume seed meals in the rumen: effect of heat treatment, 36 (1992) 101

Protein solubility and degradation in vitro as influenced by buffer and maturity of alfalfa, 37 (1992) 9

Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21

In vitro studies of conditions required to protect protein from ruminal degradation by heating in the presence of sugars, 37 (1992) 129

Intestinal digestibility of rumen undegraded protein of various feeds as estimated by the mobile bag technique, 37 (1992) 161

Effect of sample pretreatment on alfalfa silage dry matter and protein degradability in sacco, 38 (1992) 69

Refinement of an enzymatic method for estimating the theoretical degradability of proteins in feedstuffs for ruminants, 39 (1992) 357

Application of an inhibitor in vitro method for estimating rumen degradation of feed protein, 40 (1993) 251

Disappearance of protein supplements and their fractions in sacco, 40 (1993) 285

Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25

Proteins — fermentation

Effects of diets formulated to contain different amounts of rumen non-degradable protein on microbial fermentation and nutrient flow from a continuous culture system, 39 (1992) 239

Proteins — fish

Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177

Proteins — goat

Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123

The effects of feeding level and roughage/concentrate ratio on the measurement of protein degradability of two tropical forages in the rumen of goats, using the nylon bag technique, 41 (1993) 261

Proteins — non-ruminants, general

Protein quality of legume seeds for non-ruminant animals: a literature review (Review), 45 (1994) 317

Proteins — pig

Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45

Undecorticated cottonseed meal as a substitute for soya bean meal in diets for weaner and growing-finishing pigs, 30 (1990) 193

Evaluation of scallop viscera silage as a high-protein feedstuff for growing-finishing swine, 31 (1990) 43

A rapid assay for the measurement of protein digestion to the ileum of pigs by the use of a mobile nylon bag technique, 33 (1991) 209

Evaluation of meals from Linola™ low-linolenic acid linseed and conventional linseed as protein sources for growing pigs, 35 (1991) 181

Influence of different cannulation techniques on the pre-caecal digestibility of protein, amino acids and cell wall constituents from diets, containing different protein meals, in pigs, 35 (1991) 271

Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205

Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245

Effect of the probiotic Paciflor® (CIP 5832) on energy and protein metabolism in growing pigs, 41 (1993) 181

Comparison of ileorectal anastomosis and the conventional method for the measurement of ileal digestibility of protein sources and mixed diets in growing pigs, 42 (1993) 297

Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77

Effect of dietary protein and supplemental soyabean oil fed during lactation on sow and litter

performance through two parities, 45 (1994) 211

Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

Dehulled protein-rich rapeseed meal as a protein source for early weaned piglets, 46 (1994) 239

Proteins — rat

Protein quality of two cultivars of lupin seeds evaluated in weanling rats, 33 (1991) 87

Nutritional and toxicological evaluation on rats of earthworm (*Eisenia fetida*) meal as protein source for animal feed, 42 (1993) 165

Proteins — ruminants, general

Predicting in situ degradability of feed proteins in the rumen by two laboratory methods (solubility and enzymatic degradation), 33 (1991) 97

Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287

Fractionation of fresh, wilted and ensiled alfalfa proteins, 41 (1993) 1

Effect of a commercial enzyme preparation on alfalfa silage fermentation and protein degradability, 42 (1993) 273

Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131

Effect of sodium metabisulphite on proteolysis and rumen degradability of alfalfa silage protein, 48 (1994) 143

Proteins — sheep

Citrullus colocynthis seed meal as a protein supplement for Najdi sheep in northern Saudi Arabia, 29 (1990) 57

Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161

Effect of dietary protein concentration and cimetrol on growth and body composition of entire male lambs, 34 (1991) 181

Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191

The chemical composition, digestibility, metabolisable energy content and nitrogen degradability of some protein concentrates, 47 (1994) 335

Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75

Protozoa

Effects of feed on the composition of the rumen ciliate protozoal population in cattle and its relationship to cellulolytic ciliate protozoa (Short Communication), 29 (1990) 159

Rumen ciliates: their metabolism and relationships with bacteria and their hosts, 30 (1990) 203

The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193

Purine

Nitrogen and purine metabolism in preruminant and ruminant goat kids given increasing amounts of ribonucleic acids, 35 (1991) 213

Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189

In vitro and in vivo comparisons of diaminopimelic acid and purines for estimating protein synthesis in the rumen, 48 (1994) 49

Pyridoxine

Pyridoxine supplementation of Linola™ meal for growing pigs, 50 (1994) 167

Pyromellitic diimide

The effect of pyromellitic diimide upon the rumen fermentation of sheep fed a forage diet, 28 (1990) 145

Q

Quackgrass

Forage quality, productivity and feeding value to beef cattle of quackgrass (*Elytrigia repens* (L.) Nevski.) compared with timothy (*Phleum pratense* L.), 47 (1994) 53

R

Rabbit

Leucaena leaf meal in the diet of growing rabbits: evaluation and effect of a low-mimosine treatment, 29 (1990) 63

Nutritive value of beet and citrus pulps for rabbits, 31 (1990) 239

Fibre digestion and rate of passage in the rabbit: effect of particle size and level of lucerne meal, 32 (1991) 215

The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127

Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. 1. Individual classes of feeds, 39 (1992) 27

Prediction of the digestible energy and digestibility of gross energy of feeds for rabbits. 2. Mixed diets, 39 (1992) 39

Evaluation of cocoa-pod husks on performance of rabbits (Short Communication), 40 (1993) 267

An in vitro assessment of several enzymes for the supplementation of rabbit diets, 40 (1993) 309

Comparison of in vitro digestion of feed ingredients by rabbit cecal and bovine rumen fluids, 41 (1993) 329

Measurement of the rate of passage in restricted-fed rabbits: effect of dietary cell wall level on the transit of fibre particles of different sizes, 42 (1993) 151

Effect of dietary starch origin on digestion in the rabbit. 1. Digestibility measurements from weaning to slaughter, 42 (1993) 237

Effect of dietary starch origin on digestion in the rabbit. 2. Starch hydrolysis in the small intestine, cell wall degradation and rate of passage measurements, 42 (1993) 249

Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1

Rainbow trout

Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177

Digestibility and energy values of intact, disrupted and extracts from brewer's dried yeast fed to rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 185

Chemical and nutritional evaluation of soya protein preparations as primary nitrogen sources for rainbow trout (*Oncorhynchus mykiss*), 40 (1993) 135

Rapeseed

Low-glucosinolate rapeseeds and rapeseed meals: effect of technological treatments on chemical composition, digestible energy content and feeding value for growing pigs, 30 (1990) 175

Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291

Glucosinolate degradation by rapeseed myrosinase and effect on rapeseed acceptability by growing pigs, 48 (1994) 229

Rapeseed meal

Copper and iodine in pig diets with high glucosinolate rapeseed meal. 3. Treatment of rapeseed meal with copper, and the effect of iodine supplementation on trace element status and some related blood (serum) parameters, 30 (1990) 143

Effect of protein intake on true digestibility of amino acids in rapeseed meals for adult roosters force fed with moistened feed, 34 (1991) 255

Bioavailability of lysine in rapeseed and soyabean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237

Effects of dietary copper and a probiotic on glucosinolate concentrations in ileal digesta and in faeces of growing pigs given diets based on rapeseed meals, 35 (1991) 247

Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321

A survey of nutrients and toxic factors in commercial rapeseed meal in China and evaluation of detoxification by water extraction, 45 (1994) 257

Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

Dehulled protein-rich rapeseed meal as a protein source for early weaned piglets, 46 (1994) 239

Improvement in the nutritive value of high and low glucosinolate rapeseed meal by aqueous extraction, 48 (1994) 265

Effect of heat or formaldehyde treatment and

differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Rapeseed oil

Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77

Effects of rape-seed oil supplementation on digestion microbial protein synthesis and duodenal microbial amino acid composition in ruminants, 41 (1993) 313

Effect of rapeseed oil supply on in vitro ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181

Raspberry pomace

Composition of raspberry pomace and its nutritive value for monogastric animals, 45 (1994) 139

Rat

The nutritive value of full-fat and defatted Australian rice bran. II. Growth studies with chickens, rats and pigs, 27 (1990) 229

Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313

Volatile fatty acid production from lupin meal in the caecum of the rat: the role of cell wall polysaccharides and α -galactosides, 32 (1991) 177

Effects of dietary date pulp on digestion in the rat, 32 (1991) 229

Protein quality of two cultivars of lupin seeds evaluated in weanling rats, 33 (1991) 87

Feeding value of raw or heated grain amaranth germplasm, 33 (1991) 221

The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127

Composition and nutritive value for rats of *Aspergillus niger* solid fermented barley, 39 (1992) 227

Nutritional and toxicological evaluation on rats of earthworm (*Eisenia fetida*) meal as protein source for animal feed, 42 (1993) 165

The true digestibility and biological value for rats of undegraded dietary nitrogen in feeds for ruminants, 42 (1993) 209

Protein and energy evaluation with rats of seed from 11 lupin cultivars, 43 (1993) 109

The measurement of dietary amino acid digestibility in pigs, rats and chickens: a comparison of methodologies, 48 (1994) 305

The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57

True ileal digestibility of amino acids in meat and bone meal for the growing pig — application of a routine rat digestibility assay, 49 (1994) 73

Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93

Reproductive performance

Effects of ascorbic acid (vitamin C) supplementation on ejaculated semen characteristics of broiler breeder chickens under hot and humid tropical conditions, 34 (1991) 141

Influence of supplementation on the performance of gestating ewes grazing wheat stubble pastures, 35 (1991) 95

Reproductive performance of dwarf breeder pullets fed yellow peas (*Pisum sativum* L. var. 'Miranda') (Short Communication), 40 (1992) 87

Dietary protein and energy effects on reproductive characteristics of commercial egg-type pullets reared in arid hot climate (Short Communication), 41 (1993) 161

The reproductive performance of two genetically distinct lines of Medium White turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*, 43 (1993) 291

The effects of feeding supplements containing different amounts and sources of nitrogen on live weight and the testes of rams during and after mating, 48 (1994) 177

Ribonucleic acids

Nitrogen and purine metabolism in preruminant and ruminant goat kids given increasing amounts of ribonucleic acids, 35 (1991) 213

Rice bran

The nutritive value of full-fat and defatted Australian rice bran. I. Chemical composition, 27 (1990) 219

The nutritive value of full-fat and defatted Australian rice bran. IV. Egg production of hens on diets with defatted rice bran, 27 (1990) 259
An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327

Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129

The nutritive value of full-fat and defatted Australian rice bran. V. The apparent retention of minerals and apparent digestibility of amino acids in chickens and adult cockerels fitted with ileal cannulae, 34 (1991) 323

Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259

Rice bran cake

Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283

Rice straw

The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81

Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179

The feeding value of cereal straws for sheep. II. Rice straws, 29 (1990) 15

The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29

Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333

Variation in the nutritional value of rice straw, 34 (1991) 261

Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311

Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55

Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309

In vitro digestibility studies of some local and high yielding varieties of rice straw (*Oryza*

- sativa*), 42 (1993) 121
- Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
- The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223
- Rubber seed**
- Nutritive value of Nigerian rubber seed (*Hevea brasiliensis*) meal and oil. IV. Effects of graded levels of rubber seed meal and oil on energy and nitrogen utilization by growing rats, 31 (1990) 313
- Rubber seed oil**
- Comparative utilization of rubber seed oil and palm oil by broilers in a humid tropical environment, 43 (1993) 177
- Rumen degradation**
- Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231
- Influence of method of calculation and length of period of rumen fermentation on the effective degradability of dry matter and nitrogen in some tree forages, 26 (1989) 309
- Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1
- The effect of pyromellitic diimide upon the rumen fermentation of sheep fed a forage diet, 28 (1990) 145
- Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183
- Effects of various combinations of urea, soyabean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
- Studies on ammonia treatment of wheat straw: effects of level of ammonia, moisture content, treatment time and temperature on straw composition and degradation in the rumen of sheep, 29 (1990) 251
- Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69
- Electron microscopy as a method for investigating cell wall degradation in the rumen, 32 (1991) 27
- Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49
- Effects of chemical treatments of cereal grains on in vitro dry matter disappearance and steer feedlot performance, 34 (1991) 163
- Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291
- Influence of foodstuff particle size on in situ degradation of nitrogen in the rumen, 35 (1991) 69
- Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309
- Differences in rumen bacterial degradation of morphological fractions in eight cereal straws and the effect of digestion on different types of tissues and mechanical properties of straw stalks, 36 (1992) 173
- Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229
- Effect of replacement of concentrate mix by wilted sesbania (*Sesbania sesban*) forage on diet digestibility, rumen fermentation and milk production in Friesian \times Zebu (Boran) cross-bred cows fed low quality native hay, 36 (1992) 275
- Compositional analyses and rumen degradability of selected tropical feeds, 37 (1992) 265
- Rumen degradation of some *Leguminosae* and *Graminae* roughages: effect of chemical pre-treatment with or without cellulase preparation on dry matter and cell wall disappearance, 38 (1992) 219
- Rumen fermentation and nutrient digestion in cattle fed diets varying in forage and energy source, 39 (1992) 1
- In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review (Review), 40 (1992) 57
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* \times *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* \times *Bos indicus*) non-

- lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
- Rumen degradation and *in vivo* digestibility of dried *Calliandra calothyrsus* leaves, 43 (1993) 19
- Effects of genotype and simulated rainfall on the morphological characteristics, chemical composition and rumen degradation of the straw fractions of barley plants, 44 (1993) 191
- Rumen degradation and intestinal digestion of crambe and other oilseed by-products in dairy cows, 45 (1994) 397
- A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297
- Brown midrib mutant maize with reduced levels of phenolic acids ether-linked to the cell walls, 48 (1994) 27
- The ruminal degradation of dry matter, nitrogen and amino acids in wheat-based distillers' dried grains in sacco, 48 (1994) 57
- Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25
- Rumen fermentation**
- Effects of sugar-beet pulp on ruminal and lactation performances of cows having different rumen fermentation patterns, 31 (1990) 91
- Effects of whole cottonseed on ruminal properties and lactation performance of cows with different rumen fermentation patterns, 34 (1991) 203
- Effects of diets formulated to contain different amounts of rumen non-degradable protein on microbial fermentation and nutrient flow from a continuous culture system, 39 (1992) 239
- Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25
- The contributions of bacteria and protozoa to ruminal forage fermentation *in vitro*, as determined by microbial gas production, 42 (1993) 193
- Effect of fungus-treated straw on ruminal fermentation *in vitro*, 46 (1994) 131
- Rumen fermentation and digesta passage in ruminants fed cimaterol, 46 (1994) 215
- Rumen fermentation characteristics and duodenal nutrient flow in lactating cows receiving two types of grass silage with two levels of concentrates, 46 (1994) 277
- Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41
- The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
- Influence of diet and yeast supplement on *in vitro* ruminal characteristics, 49 (1994) 211
- The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55
- Rumen fluid**
- Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161
- Comparison of *in vitro* digestion of feed ingredients by rabbit cecal and bovine rumen fluids, 41 (1993) 329
- Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221
- Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137
- Rumen microbiology**
- Rumen anaerobic fungi and plant substrate colonization as affected by diet composition, 26 (1989) 55
- Ozone-treated lucerne hay as a model to study lucerne degradation and utilization by rumen bacteria, 27 (1990) 269
- Effects of feed on the composition of the rumen ciliate protozoal population in cattle and its relationship to cellulolytic ciliate protozoa (Short Communication), 29 (1990) 159
- Morphological study of the digestion of barley and maize grain by rumen microorganisms, 30 (1990) 91
- Some aspects of cellobiose effect on bacterial cell surface structures involved in lucerne walls utilization by fresh isolates of rumen bacteria, 30 (1990) 107
- Rumen ciliates: their metabolism and relationships with bacteria and their hosts, 30 (1990) 203
- In vitro* continuous culture studies on the effect of nitrogen source on rumen microbial growth and fibre digestion, 31 (1990) 55

- The genetic manipulation of rumen bacteria with special reference to fibre digestion, 32 (1991) 123
- Cellulose degradation by two rumen anaerobic fungi in monoculture or in coculture with rumen bacteria, 32 (1991) 131
- Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161
- Comparison of microbial activity in the forestomachs of the dromedary and the sheep measured in vitro and in sacco on mediterranean roughages, 33 (1991) 237
- Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77
- Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21
- Influence of urea feeding duration on nitrogen metabolism of rumen bacteria and their host sheep, 40 (1993) 177
- In vitro and in vivo fermentation of glycerol by rumen microbes, 41 (1993) 121
- Effects of rape-seed oil supplementation on digestion microbial protein synthesis and duodenal microbial amino acid composition in ruminants, 41 (1993) 313
- Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69
- The contributions of bacteria and protozoa to ruminal forage fermentation in vitro, as determined by microbial gas production, 42 (1993) 193
- The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283
- Effect of level of intake of kikuyu (*Pennisetum clandestinum*) grass hay on the flow of protozoal nitrogen to the omasum of cattle, 47 (1994) 77
- Purine derivative excretion and ruminal microbial yield in Malaysian cattle and swamp buffalo, 47 (1994) 189
- Effects of dietary fiber sources on volatile fatty acid production, intestinal microflora and mineral balance in rabbits, 48 (1994) 1
- Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151
- Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189
- Rumen pool size**
- Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275
- Rumen retention time**
- Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
- Mean retention time of dietary residues within the gastrointestinal tract of the young ruminant: a comparison of non-compartmental (algebraic) and compartmental (modelling) estimation methods, 35 (1991) 139
- Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343
- A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
- Ruminal passage rate**
- Ruminal passage rate as affected by CrNDF particle size, 37 (1992) 193
- Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333
- Rumen fermentation and digesta passage in ruminants fed cimaterol, 46 (1994) 215
- Rye**
- Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89
- The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1
- Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen compounds: in vitro experiments, 34 (1991) 343
- Rye straw**
- Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79

Ryegrass

- Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39
- Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
- Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239
- Tentative explanation of the abnormally high fecal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
- Nitrogen degradability of fresh herbage: effect of maturity and growth type, and prediction from chemical composition and by near infrared reflectance spectroscopy, 38 (1992) 335
- Pectin fermentation and utilization by natural microflora during ryegrass ensilage, 41 (1993) 113
- The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
- Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75

Ryegrass silage

- The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257

S***Saccharomyces cerevisiae***

- Influence of yeast culture on the in vitro fermentation (Rusitec) of diets containing variable portions of concentrates, 37 (1992) 209
- The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39
- Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203
- Influence of diet and yeast supplement on in vitro ruminal characteristics, 49 (1994) 211

Salinomycin

- Effects of the ionophore salinomycin on nitrogen and long-chain fatty acid profiles of digesta in the rumen and duodenum of sheep, 36 (1992) 67

Salt

- Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Saltgrass

- Seasonal utilization of saltgrass (*Distichlis* spp.) by cattle, 30 (1990) 321

Sarsaponin

- Effects of antibiotics, a deaminase inhibitor and Sarsaponin on nitrogen metabolism of rumen contents in vivo, 31 (1990) 323

Scallop viscera silage

- Evaluation of scallop viscera silage as a high-protein feedstuff for growing-finishing swine, 31 (1990) 43

Seasonal dynamics

- Seasonal trends in forage dry matter production of some improved pastures and animal performance in relation to chemical composition in Malawi, 28 (1990) 255
- Seasonal utilization of saltgrass (*Distichlis* spp.) by cattle, 30 (1990) 321
- Influence of growth type and season on the prediction of the metabolisable energy content of herbage by near-infrared reflectance spectroscopy, 37 (1992) 281

Seaweed

- Nutritional value of seaweed (*Ulva rigida*) for poultry, 49 (1994) 87

Selenium

- Selenium supplements for grazing sheep. 1. A comparison between soluble salts and other forms of supplement, 28 (1990) 1
- Selenium supplements for grazing sheep. 1. Effectiveness of intra-ruminal pellets, 28 (1990) 15
- Selenium supplements for grazing sheep. 3. Development of an intra-ruminal pellet with an extended life, 40 (1993) 295

Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103

Selenium supplements for grazing sheep. 4. The use of intraruminal pellets containing elevated quantities of selenium, 46 (1994) 109

Sesbania sesban

Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127

Effect of replacement of concentrate mix by wilted *sesbania* (*Sesbania sesban*) forage on diet digestibility, rumen fermentation and milk production in Friesian \times Zebu (Boran) crossbred cows fed low quality native hay, 36 (1992) 275

Sheep — general

The effect of cereal processing on the lactation performance of Chios sheep and Damascus goats and the pre-weaning growth of their offspring, 26 (1989) 93

Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105

Chemical composition and nutritive value to sheep of untreated and oven-ammoniated ryegrass hays prepared from crops of differing maturities, 26 (1989) 207

Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and live-weight change by sheep fed a rice straw, 27 (1989) 17

Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31

The effect of pyromellitic diimide upon the rumen fermentation of sheep fed a forage diet, 28 (1990) 145

The use of dried sugar cane fractions as the principal energy source in sheep rations, 28 (1990) 155

Comparison of microbial activity in the forestomachs of the dromedary and the sheep measured in vitro and in sacco on mediterranean roughages, 33 (1991) 237

Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55

Chemical composition and nutritive value of mature annual legumes for sheep, 37 (1992) 221

Effect of defaunation and hay: concentrate ratio on fermentation, fibre digestion and passage in the rumen of sheep, 37 (1992) 333

Sheep — adult

Selenium supplements for grazing sheep. 1. A comparison between soluble salts and other forms of supplement, 28 (1990) 1

Selenium supplements for grazing sheep. 1. Effectiveness of intra-ruminal pellets, 28 (1990) 15

Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135

The feeding value of cereal straws for sheep. I. Wheat straws, 29 (1990) 1

The feeding value of cereal straws for sheep. II. Rice straws, 29 (1990) 15

The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29

Citrullus colocynthis seed meal as a protein supplement for Najdi sheep in northern Saudi Arabia, 29 (1990) 57

Effect of defaunation on fibre digestion in sheep given two isonitrogenous diets (Short Communication), 29 (1990) 153

Studies on ammonia treatment of wheat straw: effects of level of ammonia, moisture content, treatment time and temperature on straw composition and degradation in the rumen of sheep, 29 (1990) 251

Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39

Effect of soya oil hydrolysate on rumen digestion in defaunated and refaunated sheep, 30 (1990) 51

Nutritive value of whole triticale grain for sheep (Short Communication), 30 (1990) 163

Effect of supplementing mature grass hay with dried *Leucaena* leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1

Effect of a new ionophore antibiotic, abierixin, on the digestion of a roughage-based diet measured in sheep; comparison with results obtained in Rusitec, 31 (1990) 29

Utilization of whole or steamrolled barley fed with forages to wethers and cattle, 33 (1991) 59

Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino

- acids and proteins by rumen microorganisms, 33 (1991) 161
- Influence of supplementation on the performance of gestating ewes grazing wheat stubble pastures, 35 (1991) 95
- Prophylactic effect of L-cysteine on nitrate-induced alterations in respiratory exchange and metabolic rate in sheep, 35 (1991) 105
- Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191
- Effects of the ionophore salinomycin on nitrogen and long-chain fatty acid profiles of digesta in the rumen and duodenum of sheep, 36 (1992) 67
- Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281
- Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293
- A note on the *in sacco* dry matter degradability of variously processed maize grains and of different maize varieties in sheep (Short Communication), 39 (1992) 173
- Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193
- The modulation of nitrate-enhanced hypothermia by sulphur compounds in cold-exposed sheep, 39 (1992) 347
- Influence of urea feeding duration on nitrogen metabolism of rumen bacteria and their host sheep, 40 (1993) 177
- Selenium supplements for grazing sheep. 3. Development of an intra-ruminal pellet with an extended life, 40 (1993) 295
- Comparative studies on the degradation and mean retention time of solid and liquid phases in the forestomachs of dromedaries and sheep fed on low-quality roughages from Tunisia, 40 (1993) 343
- Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchard-grass hay and silage, 41 (1993) 213
- Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
- Relationships between chemical components of veld herbage and *in vitro* digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151
- Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221
- Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265
- Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
- The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97
- Selenium supplements for grazing sheep. 4. The use of intraruminal pellets containing elevated quantities of selenium, 46 (1994) 109
- Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1. Methodological approach, 46 (1994) 143
- Effect of breed, age and bodyweight of sheep on the measurement of apparent digestibility of dried grass (Short Communication), 46 (1994) 155
- Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO₂-treated wheat straw, 47 (1994) 89
- Comparison of phenolic acids in lignin fractions from forage grasses before and after digestion by sheep, 47 (1994) 277
- Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
- The effects of feeding supplements containing different amounts and sources of nitrogen on live weight and the testes of rams during and after mating, 48 (1994) 177
- Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and a non-invasive method, 48 (1994) 289
- Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria *in vitro*, 49 (1994) 151
- Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189
- The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223
- The effect of alkali treatment of cereal straws on

- digestibility and methane production by sheep, 49 (1994) 245
- The effect of starch supplementation of straw on microbial protein supply in sheep, 49 (1994) 277
- Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325
- Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137
- Sheep — lamb**
- Utilization of an ensiled wet brewer's grains-corn mixture by growing lambs, 28 (1990) 29
- Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51
- The effect of barley-sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105
- Effect of dietary protein concentration and cimaterol on growth and body composition of entire male lambs, 34 (1991) 181
- Nutritive value of maize residues in comparison with *Eragrostis curvula* hay as feed for sheep, 34 (1991) 213
- Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91
- Ozone-treated cotton stalks as a component of a ration for growing lambs, 37 (1992) 185
- Relative bioavailability of magnesium sources for ruminants as measured by urinary magnesium excretion, 39 (1992) 13
- Relative bioavailability of copper in a copper-lysine complex for chicks and lambs, 45 (1994) 193
- Growth responses and ruminal adaptation of lambs fed crustacean processing wastes, 45 (1994) 229
- The effect of magnetic treatment of drinking water on growth, feed utilisation and carcass composition of lambs, 46 (1994) 11
- Rumen fermentation and digesta passage in ruminants fed cimaterol, 46 (1994) 215
- Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11
- Lactic acid fermentation in silage preserved with formic acid, 47 (1994) 107
- Silage — alfalfa**
- Evaluation of markers, sampling sites and models for estimating rates of passage of silage or hay in dairy cows, 27 (1989) 59
- Quality and fermentation of enzyme-treated alfalfa silages at three moisture concentrations, 31 (1990) 261
- Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37
- Effect of sample pretreatment on alfalfa silage dry matter and protein degradability in sacco, 38 (1992) 69
- Fractionation of fresh, wilted and ensiled alfalfa proteins, 41 (1993) 1
- A note on the fermentation characteristics and rumen degradation of low moisture alfalfa silage treated with sodium hydroxide or ammonia, 47 (1994) 297
- Silage — animal waste**
- Ensiling of cattle waste with desert grass *Lasiurus indicus*, millet (*Pennisetum typhoides*) straw, additives and starter culture (Short Communication), 38 (1992) 75
- Fermentation characteristics of ensiled seafood wastes and low-quality roughages, 38 (1992) 305
- Silage — apple pomace**
- Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193
- Silage — big bale**
- Effect of additives on the quality of big-bale silage, 31 (1990) 139
- Silage — by-products**
- Isolation and identification of *Listeria monocytogenes* in vegetable byproduct silages containing preservative additives and destined for animal feeding, 31 (1990) 285
- Silage — fermentation characteristics**
- Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47
- Silage — general**
- Silage additives, 45 (1993) 35

Silage — fish

Performance of broiler chicks fed on low and high oil fish silages in relation to changes taking place in lipid and protein components, 28 (1990) 199

Silage — grass

Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29

Sucrose supplements in cattle given grass silage-based diet. I. Digestion of organic matter and nitrogen, 33 (1991) 247

Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263

Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275

Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49

The effects of barley vs. barley fibre with or without distiller's solubles on site and extent of nutrient digestion in cattle fed grass-silage-based diet, 36 (1992) 319

Nutritional value of cane molasses in diets of grass silage and concentrates fed to sheep, 38 (1992) 281

Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273

Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87

Pectin fermentation and utilization by natural microflora during ryegrass ensilage, 41 (1993) 113

Isolation and characterization of dioxane-soluble lignins from faeces of sheep fed on orchard-grass hay and silage, 41 (1993) 213

The substitution of barley by other carbohydrates in grass silage based diets to dairy cows, 41 (1993) 279

Prediction of the digestibility and energy value of grass silage conserved in big bales, 41 (1993) 297

The digestibility and energy value of badly preserved grass silages, 42 (1993) 97

Evaluation of bermudagrass (*Cynodon dactylon*) and johnsongrass (*Sorghum halepense*) as alter-

natives to corn forage (*Zea mays*) for ensiling with poultry litter, 44 (1993) 101

Raw or roasted lupin supplementation of grass silage diets for beef steers, 46 (1994) 23

Rumen fermentation characteristics and duodenal nutrient flow in lactating cows receiving two types of grass silage with two levels of concentrates, 46 (1994) 277

Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17

Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37

Silage — grass/legume

Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39

Silage — lucerne

Effect of forage and concentrate intake level on rumen degradability of protein sources having different in vitro rates of N solubilisation, 26 (1989) 231

Characterisation of in situ degradation of lucerne proteins according to forage type (green forage, hay and silage) using gel electrophoresis, 50 (1994) 75

Silage — maize

Performance of finishing cattle fed maize silage prior to grain adaptation, 26 (1989) 129

High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287

Nutritive value and ensiling characteristics of maize herbage as influenced by agronomic factors, 38 (1992) 11

Site and extent of cell-wall neutral monosaccharide digestion in dairy cows receiving diets with ear and husk meal maize silages from three different stages of maturity, 38 (1992) 143

Corn silage supplementation of cows grazing winter oats. Dynamics of digestion and ruminal environment, 38 (1992) 161

Nutritive value and ensiling characteristics of maize stover as influenced by hybrid maturity and generation, plant density and harvest date, 41 (1993) 51

Effect of rapeseed oil supply on in vitro ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181

Silage — microflora

Pectin fermentation and utilization by natural microflora during ryegrass ensilage, 41 (1993) 113

Silage — orange peel

Chemical changes during the ensiling of orange peel, 43 (1993) 269

Silage — quality assessment

Comparison of sample preparation methods for the determination of the gross energy concentration of fresh silage, 37 (1992) 201

Silage — *Solanum laciniatum*

Evaluation of *Solanum laciniatum* press-cake silage as roughage for growing-finishing cattle, 28 (1990) 267

Silage — sorghum

Forage sorghum silage dry matter disappearance as influenced by plant part proportion, 33 (1991) 313

Intake and digestibility of sorghum silage by goats, 41 (1993) 171

Silage — soya bean

Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79

Silage — straw

Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87

Silage — sugar beet

Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209

Silage — wheat

High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287

Ensiling whole wheat for ruminant feeding at different stages of maturity, 32 (1991) 313

Siliceous earth

Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on

the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245

Silicornia bigelovii

Salicornia bigelovii Torr.: a seawater-irrigated forage for goats, 40 (1992) 21

Slaughter method

Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43

The laboratory rat as a model animal for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 57

Slaughterhouse blood

Processing of slaughterhouse blood and poultry litter and the effects on nutrient digestibility by steers, 40 (1993) 153

Sodium bicarbonate

Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261

Effects on growth performance of steers after adding sodium bicarbonate and fishmeal to grass silage produced in a "heap silo", 33 (1991) 29

Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191

Sodium carbonate

Effects of sodium carbonate on milk yield, milk composition and blood components of dairy cows in hot weather, 33 (1991) 151

Sodium hydroxide treatment

See Alkali treatment

Sodium metabisulphite

Effect of sodium metabisulphite on proteolysis and rumen degradability of alfalfa silage protein, 48 (1994) 143

Sodium peroxide treatment

In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1

Sodium selenite

Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103

Solanum laciniatum

Evaluation of *Solanum laciniatum* press-cake silage as roughage for growing-finishing cattle, 28 (1990) 267

Sorbic acid

Hay desiccation and preservation with potassium sorbate, potassium carbonate, sorbic acid and propionic acid, 38 (1992) 175

Sorbitol

Effects of feeding sorbitol associated with different sources and amounts of nitrogen on growth, digestion and metabolism in young bulls, 36 (1992) 255

Sorghum

Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79

Acid steeping of corn and grain sorghum: effect on nutrient digestibility in growing pigs, 37 (1992) 233

In vitro ruminal fiber digestion as influenced by phenolic-carbohydrate complexes released from sorghum cell walls, 39 (1992) 79

Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93

Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321

Ensiling forage sorghum at two stages of maturity with the addition of lactic acid bacterial inoculants, 43 (1993) 165

In vitro digestion and textural strength of rind and pith of normal and brown midrib stems, 43 (1993) 303

Chemical and physical properties and in vitro dry matter and starch digestion of eight sorghum grain hybrids and maize, 44 (1993) 45

Effect of exposure on the chemical composition and in vitro dry matter digestibility of untreated and formalin treated green chop, 44 (1993) 275

Sorghum germ meal

Nutritional evaluation of sorghum germ meal as a substitute for sorghum in broiler diets, 44 (1993) 93

Sorghum gluten feed

Use of sorghum gluten feed as a substitute for soyabean meal in layer diets (Short Communication), 48 (1994) 165

Sorghum gluten meal

Effect of graded levels of sorghum gluten meal on the performance of broiler chicks, 29 (1990) 289

The replacement value of sorghum gluten meal for soya-bean meal in broiler chick diets (Short Communication), 36 (1992) 339

Sorghum grain

Effect of variety of sorghum grain on digestion and availability of dry matter and starch in vitro, 29 (1990) 279

The effect of barley-sorghum grain processing and form of concentrate mixture on the performance of lambs, kids and calves, 31 (1990) 105

Sorghum silage

Forage sorghum silage dry matter disappearance as influenced by plant part proportion, 33 (1991) 313

Intake and digestibility of sorghum silage by goats, 41 (1993) 171

Sorghum stover

The effect of NH_3 and/or SO_2 on the compositional and histological characteristics of sorghum stover, 47 (1994) 141

Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15

Sorghum straw

The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283

Soya bean

The nutritive value of microwave-processed raw soya beans determined with chickens, rats and rabbits, 34 (1991) 127

- Utilization of dietary energy and nutrients from soya bean products by growing pigs, 36 (1992) 303
- Extraction methods for removing soybean alpha-galactosides and improving true metabolizable energy for poultry (Short Communication), 41 (1993) 73
- Use of differently processed full-fat soybeans in a diet for pig fattening, 41 (1993) 237
- Replacement of skim milk with soya bean protein concentrates and whey in milk replacers for veal calves, 50 (1994) 101
- Soya bean flakes**
- Chemical and biological evaluation of soya-bean flakes autoclaved for different durations, 31 (1990) 247
- Soya bean meal**
- Effect of forage and concentrate intake level on rumen degradability of protein sources having different *in vitro* rates of N solubilisation, 26 (1989) 231
- Effects of various combinations of urea, soya-bean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
- Undecorticated cottonseed meal as a substitute for soya bean meal in diets for weaner and growing-finishing pigs, 30 (1990) 193
- Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
- Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
- Bioavailability of lysine in rapeseed and soya-bean meals determined by digestibility trial in cockerels and chick growth assay, 35 (1991) 237
- The replacement value of sorghum gluten meal for soya-bean meal in broiler chick diets (Short Communication), 36 (1992) 339
- Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
- Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209
- Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77
- Effects of combinations of wheat, corn or hullless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
- Apparent digestibilities of energy, cell wall constituents, crude protein and amino acids of Chinese oil seed meals for growing pigs, 45 (1994) 283
- Effect of extruded full fat soyabean meal as a replacement for groundnut meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 171
- Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99
- Use of sorghum gluten feed as a substitute for soyabean meal in layer diets (Short Communication), 48 (1994) 165
- Use of electrophoresis to quantify ruminal degradability of protein from concentrate feeds, 49 (1994) 25
- Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119
- Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297
- The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55
- Soya bean oil**
- Effect of dietary protein and supplemental soya-bean oil fed during lactation on sow and litter performance through two parities, 45 (1994) 211
- Soya bean silage**
- Maturity effects on chemical composition, silage fermentation and digestibility of whole plant grain sorghum and soya-bean silages fed to beef cattle, 33 (1991) 79
- Soya oil hydrolysate**
- Effect of soya oil hydrolysate on rumen digestion in defaunated and refaunated sheep, 30 (1990) 51

Soya protein concentrate

Use of soy protein concentrate in combination with potato protein in milk replacers for veal calves, 48 (1994) 111

Soya protein preparations

Chemical and nutritional evaluation of soya protein preparations as primary nitrogen sources for rainbow trout (*Oncorhynchus mykiss*), 40 (1993) 135

Spring-grown herbage

The nutritive value of spring-grown herbage produced on farms throughout England and Wales over four years. I. The effect of stage of maturity and other factors on chemical composition, apparent digestibility and energy values measured in vivo, 27 (1989) 157

The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. II. The prediction of apparent digestibility in vivo from various laboratory measurements, 27 (1990) 173

The nutritive value of spring-grown herbage produced on farms throughout England and Wales over 4 years. III. The prediction of energy values from various laboratory measurements, 27 (1990) 185

Starch

Post-ruminal digestion of starch in the presence of phenolic monomers, 27 (1989) 111

Effect of variety of sorghum grain on digestion and availability of dry matter and starch in vitro, 29 (1990) 279

Starch digestion and digesta kinetics in the small intestine of steers fed on a maize grain and maize silage mixture, 30 (1990) 79

Effect of dietary oligosaccharides on the digestion of pea starch by growing chicks, 30 (1990) 313

Nitrogen, amino acid and starch absorption and endogenous nitrogen and amino acid excretion in chicks fed on diets containing maize as the sole source of protein, 33 (1991) 15

The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289

Effects of starch on ruminal fermentation and detergent fibre digestion in lambs fed bermudagrass hay, 36 (1992) 91

Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205

Influence of antibiotics and a deaminase inhibitor on volatile fatty acids and methane production from detergent washed hay and soluble starch by rumen microbes in vitro, 37 (1992) 21

Effect of β -glucan, starch, and fibre content and steam vs. dry rolling of barley grain on its degradability and utilisation by steers, 37 (1992) 33

Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345

Influence of extrusion on ruminal and intestinal disappearance in sacco of pea (*Pisum sativum*) proteins and starch, 38 (1992) 43

Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105

Effect of dietary starch origin on digestion in the rabbit. 1. Digestibility measurements from weaning to slaughter, 42 (1993) 237

Effect of dietary starch origin on digestion in the rabbit. 2. Starch hydrolysis in the small intestine, cell wall degradation and rate of passage measurements, 42 (1993) 249

Chemical and physical properties and in vitro dry matter and starch digestion of eight sorghum grain hybrids and maize, 44 (1993) 45

Effect of adding fibre and starch degrading enzymes to a barley/wheat based diet on performance and nutrient digestibility in different segments of the small intestine of early weaned pigs, 44 (1993) 113

The effect of starch supplementation of straw on microbial protein supply in sheep, 49 (1994) 277

Starter diets

Use of wild oat groats in starter diets for swine, 46 (1994) 229

Steam flaking

Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69

Storage

Chitin analysis of hay as a means of determining fungal invasion during storage, 27 (1989) 101

Influence of anhydrous ammonia and bacterial preparations on alfalfa forage baled at various moisture levels. II. Fungal invasion during storage, 34 (1991) 67

Straw — general

- Chemical composition, digestibility *in vitro*, and digestibility and energy values *in vivo* of untreated cereal straws produced on farms throughout England, 26 (1989) 323
- Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79
- Within- and between-centre variability in the measurement of organic matter digestibility *in vivo* of cereal straws, 28 (1990) 103
- The use of mixtures of ammonium salts with lime for upgrading cereal straws, 28 (1990) 169
- Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
- Botanical fractions of straw of 51 cereal varieties and *in sacco* degradability of various fractions, 34 (1991) 279
- A comparison of near-infrared reflectance spectroscopy with three *in vitro* techniques to predict the digestibility *in vivo* of untreated and ammonia-treated cereal straws, 35 (1991) 83
- Regions of normalised near infrared reflectance difference spectra related to the rumen digestion of straws, 36 (1992) 1
- Differences in rumen bacterial degradation of morphological fractions in eight cereal straws and the effect of digestion on different types of tissues and mechanical properties of straw stalks, 36 (1992) 173
- Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
- Feeding of urea treated straw in the tropics. I. A review of its technical principles and economics, 43 (1993) 135
- Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41
- The effect of alkali treatment of cereal straws on digestibility and methane production by sheep, 49 (1994) 245
- The effect of starch supplementation of straw on microbial protein supply in sheep, 49 (1994) 277
- The fixation of nitrogen using acid, green forage and germinated barley during urea treatment of straws, 50 (1994) 123

Straw — barley

- Voluntary intake and digestibility of barley straw as influenced by variety and supplementation

- with either barley grain or cottonseed cake, 26 (1989) 105
- Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39
- The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
- Feed intake and milk yield using an ensiled mixture of whole crop beets and straw compared with traditionally stored beets for dairy cows, 31 (1990) 231
- Comparison of effective degradability with dry matter degradability measured at mean rumen retention time for several forages and forage: concentrate diets, 32 (1991) 287
- Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229
- In situ* organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
- Factors affecting degradation of barley straw in *sacco* and microbial activity in the rumen of cows fed fibre-rich diets. I. The source of supplemental nitrogen, 38 (1992) 263
- Effects of feeding small amounts of ammonia treated straw on degradation rate and intake of untreated straw, 38 (1992) 293
- Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
- Effects of gaseous ammonia on chemical and structural features of cell walls in spring barley straw, 40 (1993) 207
- Treatment of barley straw with ligninase: effect on activity and fate of the enzyme shortly after being added to straw, 41 (1993) 15
- The contributions of bacteria and protozoa to ruminal forage fermentation *in vitro*, as determined by microbial gas production, 42 (1993) 193
- Effect of rate and timing of nitrogen fertilizer application on the proportion of ear, the digestibility of straw constituent and the quality of whole crop barley at different stages of maturity, 44 (1993) 73
- Effects of genotype and simulated rainfall on the morphological characteristics, chemical composition and rumen degradation of the straw fractions of barley plants, 44 (1993) 191
- The calculations method used for optimising conditions of treatment of barley straw with

- calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
- In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1
- The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55
- Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137
- Straw — finger millet**
- The effect of level of allowance on the intake and digestibility of finger millet (*Eleusine coracana*) straw in crossbred heifers, 49 (1994) 37
- Straw — lentil**
- Variation in lentil straw quality, 28 (1990) 61
- Straw — millet**
- Ensiling of cattle waste with desert grass *Lasiurus sindicus*, millet (*Pennisetum typhoides*) straw, additives and starter culture (Short Communication), 38 (1992) 75
- Straw — oat**
- The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73
- In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
- Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203
- Straw — rice**
- The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81
- Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179
- Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and live-weight change by sheep fed a rice straw, 27 (1989) 17
- Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31
- The feeding value of cereal straws for sheep. II. Rice straws, 29 (1990) 15
- The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
- Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333
- Variation in the nutritional value of rice straw, 34 (1991) 261
- Fungal colonization of rice straw and palm press fibre in the rumen of cattle and buffalo, 34 (1991) 311
- Digestion properties of ammoniated rice straw in the rumen and lower tract of sheep, 35 (1991) 55
- Rumen degradation of cowpea husks and rice straw: microscopic evaluation of degraded residues, 35 (1991) 309
- In vitro digestibility studies of some local and high yielding varieties of rice straw (*Oryza sativa*), 42 (1993) 121
- Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
- The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223
- Straw — sorghum**
- The degradation and utilization of structural polysaccharides of sorghum straw by defined ruminal bacteria, 42 (1993) 283
- Straw — wheat**
- Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
- The feeding value of cereal straws for sheep. I. Wheat straws, 29 (1990) 1
- The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
- The effect of sodium hydroxide treatment on the chemical composition, digestibility and

- digestible energy content of wheat, barley and oat straws, 29 (1990) 73
- Effects of various combinations of urea, soyabean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101
- Influence of oxygen and carbon dioxide on cell wall degradation by white-rot fungi, 32 (1991) 137
- Treatment of straw with urea. 1. Ureolysis in a low water medium, 34 (1991) 75
- Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239
- Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287
- Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59
- In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
- Ammonia and sulfur dioxide treated wheat straw as a feedstuff for cattle, 37 (1992) 111
- Tentative explanation of the abnormally high fecal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25
- Effect of different supplements on the degradability of organic matter, cell wall constituents, in vitro gas production and organic digestibility of wheat straw, 38 (1992) 187
- Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199
- Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
- Comparison of characteristics of soluble lignins from untreated and ammonia-treated wheat straw, 39 (1992) 253
- The upgrading of wheat straw by alkaline hydrogen peroxide treatment: The effect of NaOH and H_2O_2 on the site and extent of digestion in sheep, 40 (1992) 121
- The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165
- A comparison of farm-scale methods of application of sodium hydroxide on the nutritive value of a winter wheat straw, 41 (1993) 199
- Effects of dilute-acid hydrolysis treatment on the physico-chemical features and bio-utilization of wheat straw, 42 (1993) 55
- Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69
- The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
- A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
- Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119
- Effect of fungus-treated straw on ruminal fermentation in vitro, 46 (1994) 131
- Characterization of some cell-wall components of untreated and SO_2 -treated wheat straw, 46 (1994) 331
- Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO_2 -treated wheat straw, 47 (1994) 89
- In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1
- Straw silage**
- Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87
- Sucrose**
- Sucrose supplements in cattle given grass silage-based diet. 1. Digestion of organic matter and nitrogen, 33 (1991) 247
- Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263
- Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275
- Sudangrass**
- In vitro digestion and textural strength of rind and pith of normal and brown midrib stems, 43 (1993) 303

Sugar beet pulp

Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209

A note on the digestibility and feeding value of wheat gluten feed for ruminants, 45 (1994) 131

Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

Sugar cane

The use of dried sugar cane fractions as the principal energy source in sheep rations, 28 (1990) 155

Effect of variety, stage of maturity and nitrate fertilization on nutritive values of sugar cane, 39 (1992) 265

Sugar cane bagasse

Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, *in vitro* dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113

Nutritional evaluation of sugarcane bagasse based rations treated with urea and cattle manure, 38 (1992) 135

Sugar beet pulp

Effects of sugar-beet pulp on ruminal and lactation performances of cows having different rumen fermentation patterns, 31 (1990) 91

Sulphur

Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287

The modulation of nitrate-enhanced hypothermia by sulphur compounds in cold-exposed sheep, 39 (1992) 347

Sulphur dioxide treatment

Ammonia and sulfur dioxide treated wheat straw as a feedstuff for cattle, 37 (1992) 111

Characterization of some cell-wall components of untreated and SO₂-treated wheat straw, 46 (1994) 331

Characterisation of lignins in straw, rumen liquor and faeces of sheep fed untreated and SO₂-treated wheat straw, 47 (1994) 89

The effect of NH₃ and/or SO₂ on the compositional and histological characteristics of sorghum stover, 47 (1994) 141

Sunflower

Sunflower seed meal, sunflower oil and full-fat sunflower seeds, hulls and kernels for laying hens, 26 (1989) 45

The apparent metabolisable energy of sunflower oil and sunflower acid oil for broiler chickens, 36 (1992) 41

Sunflower meal

Effects of pelleting diets containing sunflower meal on the performance of broiler chickens, 30 (1990) 121

Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299

Biological and chemical assessment of feed proteins before and after rumen exposure, 49 (1994) 119

Sunflower seed meal

Effect of graded levels of sunflower seed meal in broiler diets, 33 (1991) 129

Effect of sunflower seed meal on the performance and carcass characteristics of growing Japanese quail (Short Communication), 48 (1994) 169

Supplement feeding

Voluntary intake and digestibility of barley straw as influenced by variety and supplementation with either barley grain or cottonseed cake, 26 (1989) 105

Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179

Effect of purified immunoglobulins or pooled colostrum on performance of rearing calves, 26 (1989) 347

Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and live-weight change by sheep fed a rice straw, 27 (1989) 17

Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31

- Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83
- Selenium supplements for grazing sheep. 1. A comparison between soluble salts and other forms of supplement, 28 (1990) 1
- Selenium supplements for grazing sheep. 1. Effectiveness of intra-ruminal pellets, 28 (1990) 15
- Feed intake, growth rate and digestibility coefficients of growing sheep fed hay supplemented with *Crotalaria ochroleuca*, 28 (1990) 51
- Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129
- The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliciridia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225
- The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29
- Citrullus colocynthis* seed meal as a protein supplement for Najdi sheep in northern Saudi Arabia, 29 (1990) 57
- Ureal molasses mineral blocks as a feed supplement: effect on growth and nutrient utilization in buffalo calves, 29 (1990) 333
- Effects of a fat and ground maize supplement on feed intake and digestion by cattle consuming bermudagrass hay (*Cynodon dactylon*), 30 (1990) 275
- Effect of dietary ascorbic acid supplementation on the performance of brown-egg layers and egg quality, 30 (1990) 301
- Effect of supplementing mature grass hay with dried *Leucaena* leaves on organic matter digestibility and voluntary intake by sheep, 31 (1990) 1
- Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79
- The retention of phytin phosphorus from diets with fat supplements in broiler chicks, 31 (1990) 223
- Effects of additions of sodium bicarbonate, salt, *Aspergillus oryzae* culture extract, niacin, lysine or phenylalanine to ground corn-based supplements on feed intake and digestion by Holstein steers consuming bermudagrass (*Cynodon dactylon*) hay, 32 (1991) 261
- Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333
- Linseed oil supplementation of the diet of sheep: effect on the in vitro fermentation of amino acids and proteins by rumen microorganisms, 33 (1991) 161
- Sucrose supplements in cattle given grass silage-based diet. 1. Digestion of organic matter and nitrogen, 33 (1991) 247
- Sucrose supplements in cattle given grass silage-based diet. 2. Digestion of cell wall carbohydrates, 33 (1991) 263
- Sucrose supplements in cattle given grass silage-based diet. 3. Rumen pool size and digestion kinetics, 33 (1991) 275
- Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323
- Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21
- Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of growing cattle. 1. Studies with growing bulls fed grass silage ad libitum, 34 (1991) 49
- Effects of ascorbic acid (vitamin C) supplementation on ejaculated semen characteristics of broiler breeder chickens under hot and humid tropical conditions, 34 (1991) 141
- Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193
- Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
- Influence of supplementation on the performance of gestating ewes grazing wheat stubble pastures, 35 (1991) 95
- Effect of dietary supplements of sodium bicarbonate with or without additional protein on the utilization of nitrogen in the rumen of sheep receiving a lucerne silage-based diet, 35 (1991) 191
- Cocoa pod-and-husk meal as a feed ingredient in layer diets, 35 (1991) 283
- Influence of frequency and accuracy of supplement feeding on rumen fermentation, feed intake, diet digestion and performance of

- growing cattle. 2. Studies with growing bulls on restricted feeding, 36 (1992) 153
- Effect of dietary supplements of propionic acid, siliceous earth or a combination of these on the energy, protein and amino acid digestibilities and concentrations of microbial metabolites in the digestive tract of growing pigs, 37 (1992) 245
- The effects of the addition of various enzyme mixtures on the fermentation of perennial ryegrass silage and on its nutritional value for milk production in dairy cows, 37 (1992) 257
- Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. 1. The source of supplemental nitrogen, 38 (1992) 263
- Rumen digestion of ensiled apple pomace in sheep: effect of proportion in diet and source of nitrogen supplementation, 39 (1992) 193
- Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209
- Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
- The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165
- Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian \times Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239
- Grass and lupin silage in rations for beef steers supplemented with barley or potato, 40 (1993) 273
- Disappearance of protein supplements and their fractions in sacco, 40 (1993) 285
- Selenium supplements for grazing sheep. 3. Development of an intra-ruminal pellet with an extended life, 40 (1993) 295
- An in vitro assessment of several enzymes for the supplementation of rabbit diets, 40 (1993) 309
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* \times *Bos indicus*) non-lactating cows: effect of level of molasses on feed intake, digestion, rumen fermentation and rumen digesta pool size, 41 (1993) 23
- Supplementation of grass hay with molasses in crossbred (*Bos taurus* \times *Bos indicus*) non-lactating cows: effect of timing of molasses on feed intake, digestion, DM degradation and rumen fermentation, 41 (1993) 39
- Effects of rape-seed oil supplementation on digestion microbial protein synthesis and duodenal microbial amino acid composition in ruminants, 41 (1993) 313
- Substitution effects of feeding rolled barley grain to grazing dairy cows, 42 (1993) 25
- Effects of pectin supplementation on the digestion of different structural carbohydrate fractions and on bacterial nitrogen turnover in the hindgut of adult sows, 42 (1993) 177
- Effect of supplementary feeding on grazing behaviour of Comisana ewes in a Mediterranean semi-extensive production system, 42 (1993) 259
- Replacement of soyabean meal with dehydrated lupin seeds in pig diets, 43 (1993) 77
- The reproductive performance of two genetically distinct lines of Medium White turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*, 43 (1993) 291
- Effect of rapeseed oil supply on in vitro ruminal digestion in cows: comparison of hay and maize silage diets, 44 (1993) 181
- Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
- Intake and digestion by Holstein steer calves consuming grass hay supplemented with broiler litter, 44 (1993) 251
- Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265
- See also Special Issue "Feed Additives and Supplements. Papers presented at the Third SAC (Scottish Agricultural College) Spring Conference, Edinburgh, 20 March 1992", Vol. 45 (1993) 1-115
- Raw or roasted lupin supplementation of grass silage diets for beef steers, 46 (1994) 23
- The effect of forage legume supplementation on digestibility and body weight gain by sheep fed a basal diet of maize stover, 46 (1994) 97
- Selenium supplements for grazing sheep. 4. The use of intraruminal pellets containing elevated quantities of selenium, 46 (1994) 109
- Stability of feed enzymes to steam pelleting during feed processing, 46 (1994) 179
- Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293

Digestion characteristics, feed intake and live weight gain by cattle consuming forage supplemented with defatted rice bran or other feedstuffs, 47 (1994) 259

The effects of feeding supplements containing different amounts and sources of nitrogen on live weight and the testes of rams during and after mating, 48 (1994) 177

Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11

Effect of linseed oil supplementation on feed degradation and microbial synthesis in the rumen of ciliate-free and refaunated sheep, 49 (1994) 189

Influence of diet and yeast supplement on in vitro ruminal characteristics, 49 (1994) 211

The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223

Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237

The effect of starch supplementation of straw on microbial protein supply in sheep, 49 (1994) 277

Rumen and blood variables in steers fed grass silage and rolled barley or sugar cane molasses-based supplements, 50 (1994) 37

Effect of ammonia treatment and carbohydrate supplementation of barley straw on rumen liquid characteristics and substrate degradation by sheep, 50 (1994) 137

An attempt to inactivate mimosine of *Leucaena leucocephala* by mineral supplementation for feeding to ruminants, 50 (1994) 157

Pyridoxine supplementation of Linola™ meal for growing pigs, 50 (1994) 167

Sweet potato

The growth of broiler chickens as affected by the replacement of graded levels of maize by sweet potato leaves (*Ipomoea batatas*) or Ndole (*Vernonia* spp.) in the finisher diet, 40 (1993) 233

Sweet potato meal

The effects of dietary replacement of maize with sun dried sweet potato meal on performance, carcass characteristics and serum metabolites of weaner-grower pigs (Short Communication), 47 (1994) 165

T

Tagasaste

Wilted tagasaste (*Chamaecytisus palmensis*) forage as a replacement for a concentrate supplement for lactating crossbred Friesian × Zebu (Boran) dairy cows fed low-quality native hay, 40 (1993) 239

Tall fescue

Pyrolysis mass spectrometry of coastal Bermuda grass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17

Effect of ammoniation on toxicity of *Acremonium coenophialum* infested tall fescue, 35 (1991) 227

Tallow

Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291

Composition and nutritive value of acidulated fatty acids, degummed canola oils and tallow as energy sources for starting broiler chicks, 46 (1994) 251

Tannin

Quality assessment of tropical browse legumes: tannin content and protein degradation, 27 (1989) 147

Occurrence, nutritional significance and effect on animal productivity of tannins in tree leaves, 30 (1990) 21

The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans (*Vicia faba* L.), 31 (1990) 157

Distribution of condensed tannins (proanthocyanidins) in various fibre fractions in young and mature leaves of some oak species, 32 (1991) 253

Effect of different processing methods on tannin content and in vitro protein digestibility of faba bean, 33 (1991) 49

Effects of treatment with polyvinylpyrrolidone and polyethylene glycol on Faba bean tannins, 35 (1991) 199

Chemical composition and digestibility in vitro of *Vicia faba* L. cultivars varying in tannin content, 35 (1991) 205

Detannification of oak (*Quercus incana*) leaves: treatments and their optimization, 36 (1992) 113

Tannin-containing faba beans (*Vicia faba* L.): effects of methods of processing on ileal digestibility of protein and starch for growing pigs, 36 (1992) 205

Effect of tannins from faba beans (*Vicia faba*) on the digestion of starch by growing chicks, 37 (1992) 345

Effect of storage and urea addition on detannification and in sacco dry matter digestibility of mature oak (*Quercus incana*) leaves, 41 (1993) 247

Tannins in faba bean seeds: effects on the digestion of protein and amino acids in growing chicks, 41 (1993) 271

Ileal and faecal digestibility in piglets of field beans (*Vicia faba* L.) varying in tannin content, 42 (1993) 83

Effects of dietary inclusion of hulls of faba beans (*Vicia faba* L.) with a low and high content of condensed tannins on digestion and some physiological parameters in piglets, 43 (1993) 239

Relationship between protein-precipitating capacity of fodder tree leaves and their tannin content (Short Communication), 44 (1993) 281

Tapioca

Tapioca pellets as a partial replacement for maize in the diet of lactating dairy cows, 39 (1992) 125

Techniques — amino acid evaluation

Determination of methionine sulfoxide in biological materials using HPLC and its degradability in the rumen of cattle, 48 (1994) 121

Techniques — baling

The effects of bale density, type of binding and storage surface on the chemical composition, nutrient recovery and digestibility of large round hay bales, 29 (1990) 131

Techniques — calibration

Evaluation of methods for calibrating in vitro digestibility estimates of ruminant feeds, 29 (1990) 265

Prediction of organic matter digestibility in vivo of grass silage by near infrared reflectance spectroscopy: effect of calibration method, residual moisture and particle size, 50 (1994) 17

Techniques — cannulation

Influence of different cannulation techniques on the pre-caecal digestibility of protein, amino acids and cell wall constituents from diets, containing different protein meals, in pigs, 35 (1991) 271

Techniques — carbohydrate detection

Determination of cell-wall carbohydrates in forages by near infrared reflectance spectroscopy, 28 (1990) 293

Techniques — cell wall analysis

New methods for the structural and compositional analysis of cell walls for quality determinations, 32 (1991) 1

Techniques — cellulolysis assay

Assay of very low cellulolytic activity in fodder supplemented with enzyme preparation, 33 (1991) 41

Techniques — dehulling

Technological-scale dehulling process to improve the nutritional value of faba beans, 46 (1994) 1

Techniques — digestibility evaluation

Digesta collection procedure may affect ileal digestibility in pigs fed diets based on wheat bran or beet pulp, 27 (1990) 307

Comparison of four techniques for predicting digestibility of tropical feeds, 29 (1990) 209

Predicting in situ degradability of feed proteins in the rumen by two laboratory methods (solubility and enzymatic degradation), 33 (1991) 97

Comparison between the mechanism of protein degradation of two cereals by enzymatic and in situ methods, using gel electrophoresis, 35 (1991) 115

Comparisons of methods for estimating in vivo digestibility of feedstuffs in dairy cattle, 40 (1992) 1

In vitro and in sacco methods for the estimation of dietary nitrogen degradability in the rumen: a review (Review), 40 (1992) 57

In vivo apparent digestibility and in vitro solubilization — the influence of pig live weight and diet, 40 (1993) 223

Application of an inhibitor in vitro method for estimating rumen degradation of feed protein, 40 (1993) 251

An improved enzymatic method by adding gamma-manase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1

Comparison of the slaughter method and simple T-piece cannulation of the terminal ileum for determining ileal amino acid digestibility in meat and bone meal for the growing pig, 49 (1994) 43

Techniques — digestibility prediction

Comparison of laboratory methods on precision and accuracy of predicting forage organic matter digestibility, 32 (1991) 243

A comparison of near-infrared reflectance spectroscopy with three in vitro techniques to predict the digestibility in vivo of untreated and ammonia-treated cereal straws, 35 (1991) 83

Techniques — drying

Digestion of ruminal masticate dried by three different methods, 37 (1992) 323

Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75

Changes in chemical composition and in vitro digestibility of oesophageal fistula and hand plucked forage samples due to drying method and stage of maturity, 46 (1994) 87

Techniques — electron microscopy

Electron microscopy as a method for investigating cell wall degradation in the rumen, 32 (1991) 27

Techniques — energy availability evaluation

Influence of growth type and season on the prediction of the metabolisable energy content of herbage by near-infrared reflectance spectroscopy, 37 (1992) 281

Predicting the energy value of pig feeds using in vitro or analytical methods, 39 (1992) 183

An improved enzymatic method by adding gamma-manase to determine digestibility and predict energy value of compound feeds and raw materials for cattle, 47 (1994) 1

Techniques — ensiling

The effect of silo type and dry matter content on the maize silage fermentation process and ensiling loss, 49 (1994) 311

Techniques — extrusion cooking

Evaluation of the effect of extrusion cooking of jackbean (*Canavalia ensiformis* L.) seed on short-term feed intake in chicks, 46 (1994) 197

Techniques — faecal sample analysis

Procedures for processing cattle fecal samples for NIRS analysis, 35 (1991) 21

Techniques — feeding systems

Construction and operation of an open-circuit ventilated hood system for cattle nourished wholly by intragastric infusion of nutrients, 28 (1990) 109

The effects on performance and behaviour of number of growing pigs per mono-place feeder, 35 (1991) 3

Techniques — fermentation systems

The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81

A simple gas production method using a pressure transducer to determine the fermentation kinetics of ruminant feeds, 48 (1994) 185

The growth of pigs from 6 to 10 kg when fed fish silages that were preserved either by formic acid or by fermentation (Short Communication), 49 (1994) 163

Techniques — fibre determination

Chemical analysis of lignocellulose materials, 32 (1991) 35

Techniques — gas production

The in vitro gas production technique: an investigation on its potential use with insoluble polyvinylpyrrolidone for the assessment of phenolics-related antinutritive factors in browse species, 47 (1994) 305

Techniques — histochemistry

In vitro digested and potassium permanganate delignified maize internode sections studied by histochemistry and analytical pyrolysis mass spectrometry, 39 (1992) 335

Techniques — in vitro gas production

Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison between the use of the in vitro gas production technique with or without insoluble polyvinylpyrrolidone or nylon bag, 49 (1994) 133

Techniques — irradiation

Effect of infrared irradiation or extrusion processing of maize on its digestibility in piglets, 26 (1989) 29

Techniques — lignin extraction

Effect of isolation procedure on molecular weight distribution and monosaccharide composition of cotton stalk lignins, 50 (1994) 27

Techniques — mobile bag

Intestinal digestibility of rumen undegraded protein of various feeds as estimated by the mobile bag technique, 37 (1992) 161

The bioavailability of phosphorus from canola meal as measured by Holstein calves and mobile bag technique, 47 (1994) 321

Techniques — near-infrared analysis

The content of neutral and acid detergent fibre in forages predicted by near infrared reflectance analysis, 32 (1991) 13

Techniques — nitrogen determination

Determination of nitrogen intestinal digestibility in ruminants, 48 (1994) 253

Techniques — nylon bag

Factors affecting the apparent digestibility of protein for swine when determined by the mobile nylon bag technique, 27 (1989) 137

A rapid assay for the measurement of protein digestion to the ileum of pigs by the use of a mobile nylon bag technique, 33 (1991) 209

Sources of variation of the in situ nylon bag technique, 38 (1992) 35

Effect of sample pretreatment on alfalfa silage dry matter and protein degradability in sacco, 38 (1992) 69

Intestinal digestibility of rumen undegraded protein of formaldehyde-treated feedstuffs measured by mobile bag and in vitro technique, 39 (1992) 111

The effects of feeding level and roughage/concentrate ratio on the measurement of protein degradability of two tropical forages in the rumen of goats, using the nylon bag technique, 41 (1993) 261

Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ^{15}N horse urine treated wheat straw in small ruminants, 48 (1994) 199

Assessment of phenolics-related antinutritive effects in Mediterranean browse: a comparison

between the use of the in vitro gas production technique with or without insoluble polyvinylpyrrolidone or nylon bag, 49 (1994) 133

Techniques — protein measurement

Determination of 2,6-diaminopimelic acid in biological materials using high performance liquid chromatography, 30 (1990) 11

Influence of dry matter intake and passage rate on microbial protein synthesis in the rumen of sheep and its estimation by cannulation and a non-invasive method, 48 (1994) 289

Techniques — pyrolysis mass spectrometry

Pyrolysis mass spectrometry of coastal Bermuda-grass (*Cynodon dactylon* (L.) Pers.) and 'Kentucky-31' tall fescue (*Festuca arundinacea* Schreb.) cell walls and their residues after ozonolysis and base hydrolysis, 32 (1991) 17

In vitro digested and potassium permanganate delignified maize internode sections studied by histochemistry and analytical pyrolysis mass spectrometry, 39 (1992) 335

Techniques — rumen retention time evaluation

Mean retention time of dietary residues within the gastrointestinal tract of the young ruminant: a comparison of non-compartmental (algebraic) and compartmental (modelling) estimation methods, 35 (1991) 139

Techniques — Rusitec

Effects of the ionophore antibiotics lasalocid and cationomycin on ruminal fermentation in vitro (RUSITEC), 27 (1989) 1

Effects of the ionophore antibiotics monensin, monensin-propionate, abierixin and calcimycin on ruminal fermentations in vitro (Rusitec), 28 (1990) 183

Effect of a new ionophore antibiotic, abierixin, on the digestion of a roughage-based diet measured in sheep; comparison with results obtained in Rusitec, 31 (1990) 29

Influence of yeast culture on the in vitro fermentation (Rusitec) of diets containing variable portions of concentrates, 37 (1992) 209

Techniques — sedimentation measurement

Simulation of feed particle sedimentation in the reticulum as affected by hydration and fermentation, 39 (1992) 135

Techniques — silage assessment

- Near-infrared reflectance analysis of the fermentation characteristics of silage prepared by chemical treatment to prevent volatilisation of fermentation end products, 37 (1992) 47
- Comparison of sample preparation methods for the determination of the gross energy concentration of fresh silage, 37 (1992) 201

Thermal treatment

- Effect of enzyme addition, autoclave treatment and fermenting on the nutritive value of field beans (*Vicia faba* L.), 26 (1989) 71
- The effect of mild heat on the nutritional value of triticale for growing pigs, 26 (1989) 191
- Effect of autoclaving on metabolizable energy value of smooth pea seed (*Pisum sativum*) in growing chicks, 26 (1989) 337
- Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127
- Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293
- The effect of two heat treatments (steam flaking and extrusion) on the digestion of *Pisum sativum* in the stomach of heifers, 28 (1990) 303
- Chemical composition, digestibility in vitro and biodegradability of grass hays oven-treated with different amounts of ammonia, 29 (1990) 237
- Chemical and biological evaluation of soya-bean flakes autoclaved for different durations, 31 (1990) 247
- The influence of the Maillard reaction upon the nutritive value of fibrous feeds, 32 (1991) 45
- Effect of steam explosion treatment on the physico-chemical characteristics and enzyme hydrolysis of poplar cell wall components, 32 (1991) 235
- Effects of heat-treated and untreated full-fat rapeseed and tallow on rumen metabolism, digestibility, milk composition and milk yield in lactating cows, 34 (1991) 291
- The degradability of legume seed meals in the rumen: effect of heat treatment, 36 (1992) 101
- In vitro studies of conditions required to protect protein from ruminal degradation by heating in the presence of sugars, 37 (1992) 129
- Effect of heat drying temperature on the nutritive value of corn in chickens and pigs, 41 (1993)

149

- Effects of drying temperature on chemical composition and in vitro digestibility of forages, 46 (1994) 75
- Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31
- Effects of extrusion on the dye-binding fluorodinitrobenzene-reactive and total lysine content of soyabean meal and peas, 48 (1994) 99
- Ruminal degradation of alfalfa protein as influenced by sodium hydroxide and heat treatment, 48 (1994) 131
- Crambe meal: removal of glucosinolates by heating with additives and water extraction, 48 (1994) 273
- Effect of heat or formaldehyde treatment and differences in basal diet on the rumen degradability of protein in soyabean meal and in rapeseed meals of different glucosinolate content, 49 (1994) 297

Threonine

- A note on the interactive influence of dietary lysine and threonine on plasma urea levels in the growing pig (Short Communication), 46 (1994) 163

Thyroid hormone

- Influence of low-glucosinolate rapeseed meal on performance and thyroid hormone status of heavy pigs, 35 (1991) 321

Tilapia

- Chemical and nutritional quality of dried fermented fish silages and their nutritive value for tilapia (*Oreochromis niloticus*), 45 (1994) 167

Timothy

- Forage quality, productivity and feeding value to beef cattle of quackgrass (*Elytrigia repens* (L.) Nevski.) compared with timothy (*Phleum pratense* L.), 47 (1994) 53

Tomato meal

- Effect of locally produced tomato meal on the performance and the egg quality of laying hen, 36 (1992) 53

Total mixed ration

- A note on the effects of feeding total mixed ration on performance of dairy goats in late lactation, 35 (1991) 15

Toxicology

- Effect of carrier on the release of gentian violet from antifungal additives in poultry feed, 27 (1989) 83
- Effects of solvent extractions, heat treatments and added cholesterol on *Sesbania sesban* toxicity in growing chicks, 27 (1989) 127
- Detoxification of jack beans (*Canavalia ensiformis*): studies with young chicks, 33 (1991) 117
- Prophylactic effect of L-cysteine on nitrate-induced alterations in respiratory exchange and metabolic rate in sheep, 35 (1991) 105
- Effect of ammoniation on toxicity of *Acremonium coenophialum* infested tall fescue, 35 (1991) 227
- Chemical constraints to the use of tropical legumes in animal nutrition, 38 (1992) 237
- Analysis of phenolic compounds in relation to the prediction of digestibility and toxicity of ammonia-treated cereal straws, 39 (1992) 313
- Crambe meal, a review of nutrition, toxicity and effect of treatments (Review), 41 (1993) 133
- Nutritional and toxicological evaluation on rats of earthworm (*Eisenia fetida*) meal as protein source for animal feed, 42 (1993) 165
- A survey of nutrients and toxic factors in commercial rapeseed meal in China and evaluation of detoxification by water extraction, 45 (1994) 257

Tree forage

- Influence of method of calculation and length of period of rumen fermentation on the effective degradability of dry matter and nitrogen in some tree forages, 26 (1989) 309
- Fodder tree and straw diets for sheep: intake, growth, digestibility and the effects of phenolics on nitrogen utilisation, 30 (1990) 39
- Distribution of condensed tannins (proanthocyanidins) in various fibre fractions in young and mature leaves of some oak species, 32 (1991) 253
- Replacement value of tree legumes for concentrates in forage-based diets. I. Replacement value of *Gliricidia sepium* for growing goats, 46 (1994) 37
- Replacement value of tree legumes for concentrates in forage-based diets. II. Replacement value of *Leucaena leucocephala* and *Gliricidia sepium* for lactating goats, 46 (1994) 53
- Palatability of shrubs and fodder trees measured on sheep and dromedaries: 1. Methodological approach, 46 (1994) 143

Tree leaves

- The effect of supplementation with leaves from the leguminous trees *Sesbania grandiflora*, *Albizia chinensis* and *Gliricidia sepium* on the intake and digestibility of guinea grass hay by goats, 28 (1990) 225
- Occurrence, nutritional significance and effect on animal productivity of tannins in tree leaves, 30 (1990) 21
- Rumen degradation and in vivo digestibility of dried *Calliandra calothyrsus* leaves, 43 (1993) 19
- Effect of supplementation with tree leaves on intake and digestibility of hybrid napier (NB-21) grass in Nellore Brown sheep, 44 (1993) 265
- Relationship between protein-precipitating capacity of fodder tree leaves and their tannin content (Short Communication), 44 (1993) 281

Tree lucerne

- The nutritive value for ruminants of tagasaste (*Chamaecytisus palmensis*), a leguminous tree, 28 (1990) 275

Trichoderma reesei

- The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363

Trichoderma viride

- Effect of *Trichoderma viride* enzymes in pelleted broiler diets based on barley, 34 (1991) 193

Triglycerides

- Metabolizable energy value and effect on amino acid availability of medium-chain triglycerides in diets fed to chickens of different ages, 43 (1993) 259

Triticale

- The effect of mild heat on the nutritional value of triticale for growing pigs, 26 (1989) 191
- The effect of rate of feeding on the nutritional value of three triticale cultivars for growing pigs, 27 (1990) 317
- Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89
- Effect of high inclusion levels of triticale in diets for laying hens containing 30% field beans (Short Communication), 31 (1990) 349
- Effects of chemical preservation of high-moisture grain on carbohydrates and nitrogen com-

pounds: in vitro experiments, 34 (1991) 343
Nutritive value of triticale cultivars in pigs as a function of their chemical composition, 35 (1991) 49

Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1

Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237

Triticale grain

Nutritive value of whole triticale grain for sheep (Short Communication), 30 (1990) 163

Replacing maize grain with triticale grain in lactation diets for dairy cattle and fattening diets for steers, 49 (1994) 287

Triticale straw

Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79

Tropical feedstuffs, general

Nutritive value of some tropical feedstuffs for pigs. Chemical composition, digestibility and metabolizable energy content, 28 (1990) 91

Trypsin

Trypsin inhibitors in peas: varietal effect and influence on digestibility of crude protein by growing pigs, 29 (1990) 45

Trypsin inhibitors

Varietal distribution of the trypsin inhibitor activity in peas (*Pisum sativum* L.), 37 (1992) 309

Turkey

Effect of nutrient level and feed form on the performance of heavy breeder turkey toms, 29 (1990) 321

The reproductive performance of two genetically distinct lines of Medium White turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*, 43 (1993) 291

Growth performance of starting turkey poults fed diets subjected to an anaerobic pasteurizing conditioning system, 46 (1994) 67

Turnips

Influence of temperature and physical form of turnips on the metabolic cost of ingestion (Short Communication), 29 (1990) 147

U

Ultraviolet microscopy

Ultraviolet microscopy of lignins in specific cell walls of barley straw fractions with different rumen degradability, 36 (1992) 229

Urea

Response of growing cattle given rice straw to lickblocks containing urea and molasses, 26 (1989) 179

Urea supplementation compared with pretreatment. 1. Effects on intake, digestion and live-weight change by sheep fed a rice straw, 27 (1989) 17

Urea supplementation compared with pretreatment. 2. Effects on ruminal and post-ruminal digestion in sheep fed a rice straw, 27 (1989) 31

Ensiling grass with straw. I. Effect of straw, cellulase enzyme and urea on chemical composition of grass and grass/legume silages, 28 (1990) 39

The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29

Effects of various combinations of urea, soya-bean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101

Studies on the ammoniation of sugar-cane bagasse by urea. Effects of moisture, urea levels, urease source and treatment periods on composition, in vitro dry matter digestibility and evolution of ureolytic bacteria, 29 (1990) 113

Carbohydrate and nitrogen metabolism in the forestomach of steers given untreated or ammonia treated barley straw diets supplemented with urea or urea plus fishmeal, 33 (1991) 195

Effects of supplemental corn vs. corn fortified with soya-bean meal or urea fed with low-quality mixed grass hay on forage intake, particulate passage rate and neutral detergent fiber digestion in beef heifers, 33 (1991) 323

Factors affecting degradation of barley straw in sacco and microbial activity in the rumen of cows fed fibre-rich diets. 1. The source of supplemental nitrogen, 38 (1992) 263

Supplementation of pressed sugar-beet pulp silage with molasses and urea, laying hen excreta or soybean meal in ruminant nutrition, 39 (1992) 209

- Influence of urea feeding duration on nitrogen metabolism of rumen bacteria and their host sheep, 40 (1993) 177
- The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31
- Dehydrated alfalfa and chemically preserved alfalfa silage in combination with sunflower meal or urea as sources of protein for dairy cows, 45 (1994) 299
- A note on the interactive influence of dietary lysine and threonine on plasma urea levels in the growing pig (Short Communication), 46 (1994) 163
- Urea vs. urea and escape protein for finishing calves and yearlings, 49 (1994) 103
- Influence of peptides, amino acids and urea on microbial activity in the rumen of sheep receiving grass hay and on the growth of rumen bacteria in vitro, 49 (1994) 151
- The influence of urea supplementation or treatment of rice straw and fish meal supplementation on rumen environment and activity in sheep, 49 (1994) 223
- Urea molasse**
- Urea molasses mineral blocks as a feed supplement: effect on growth and nutrient utilization in buffalo calves, 29 (1990) 333
- Urea treatment**
- The chemical composition and nutritive value of rice straw after treatment with urea of *Corpinus fimetarius* in a solid state fermentation system, 26 (1989) 81
- Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79
- Urea treatment of green panic: effect on in vivo digestibility and on digesta mean retention time, 31 (1990) 117
- Urea for preservation of moist hay, 31 (1990) 193
- Effects of urea supplement with or without molasses on the intake, digestibility and liveweight changes of beef heifers fed native hay, 31 (1990) 277
- Intake and digestion of urea-treated, urea-supplemented and untreated rice straw by goats, 32 (1991) 333
- Treatment of straw with urea. 1. Ureolysis in a low water medium, 34 (1991) 75
- In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73
- Nutritional evaluation of sugarcane bagasse based rations treated with urea and cattle manure, 38 (1992) 135
- Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319
- Ensiling grass with straw. II. Effect of urea and enzyme additives on the feeding values of grass and straw silages, 41 (1993) 87
- Effect of storage and urea addition on detannification and in sacco dry matter digestibility of mature oak (*Quercus incana*) leaves, 41 (1993) 247
- The digestion and energy value of whole crop wheat treated with urea, 43 (1993) 51
- Feeding of urea treated straw in the tropics. I. A review of its technical principles and economics, 43 (1993) 135
- Influence of urea treatment or supplementation on degradation, intake and growth performance of goats fed rice straw diets, 44 (1993) 209
- The calculations method used for optimising conditions of treatment of barley straw with calcium hydroxide: effects of level of calcium hydroxide and urea, moisture, treatment time and temperature on in vitro digestibility, 45 (1994) 271
- Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
- Effect of ammonia or urea treatment of straw on chewing behaviour and ruminal digestion processes in non-lactating dairy cows, 47 (1994) 41
- Upgrading of sorghum stover with anhydrous ammonia or urea treatments, 48 (1994) 15
- Dry urea treatment prior to toasting as a method of improving the nutritive value of jackbeans (*Canavalia ensiformis*) for broilers, 48 (1994) 335
- Effect of treating or supplementing maize stover with urea on its utilization as feed for sheep and cattle, 49 (1994) 11
- The fixation of nitrogen using acid, green forage and germinated barley during urea treatment of straws, 50 (1994) 123
- Urea-ammonia treatment**
- Studies on urea-ammonia treatment of maize straw: treatment method and potential for dry season feeding of cattle in Northern Nigeria, 33 (1991) 289

Uricase

Effect of high dietary concentrations of brewer's dried yeast on growth performance and liver uricase in rainbow trout (*Oncorhynchus mykiss*), 33 (1991) 177

Urine treatment

Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ¹⁵N horse urine treated wheat straw in small ruminants, 48 (1994) 199

Uromalt-20

Development and evaluation of Uromalt-20 as concentrate feed for growing cattle, 44 (1993) 169

Utilisation

See Special Issue "Cell Walls: Structure — Biodegradation — Utilisation. Papers presented at an OECD Workshop, Nantes, France, July 1989", Vol. 32 (1991) 1-251

V**Vancomycin**

Effect of a microbial inoculant (Ecosyl™) and/or a glycopeptide antibiotic (vancomycin) on fermentation and aerobic stability of wilted alfalfa silage, 35 (1991) 37

Veld herbage

Relationships between chemical components of veld herbage and in vitro digestibility and estimated intakes of dry matter and digestible dry matter by sheep and cattle, 43 (1993) 151

Vermiculite

Effect of vermiculite on productive performance of White Leghorn hens in a controlled feeding system, 35 (1991) 301

Vicine

The estimation of vicine, convicine and condensed tannins in 22 varieties of fababeans (*Vicia faba* L.), 31 (1990) 157

Viscosity

Genotypic and environmental differences in extract viscosity of barley and their relationship

to its nutritive value for broiler chickens, 26 (1989) 221

Evaluation of hull-less barley genotypes varying in extract viscosity in broiler chick diets, 41 (1993) 191

Vitamin A

Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21

Vitamin C

Effect of dietary ascorbic acid supplementation on the performance of brown-egg layers and egg quality, 30 (1990) 301

Effects of ascorbic acid (vitamin C) supplementation on ejaculated semen characteristics of broiler breeder chickens under hot and humid tropical conditions, 34 (1991) 141

Vitamin D

Effects of vitamin A and D supplementation on tibial dyschondroplasia in broilers, 34 (1991) 21

The vitamin D₃ and precholecalciferol content of menhaden fish meal as affected by drying conditions, 47 (1994) 99

Vitamins, general

Vitamin supplementation of cereal diets for poultry, 45 (1993) 81

Volatile fatty acids

The production and metabolism of volatile fatty acids by ruminants fed roughages: a review (Review), 43 (1993) 189

W**Wheat**

Influence of germination of cereals on viscosity of their aqueous extracts and nutritive value, 28 (1990) 243

The effect of moulds on the nutritional value of wheat, 28 (1990) 315

Nutritional value of some Czechoslovak varieties of wheat, triticale and rye, 29 (1990) 89

Influence of steam flaking wheat on rumen fermentations and duodenal nitrogen and amino acid flow in heifers, 30 (1990) 69

- Marigold extracts and maize gluten meal as broiler pigment sources in maize and wheat-based diets, 31 (1990) 79
- Ensiling whole wheat for ruminant feeding at different stages of maturity, 32 (1991) 313
- Additivity of the apparent and true ileal digestible amino acid supply in barley, maize, wheat or soya-bean meal based diets for growing pigs, 32 (1991) 321
- The nutritive value for broiler chickens of pelleting and enzyme supplementation of a diet containing barley, wheat and rye, 33 (1991) 1
- Feed intake and digestion by Holstein steer calves consuming bermudagrass or ryegrass-wheat hay and supplemented with alfalfa, corn or monensin, 34 (1991) 241
- Comparison between the mechanism of protein degradation of two cereals by enzymatic and in situ methods, using gel electrophoresis, 35 (1991) 115
- The digestibility of semipurified starches from wheat, cassava, pea, bean and potato by adult cockerels and young chicks, 35 (1991) 289
- The influence of leaf and stem particle size in vitro and of sample size in sacco on neutral detergent fibre fermentation kinetics, 37 (1992) 85
- Commercial enzyme supplementation of wheat-based diets raises ileal glycanase activities and improves apparent metabolisable energy, starch and pentosan digestibilities in broiler chickens, 38 (1992) 105
- Effects of four cereal grains on intake and ruminal digestion of harvested forage by beef steers, 40 (1993) 93
- Comparison of in vitro gas production and nylon bag degradability of roughages in predicting feed intake in cattle, 40 (1993) 109
- Dry matter disappearance and gelatinization of grains as influenced by processing and conditioning, 40 (1993) 321
- Response of whole blood glutathione peroxidase and selenium in chicks fed with sodium selenite, wheat and fish meal, 41 (1993) 103
- The digestion and energy value of whole crop wheat treated with urea, 43 (1993) 51
- A study of voluntary intake and digestibility of roughages in relation to their degradation characteristics and retention time in the rumen, 43 (1993) 227
- Effects of combinations of wheat, corn or hullless barley with hulled barley supplemented with soybean meal or canola meal on growth rate, efficiency of feed utilization and carcass quality of market pigs, 44 (1993) 129
- Effects of adding barley hulls and linseed meal to wheat and hullless barley diets fed to growing pigs, 45 (1994) 177
- The nutritive value of barley, rye, wheat and corn for young chicks as affected by use of a *Trichoderma reesei* enzyme preparation, 45 (1994) 363
- Intake and digestibility of urea-treated whole crop wheat and liveweight gain by dairy heifers, 46 (1993) 119
- Effect of flame roasting on the nutritional quality of common cereal grains for non-ruminants and ruminants, 47 (1994) 31
- Effects of supplemental microbial phytase on availability of phosphorus contained in maize, wheat and triticale to pigs, 49 (1994) 1
- Effect of enzyme supplementation of wheat and triticale based diets for broilers, 49 (1994) 237
- Wheat aleurone**
- Digestion of wheat aleurone by commercial polysaccharidases, 32 (1991) 185
- Wheat bran**
- Digesta collection procedure may affect ileal digestibility in pigs fed diets based on wheat bran or beet pulp, 27 (1990) 307
- An evaluation of low-energy feedstuffs in diets for laying hens, 27 (1990) 327
- Evidence for a high efficiency of bacterial protein synthesis in the digestive tract of adult sows fed supplements of fibrous feedstuffs, 46 (1994) 293
- The effect of replacement of wheat bran by graded levels of molasses on digestion, degradation and digestion kinetics of fibre and rumen digesta pool size in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 47 (1994) 213
- The effect of replacement of wheat bran by graded levels of molasses on feed intake, organic matter digestion, rumen fermentation and nitrogen utilization in crossbred (*Bos taurus* × *Bos indicus*) steers fed native grass hay, 48 (1994) 153
- Wheat gluten feed**
- A note on the digestibility and feeding value of wheat gluten feed for ruminants, 45 (1994) 131

Wheat mill run

Ruminal and intestinal degradation of cell wall constituents of barley, barley fibre and wheat mill run measured by the nylon bag technique, 32 (1991) 201

Wheat silage

High wheat and maize silage diets for growth and fattening young cattle, 26 (1989) 287

Wheat straw

Relationships between chemical composition, digestibility in vitro and cell-wall degradability of wheat straw treated with different amounts of ammonia and water elevated temperature, 27 (1990) 293

Variability in the nutritive value of straw cultivars of wheat, rye and triticale and response to urea treatment, 28 (1990) 79

Utilization of ammoniated wheat straw given in a feed block and supplemented with varying quantities of fish meal and oil-extracted rice bran, 28 (1990) 129

The feeding value of cereal straws for sheep. I. Wheat straws, 29 (1990) 1

The feeding value of cereal straws for sheep. III. Supplementation with minerals or minerals and urea, 29 (1990) 29

The effect of sodium hydroxide treatment on the chemical composition, digestibility and digestible energy content of wheat, barley and oat straws, 29 (1990) 73

Effects of various combinations of urea, soyabean meal and maize in alkaline hydrogen peroxide-treated wheat straw-based diets on ruminal bacterial fermentation, 29 (1990) 101

Studies on ammonia treatment of wheat straw: effects of level of ammonia, moisture content, treatment time and temperature on straw composition and degradation in the rumen of sheep, 29 (1990) 251

Influence of oxygen and carbon dioxide on cell wall degradation by white-rot fungi, 32 (1991) 137

Treatment of straw with urea. 1. Ureolysis in a low water medium, 34 (1991) 75

Influence of type of diet and incubation time on major elements release in sacco from Italian ryegrass, untreated and ammonia-treated wheat straws, 36 (1992) 239

Effects of sulphate supplementation of untreated and alkali-treated wheat straws on ruminal fermentation and microbial protein synthesis in a semi-continuous fermentor, 36 (1992) 287

Optimisation of solid substrate fermentation of wheat straw into animal feed by *Pleurotus ostreatus*: a pilot effort, 37 (1992) 59

In situ organic matter degradability of untreated and urea-treated varieties of spring barley and oat straws, and of untreated varieties of winter wheat straws, 37 (1992) 73

Ammonia and sulfur dioxide treated wheat straw as a feedstuff for cattle, 37 (1992) 111

Tentative explanation of the abnormally high fecal nitrogen excretion with poor-quality roughages treated with ammonia, 38 (1992) 25

Effect of different supplements on the degradability of organic matter, cell wall constituents, in vitro gas production and organic digestibility of wheat straw, 38 (1992) 187

Influence of various straw-to-concentrate ratios on in sacco dry matter degradability, feed intake and apparent digestibility in ruminants, 38 (1992) 199

Chemical treatment of lignocellulosic residues with urea, 38 (1992) 319

Comparison of characteristics of soluble lignins from untreated and ammonia-treated wheat straw, 39 (1992) 253

The upgrading of wheat straw by alkaline hydrogen peroxide treatment: The effect of NaOH and H₂O₂ on the site and extent of digestion in sheep, 40 (1992) 121

The effect of maize grain supplementation of diets based on wheat straw and poultry litter on their utilization by beef cattle, 40 (1993) 165

A comparison of farm-scale methods of application of sodium hydroxide on the nutritive value of a winter wheat straw, 41 (1993) 199

Effects of dilute-acid hydrolysis treatment on the physico-chemical features and bio-utilization of wheat straw, 42 (1993) 55

Degradation of wheat straw and maize stem by a monocentric and polycentric rumen fungi, alone or in association with rumen cellulolytic bacteria, 42 (1993) 69

The effect of rumen ammonia nitrogen concentration on intake and digestion of wheat straw by goats, 43 (1993) 31

Effects of lucerne supplementation and defaunation on feed intake, digestibility, N retention and productivity of sheep fed straw based diets, 45 (1994) 119

Effect of fungus-treated straw on ruminal fermentation in vitro, 46 (1994) 131

Characterization of some cell-wall components of untreated and SO₂-treated wheat straw, 46 (1994) 331

Investigations on nitrogen flow into and out of nylon bags after ruminal incubation and feeding of untreated or ^{15}N horse urine treated wheat straw in small ruminants, 48 (1994) 199
In vitro digestibility of barley and wheat straws treated with hydrogen peroxide, sodium hydroxide and sodium peroxide under various conditions, 50 (1994) 1

Wheat stubble

Influence of supplementation on the performance of gestating ewes grazing wheat stubble pastures, 35 (1991) 95

Whey

Use of whey and concentrate to partially replace whole milk consumption in the rearing of Friesian \times Boran calves, 36 (1992) 59
Whey protein digestion in the distal ileum of the preruminant calf, 41 (1993) 223

Wool quality

Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123

X

Xylanase

Effects of rapeseed oil on rumen enzyme activity and in sacco degradation of grass silage, 36 (1992) 77

Xylose

Alteration of absorption of D-xylose by parasitism and feeding of grain legumes to sheep, 49 (1994) 325

Y

Yak

Degradation and utilization of grass cell walls by anaerobic fungi isolated from yak, llama and sheep, 44 (1993) 221

Yeast

Chemical and nutritional evaluation of airtight storage of high-moisture barley and high-moisture barley treated with lactobacilli or lactobacilli and yeast, 29 (1990) 223

Influence of yeast culture on the in vitro fermentation (Rusitec) of diets containing variable portions of concentrates, 37 (1992) 209

Effect of dietary protein level and yeast culture on growth, blood prolactin and mohair fibre characteristics of British Angora goats, 38 (1992) 123

The reproductive performance of two genetically distinct lines of Medium White turkey hens when fed breeder diets with and without a yeast culture containing *Saccharomyces cerevisiae*, 43 (1993) 291

The potential of yeast and natural fungi for enhancing fibre digestibility of forages and roughages, 48 (1994) 39

Effect of a yeast culture (*Saccharomyces cerevisiae*) on neutral detergent fibre digestion in steers fed oat straw based diets, 49 (1994) 203

Influence of diet and yeast supplement on in vitro ruminal characteristics, 49 (1994) 211

The influence of the basal diet on the effects of yeast culture on ruminal fermentation and digestibility in steers, 50 (1994) 55

Z

Zinc

Faecal and urinary excretion of iron, copper, zinc and manganese in faunated and defaunated wethers fed semi-purified diets of different carbohydrate composition, 28 (1990) 135

Apparent absorption of Ca, P and Zn, and true absorption of ^{65}Zn in rats fed diets containing lupin (*Lupinus angustifolius*) seed meal or its fractions, 49 (1994) 93